

A photograph of a river flowing through a lush green forest. The river is in the foreground, with some rocks and debris visible. The banks are lined with dense trees and vegetation. In the background, there are mountains under a cloudy sky.

**Comrie Flood Protection Scheme
Appendix 5.1**

**Schedule of Trees to be Removed
and Retained**

Document Control

Document title	Appendix 5.1: Schedule of Trees to be Removed and Retained
Originator	Ellie Davies
Checker	Phillip Black
Approver	Gail Currie
Authoriser	Rebecca McLean
Status	For Publication

Revision History

Document title	Date	Description	Author
Appendix 5.1: Schedule of Trees to be Removed and Retained	10/12/19	For Publication	Ellie Davies

1 Trees to be Removed and Retained

1.1 Introduction

- 1.1.1 This document provides an inventory of all trees likely to be removed to enable the construction and operation of the proposed Comrie Flood Protection Scheme. For the purposes of the landscape and visual impact assessment (refer to Chapter 5: Landscape and Visual Impact Assessment of the Environmental Statement), an assumption has been adopted that all trees with root protection zones extending into the anticipated 5m construction working area will be removed. However, in practice it may be possible to retain those trees where only a small area of the rootzone is affected.
- 1.1.2 Trees are listed as to be retained if possible where it is anticipated that less than 10% of their root zone is located within the working area. Careful construction methods including the root pruning of trees to be supervised by a consultant arboriculturalist and monitoring of trees following root pruning would assist in potentially retaining these trees.
- 1.1.3 There is the potential that further trees may be removed during construction, but this would have to be agreed with Perth and Kinross Council by the appointed Contractor.
- 1.1.4 The following schedules provide information taken from the *Comrie Flood Protection Scheme Arboricultural Report Part 2, The Tree Inspector July 2018*. Each individual tree or group of trees is listed within the schedules as to be: *Retained; Removed; or Retained if Possible*. A short description of the reason for removal is provided in the schedule if relevant.
- 1.1.5 The following schedules should be read in conjunction with:
- Comrie Flood Protection Scheme Arboricultural Report Parts 1 and 2, The Tree Inspector July 2018
 - Tree Survey drawings 119398/400/370 to 119398/400/380
 - Trees to be Removed and Retained drawings 119398/400/381 to 119398/400/391
 - Outline Landscape Proposals drawings 119398/400/392 to 119398/400/3402
 - Comrie Flood Protection Scheme drawings 119398/400/316 to 119398/400/353

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277618.7 722177.2	1	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	0	480			10	3	2	9	Fair	20 to 40 yrs	B	Retained	
277617.8 722170.9	2	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole</i>	Mature	22	1	810			6	4	7	9	Fair	20 to 40 yrs	B	Retained	
277621.1 722173.3	3	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	>5	760			5	8	5	6	Fair	20 to 40 yrs	B	Retained	
277618.7 722168.2	4	Common Ash <i>Fraxinus excelsior</i> <i>Ivy clad bole</i>	Semi-mature	5	2	250	150	150	0	7	4	1	Fair	10 to 20 yrs	C	Retained	
277615.5 722161.7	5	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole</i>	Mature	23	>5	610	470		7	6	3	9		20 to 40 yrs	B	Retained	
277615.2 722157.8	6	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	1	480	470		3	0	5	9	Fair	20 to 40 yrs	B	Retained	
277618.2 722159	7	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole</i>	Mature	23	2	560			5	8	2	2	Fair	20 to 40 yrs	B	Retained	
277619.7 722154.8	8	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole</i>	Mature	22	4	750			4	8	5	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277619.7 722153.3	9	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole</i>	Mature	22	3	690			2	8	5	5	Fair	20 to 40 yrs	B	Retained	
277623.6 722150.9	10	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole. Twin co-dominant stems</i>	Mature	22	>5	540	540		5	7	5	5	Fair	10 to 20 yrs	C	Retained	
277615.8 722153.9	11	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole</i>	Mature	19	0	440			3	2	4	7	Fair	20 to 40 yrs	B	Retained	
277615.5 722150.3	12	Common Ash <i>Fraxinus excelsior</i> <i>Ash die-back. Ivy clad bole</i>	Mature	23	>5	380			0	0	6	9	Fair	10 to 20 yrs	C	Retained	
277619.7 722146.1	13	Sycamore <i>Acer pseudoplatanus</i> <i>Western stem decayed</i>	Mature	20	4	600	580	550	5	10	7	5	Poor	10 to 20 yrs	C	Retained	
277618.5 722133.2	14	Wych Elm <i>Ulmus glabra</i>	Semi-mature	15	5	300	360		7	7	7	8	Fair	20 to 40 yrs	B	Retained	
277616.1 722143.1	G15	A Group <i>Sub-canopy group. Elm, Sycamore</i>	Semi-mature	11	2	240			7	3	7	7	Fair	10 to 20 yrs	C	Retained	
277616.1 722125.7	G16	Common Ash <i>Fraxinus excelsior</i> <i>Ash group, 7 stems. Ash die-back</i>	Young	6	1	100			5	4	9	6	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277618.2 722121.5	17	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	4	890			8	9	7	8	Fair	20 to 40 yrs	B	Retained	
277618.5 722113.2	18	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	5	660			5	5	5	9	Fair	20 to 40 yrs	B	Retained	
277620.4 722111.4	19	Sycamore <i>Acer pseudoplatanus</i>	Mature	19	5	390	180		5	10	4	4	Fair	20 to 40 yrs	B	Retained	
277618.5 722107.8	20	Sycamore <i>Acer pseudoplatanus</i>	Mature	19	5	460			4	7	4	7	Fair	20 to 40 yrs	B	Retained	
277618.6 722105.4	21	Wych Elm <i>Ulmus glabra</i>	Semi-mature	7	2	190			0	3	5	5	Fair	10 to 20 yrs	C	Retained	
277617.7 722100.1	22	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	2	190	90		2	4	3	2	Fair	10 to 20 yrs	C	Retained	
277619.7 722095.3	23	Sycamore <i>Acer pseudoplatanus</i>	Mature	20	5	480	190		5	6	2	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277622.42 722060.99	24	Sycamore <i>Acer pseudoplatanus</i>	Mature	20	4	630			7	7	7	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277619.42 722077.79	25	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	5	870			4	8	9	9	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277620.02 722082.59	26	Sycamore <i>Acer pseudoplatanus</i>	Mature	23	4	730			5	8	5	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277617.92 722083.34	27	Common Ash <i>Fraxinus excelsior</i>	Mature	22	>5	360			5	5	6	5	Fair	20 to 40 yrs	B	Retain if possible	Less than 10% of the calculated rootzone within the working width.
277619.01 722088.14	28	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10		280			4	5	4	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277618.41 722092.94	29	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	4	210			2	3	2	3	Poor	10 to 20 yrs	C	Retained	
277622.4 722053.71	30	Common Ash <i>Fraxinus excelsior</i> <i>Twin co dominant stems</i>	Mature	24	5	510	480		6	7	7	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277619.4 722054.01	31	Common Alder <i>Alnus glutinosa</i>	Mature	13	4	350			4	0	4	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277621.8 722045.61	G32	Common Alder <i>Alnus glutinosa</i> 6 stems	Mature	17	4	310			5	7	8	8	Fair	20 to 40 yrs	B	Retained	
277620 722049.51	33	Sycamore <i>Acer pseudoplatanus</i> Truncated stem	Semi-mature	5	2	350			2	2	3	5	Fair	10 to 20 yrs	C	Retained	
277621.5 722031.51	G0034	Sycamore <i>Acer pseudoplatanus</i> 3 trees. Co dominant stems	Semi-mature	18	2	180	180	170	6	6	5	5	Fair	10 to 20 yrs	C	Retained	
277625.63 722020.64	G35	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	4	190	180	170	8	7	10	9	Fair	11 to 20 yrs	C	Retained	
277641.83 722029.64	36	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	14	4	160	160	160	4	4	4	4	Poor	10 to 20 yrs	C	Retained	
277635.83 722032.04	37	Sycamore <i>Acer pseudoplatanus</i> Twin co dominant stems	Semi-mature	12	3	170	150		2	3	3	3	Fair	20 to 40 yrs	C	Retained	
277637.03 722038.64	38	Bird Cherry <i>Prunus padus</i>	Semi-mature	12	2	170	190		4	3	6	5	Fair	20 to 40 yrs	B	Retained	
277638.53 722037.89	39	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15	3	220			3	7	3	0	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277637.63 722042.99	40	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	14	>5	280			4	4	6	3	Fair	10 to 20 yrs	C	Retained	
277628.93 722036.39	41	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	5	290	310		5	5	6	4	Fair	10 to 20 yrs	C	Retained	
277626.53 722035.19	42	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	5	280			4	5	6	1	Fair	10 to 20 yrs	C	Retained	
277633.43 722046.59	43	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	14	5	380			1	2	5	5	Poor	10 to 20 yrs	C	Retained	
277625.03 722049.59	44	Common Alder <i>Alnus glutinosa</i>	Semi-mature	9	1	150	110	70	3	1	4	5	Fair	10 to 20 yrs	C	Retained	
277629.53 722045.09	G45	Common Hazel <i>Corylus avellana</i>	Young	4	2	80	80	80	6	6	6	6	Fair	10 to 20 yrs	C	Retained	
277647.53 722038.79	46	Oak <i>Quercus robur</i>	Semi-mature	10	2	190			0	0	7	4	Fair	10 to 20 yrs	C	Retained	
277644.53 722042.09	47	Common Ash <i>Fraxinus excelsior</i>	Early mature	17	5	370	330		4	6	8	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277659.23 722037.89	G48	Common Ash <i>Fraxinus excelsior</i> 4 trees. Ash die back	Semi-mature	14	3	350			7	10	5	10	Poor	10 to 20 yrs	C	Retained	
277666.58 722037.97	49	Sycamore <i>Acer pseudoplatanus</i>	Mature	12	3	470			4	5	8	5	Fair	20 to 40 yrs	B	Retained	
277665.98 722046.97	G50	Common Ash <i>Fraxinus excelsior</i> 3 Trees. Ash die back	Semi-mature	16	5	340			4	8	6	5	Fair	10 to 20 yrs	C	Retained	
277669.88 722038.57	51	Hazel <i>Corlyluss avellana</i>	Semi-mature			100	100	80	3	2	5	4	Fair	10 to 20 yrs	C	Retained	
277670.18 722036.77	54	Rowan <i>Sorbus aucuparia</i>	Semi-mature	5	2	170	70		0	0	6	5	Fair	11 to 20 yrs	C	Retained	
277636.58 722058.82	52	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	3	610	340		8	4	7	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277638.38 722057.77	53	Common Ash <i>Fraxinus excelsior</i>	Mature	22	5	590	480		8	7	8	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277638.98 722061.37	55	Common Ash <i>Fraxinus excelsior</i> Topped	Mature	7	2	600			5	5	0	0	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277653.38 722055.67	56	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	5	530	380	310	10	7	8	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277655.78 722055.37	57	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	5	450			7	6	7	0	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277661.48 722052.67	58	Sycamore <i>Acer pseudoplatanus</i>	Mature	23	5	730	310		10	6	8	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277667.48 722055.37	59	Sycamore <i>Acer pseudoplatanus</i>	Mature	23	4	720	710	630	10	10	8	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277664.78 722056.27	60	Sycamore <i>Acer pseudoplatanus</i>	Mature	19	5	320			4	0	7	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277680.68 722049.97	61	Common Ash <i>Fraxinus excelsior</i>	Mature	24	3	400	320	340	10	10	7	7	Fair	20 to 40 yrs	B	Retain if possible	less than 10% of the calculated rootzone within the working width
277680.98 722042.47	62	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	18	5	400			3	5	7	5	Poor	10 to 20 yrs	C	Retained	
277691.48 722056.27	63	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	3	870	660		10	7	8	10	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277700.27 722050.7	64	Cherry <i>Prunus avium</i>	Mature	10		560			5	5	8	5	Fair	20 to 40 yrs	B	Retain if possible	less than 10% of the calculated rootzone within the working width
277718.87 722055.96	65	Sycamore <i>Acer pseudoplatanus</i>	Mature	22		880			10	10	10	10	Fair	20 to 40 yrs	A	Removed	Removed to accommodate flood wall and working area
277700.33 722045.24	G1066	Bird Cherry <i>Prunus padus</i> 2 trees. Cherry, Hawthorn	Semi-mature	4	1	130	60	40	1	6	3	1	Fair	10 to 20 yrs	C	Retained	
277724.51 722060.43	67	Bird Cherry <i>Prunus padus</i> Stem leaning southeast	Semi-mature	6	1	250			3	4	6	1	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277733.19 722061.05	68	Silver Birch <i>Betula pendula</i>	Semi-mature	9	2	170			3	3	3	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277744.54 722062.32	69	Elm <i>Ulmus glabra</i> Multi stemmed tree with compression forks	Semi-mature	14	0	190	170	70	5	2	5	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277745.78 722056.43	G0070	Cherry <i>Prunus avium</i> 3 trees	Semi-mature	8		240			4	2	5	6	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277750.74 722065.42	71	Sycamore <i>Acer pseudoplatanus</i> Multi stemmed from ca. 2m height with compression fork and crack	Mature	25	2	1300			8	5	9	8	Poor	<10 yrs	U	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277755.7 722065.42	72	Sycamore <i>Acer pseudoplatanus</i>	Mature	25	3	540	560	560	5	6	11	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277763.14 722066.35	73	Sycamore <i>Acer pseudoplatanus</i>	Mature	25	3	640	560	570	9	4	9	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277773.86 722067.18	74	Sycamore <i>Acer pseudoplatanus</i>	Mature	25	2	610	480	160	5	5	8	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall, embankment and working area
277779.44 722069.97	75	Sycamore <i>Acer pseudoplatanus</i> <i>Multi stemmed tree with compression forks and included bark</i>	Mature	240	2	900	590		9	6	8	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall, embankment and working area
277782.54 722070.28	76	Sycamore <i>Acer pseudoplatanus</i> <i>Multi stemmed tree with compression forks and included bark</i>	Mature	25	3	610	620	790					Fair	10 to 20 yrs	C	Removed	Removed to accommodate embankment and working area
277793.08 722071.52	77	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	1	470			5	3	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277800.52 722074.31	78	Common Ash <i>Fraxinus excelsior</i>	Mature	18	1	530			9	3	2	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277802.07 722072.76	79	Sycamore <i>Acer pseudoplatanus</i> <i>Multi stemmed from ca. 2m height with compression forks and included bark</i>	Mature	24	1	1190			7	8	9	7	Fair	10 to 20 yrs	C	Removed	Removed to accommodate embankment and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277809.03 722074.02	80	Elm <i>Ulmus glabra</i>	Semi-mature	6	2	290			5	4	5	4	Fair	20 to 40 yrs	B	Retained	
277814.92 722071.23	81	Plum <i>Prunus Domestica</i>	Young	4	1	100	80		3	1	1	1	Fair	10 to 20 yrs	C	Retained	
277821.43 722073.09	82	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	2	610			7	7	8	7	Fair	20 to 40 yrs	B	Retained	
277825.77 722072.47	83	Alder <i>Alnus glutinosa</i>	Mature	10	2	470			8	4	5	4	Poor	10 to 20 yrs	C	Retained	
277829.18 722072.78	84	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	23	3	560	250		10	7	9	7	Fair	10 to 20 yrs	C	Retained	
277832.9 722073.71	85	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	8	2	260			4	4	4	2	Poor	10 to 20 yrs	C	Retained	
277841.89 722075.26	86	Alder <i>Alnus glutinosa</i>	Mature	10	4	590			4	1	4	2	Poor	<10 yrs	U	Retained	
277838.79 722075.26	87	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	0	270	270	80	5	2	3	5	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277846.05 722074.61	88	Sycamore <i>Acer pseudoplatanus</i>	Mature	24	2	1800			12	10	11	8	Fair	20 to 40 yrs	B	Retained	
<i>Multi stemmed from ca. 2m height with compression forks and included bark</i>																	
277614.1 722194.58	89	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	5	410		260	3	7	7	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277613.79 722199.23	90	Alder <i>Alnus glutinosa</i>	Mature	8	1	480		140	2	3	4	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277613.17 722208.22	91	Elm <i>Ulmus glabra</i>	Semi-mature	10	1	160	140	70	3	3	2	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277612.55 722210.39	92	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	3	450	110		4	1	5	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277612.86 722211.32	93	Elm <i>Ulmus glabra</i>	Young	4	0	100			3	1	4	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277612.55 722214.11	94	Common Ash <i>Fraxinus excelsior</i>	Mature	8	1	250	140		5	3	2	8	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
<i>Ash die back</i>																	
277611.62 722222.17	95	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	3	280			3	3	3	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277611.31 722225.27	96	Rowan <i>Sorbus aucuparia</i>	Semi-mature	6	2	210			2	2	2	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277611.31 722229.61	97	Alder <i>Alnus glutinosa</i>	Mature	10	3	280	130		1	1	4	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277611.31 722233.8	98	Sycamore <i>Acer pseudoplatanus</i> <i>Significant specimen</i>	Mature	22	2	830			8	9	8	9	Fair	20 to 40 yrs	A	Removed	Removed to accommodate flood wall and working area
277609.38 722241.09	99	Common Ash <i>Fraxinus excelsior</i>	Mature	24	2	580			4	6	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277608.45 722242.33	100	Common Ash <i>Fraxinus excelsior</i>	Mature	23	4	420			6	6	3	1		20 to 40 yrs	B	Removed	Removed to accommodate working area
277607.52 722244.5	101	Beech <i>Fagus sylvatica</i>	Mature	18	4	320			5	4	4	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277608.45 722249.77	102	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	2	510	570		4	6	4	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277607.21 722255.66	103	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	2	260			2	7	2	0	Poor	<10 yrs	U	Retained	

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277605.97 722256.59	104	Bird Cherry <i>Prunus padus</i>	Semi-mature	12	0	160	180		3	5	2	6	Fair	20 to 40 yrs	B	Retained	
277606.97 722259.32	G105	Common Ash <i>Fraxinus excelsior</i> 2 trees. Ash die back	Semi-mature	17	3	160			4	3	8	7	Poor	10 to 20 yrs	C	Retained	
277607.29 722260.6	106	Sycamore <i>Acer pseudoplatanus</i> Ash die back	Mature	18	2	390	300	200	6	10	6	10	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277605.69 722262.04	107	Alder <i>Alnus glutinosa</i>		13	2	250			4	1	4	5	Fair	20 to 40 yrs	B	Retained	
277605.26 722269.19	108	Common Ash <i>Fraxinus excelsior</i> Ash die back	Mature	20	>5	490	460		6	8	6	8	Poor	<10 yrs	U	Removed	Removed to accommodate working area
277605.58 722264.39	G109	Elm <i>Ulmus glabra</i> Sub canopy group. Circa 6 trees. Elm, Sycamore, Holly	Young	5	2	120			7	3	7	3	Fair	10 to 20 yrs	C	Retained	
277604.94 722270.15	110	Alder <i>Alnus glutinosa</i>		15	1	330	190		4	10	6	2	Fair	20 to 40 yrs	B	Retained	
277604.22 722270.91	111	Alder <i>Alnus glutinosa</i>	Semi-mature	11	4	160			2	1	3	8	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277604.47 722275.13	112	Alder <i>Alnus glutinosa</i>	Mature	13	2	280	160	300	2	5	5	6	Fair	20 to 40 yrs	B	Retained	
277603.83 722280.73	113	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	19	3	310	270		4	6	5	6	Fair	10 to 20 yrs	C	Retained	
277602.71 722281.85	114	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	2	260			4	4	5	4	Fair	20 to 40 yrs	B	Retained	
277601.95 722289.18	115	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	10	4	290			3	3	3	4	Poor	<10 yrs	U	Retained	
277601.95 722288.54	116	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	19	4	500	410		6	9	7	9	Poor	10 to 20 yrs	C	Retained	
277600.99 722287.74	117	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	3	360			4	2	1	7	Fair	20 to 40 yrs	B	Retained	
277600.69 722290.96	118	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	11	2	340			5	4	2	77	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277601.81 722292.4	119	Beech <i>Fagus sylvatica</i>	Young	5	1	150			1	4	2	0	Fair	10 to 20 yrs	C	Retained	
277601.17 722293.84	120	Alder <i>Alnus glutinosa</i>	Mature	13	2	360	320	170	3	7	5	7	Fair	20 to 40 yrs	B	Retained	
277600.71 722295.72	G121	Alder <i>Alnus glutinosa</i> 6 trees	Mature	13	4	260	260		14	6	7	8	Fair	20 to 40 yrs	B	Retained	
277600.87 722297	122	Elm <i>Ulmus glabra</i>	Mature	13	1	290	150		5	9	4	2	Fair	20 to 40 yrs	B	Retained	
277602 722298.06	G123	Sycamore <i>Acer pseudoplatanus</i> 3 Trees	Semi-mature	13	3	200			6	4	5	3	Fair	21 to 40 yrs	B	Retained	
277597.77 722313.82	124	Rowan <i>Sorbus aucuparia</i>	Mature	5	2	250			4	4	4	4	Fair	9 to 20 yrs	C	Retained	
277590.25 722311.74	G126	A Group <i>Elm, Ash, Sycamore</i>	Young	4	1	80			4	4	4	3	Fair	10 to 20 yrs	C	Retained	
277557.92 722298.86	125	Elm <i>Ulmus glabra</i>	Mature	16	1	570			7	7	6	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277561.12 722294.06	G127	Alder <i>Alnus glutinosa</i> Woodland group circa 30 trees	Semi-mature	12	2	170			8	5	8	8	Fair	20 to 40 yrs	C	Retained	
277566.88 722291.82	128	Alder <i>Alnus glutinosa</i>	Mature	13	3	570	420	430	6	8	8	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277566.24 722307.82	S129	Shrubs/young trees	Young	5	1	80			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
277570.72 722303.34	130	Elm <i>Ulmus glabra</i>	Young	5	0	80	80		4	3	4	3	Fair	10 to 20 yrs	C	Retained	
277579.36 722293.42	131	Common Hawthorn <i>Crataegus monogyna</i>	Young	5	1	80			2	2	2	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277575.52 722287.66	S132	Shrubs / young trees	Young	5	1	80			2	2	2	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277578.4 722284.14	133	Alder <i>Alnus glutinosa</i>	Mature	13	4	330			4	2	7	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277577.34 722285.02	134	Alder <i>Alnus glutinosa</i>	Semi-mature	10	4	160	180		7	2	1	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277582.62 722291.74	135	Alder <i>Alnus glutinosa</i>	Mature	15	5	350	320	190	6	6	8	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277583.42 722290.46	136	Bird Cherry <i>Prunus padus</i>	Young	7	2	100	80	70	4	4	3	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277584.54 722288.54	137	Alder <i>Alnus glutinosa</i>	Semi-mature	12	4	190	150		3	6	2	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277585.34 722287.42	138	Alder <i>Alnus glutinosa</i> <i>One stem clad in Ivy into upper crown</i>	Semi-mature	13	4	170	160	160	4	7	2	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277585.82 722285.82	139	Alder <i>Alnus glutinosa</i>	Mature	13	5	240	250		3	4	4	1	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277584.86 722286.46	140	Common Ash <i>Fraxinus excelsior</i>	Young	5	3	110			0	0	3	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277586.3 722287.9	141	Alder <i>Alnus glutinosa</i>	Semi-mature	12	5	170	160		3	6	3	1	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277586.62 722284.38	142	Alder <i>Alnus glutinosa</i> <i>Seam of decay in lower stems</i>	Mature	13	3	310			3	3	3	1	Poor	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277587.1 722285.34	143	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	17	5	240	230		5	4	5	7	Poor	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277588.22 722282.78	144	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15	4	320	130		4	4	4	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277590.44 722278.77	145	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	16	4	270	180	140	2	6	5	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277591.72 722273.65	146	Beech <i>Fagus sylvatica</i> <i>Growing out of wall</i>	Young	5	2	150			3	3	3	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277590.92 722269.65	147	Elder <i>Sambucus nigra</i>	Semi-mature	5	3	140	130		3	1	2	2	Poor	<10 yrs	U	Removed	Removed to accommodate flood wall and working area
277593.16 722267.09	148	Common Ash <i>Fraxinus excelsior</i> <i>Growing out of wall</i>	Young	6	3	110			2	2	2	2	Poor	<10 yrs	U	Removed	Removed to accommodate flood wall and working area
277593.64 722262.61	149	Alder <i>Alnus glutinosa</i>	Mature	13	3	260	270	180	6	5	6	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277590.8 722258.2	150	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	21	2	660			4	5	4	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277588.62 722253.79	151	Grand Fir <i>Abies grandis</i> <i>Multi stemmed tree with compression forks and included bark</i>	Mature	21	2	440	300	250	5	4	2	6	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277590.09 722251.79	152	Grand Fir <i>Abies grandis</i>	Mature	21	2	620			2	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277587.69 722248.75	153	Grand Fir <i>Abies grandis</i>	Mature	21	3	650			2	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277594.87 722254.78	154	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	12	240	220			3	4	4	6	Poor	<10 yrs	U	Removed	Removed to accommodate flood wall and working area
277595.19 722249.98	155	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10		160	140	50	0	5	4	3	Poor	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277595.51 722244.54	G156	Common Ash <i>Fraxinus excelsior</i> <i>2 trees. Ash die back</i>	Semi-mature	12	4	190	170	160	6	5	3	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277594.37 722241.1	157	Elm <i>Ulmus glabra</i>	Semi-mature	12	2	160	140		4	5	3	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277595.17 722239.18	158	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	4	230	150		4	4	4	4	Poor	<10 yrs	U	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277596.24 722239.34	159	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	2	330	210	170	5	5	5	6	Good	20 to 40 yrs	B	Removed	Removed to accommodate working area
277595.92 722231.18	160	Common Ash <i>Fraxinus excelsior</i> <i>Ivy clad bole. Ash die back</i>	Semi-mature	12	5	270	270	170	4	5	4	6	Poor	<10 yrs	U	Removed	Removed to accommodate working area
277596.24 722228.3	161	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	5	170			1	4	3	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277596.88 722228.94	G162	Grey Willow <i>Salix cinerea</i> <i>2 trees</i>	Semi-mature	6	0	150			6	2	6	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277597.04 722224.14	163	Grey Willow <i>Salix cinerea</i>	Semi-mature	13	4	160	160	210	3	2	4	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277596.08 722224.3	G164	A Group <i>2x Beech, 1x Holly</i>	Young	6	1	130			3	5	5	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277595.92 722223.5	165	Grey Willow <i>Salix cinerea</i>	Semi-mature	13	2	250			2	4	4	6	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277598.38 722209.72	166	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree. One dead stem growing towards river.</i>	Mature	15	4	270	260	170	7	7	2	6	Fair	20 to 40 yrs	C	Retain if possible	Less than 10% of the calculated rootzone within the working width

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277598.54 722207.96	167	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	5	240			3	3	2	4	Poor	<10 yrs	U	Retained	
277598.06 722205.08	168	Common Ash <i>Fraxinus excelsior</i> <i>Ivy clad bole. Ash die back</i>	Semi-mature	16		260	170		4	7	4	0	Fair	10 to 20 yrs	C	Retain if possible	Less than 10% of the calculated rootzone within the working
277598.86 722203.8	169	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	18	>5	220	180	170	3	3	4	6	Fair	10 to 20 yrs	C	Retained	
277597.39 722199.49	170	Sycamore <i>Acer pseudoplatanus</i>	Mature	14		500	410	280	6	7	6	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277599.79 722202.69	171	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	10	4	150	100		3	0	3	6	Fair	10 to 20 yrs	C	Retained	
277598.99 722200.13	172	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	17	3	300			4	0	4	8	Fair	20 to 40 yrs	B	Retained	
277598.35 722199.33	173	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	17	>5	230			4	6	4	2	Fair	20 to 40 yrs	B	Retained	
277599.27 722196.26	174	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	17	>5	180			4	0	4	8	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277599.11 722193.54	175	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	13	3	190	160		2	3	6	7	Fair	10 to 20 yrs	C	Retained	
277597.99 722194.34	176	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	5	200	150		0	5	5	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277597.83 722193.58	177	Rowan <i>Sorbus aucuparia</i>	Semi-mature	6	2	90	60	40	1	1	2	1	Fair	10 to 20 yrs	C	Retained	
277598.07 722190.86	178	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	12	5	160	150	150	4	6	6	4	Fair	10 to 20 yrs	C	Retain if possible	Less than 10% of the calculated rootzone within the working width
277589.3 722199.73	179	Birch <i>Betula pendula</i>	Semi-mature	13	5	230			4	2	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277590.02 722194.97	180	Tibetan Cherry <i>Prunus serrula</i>	Semi-mature	7	3	140	140	140	2	3	3	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277590.9 722189.55	G181	Lawson Cypress <i>Chamaecyparis</i>	Semi-mature	11	2	250			3	3	4	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277371.16 721938.05	182	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	2	370			6	6	6	6	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277366.36 721949.25	183	Common Ash <i>Fraxinus excelsior</i> Recent major crown reduction	Semi-mature	5		320			1	1	1	1	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277372.44 721950.21	G184	Sycamore <i>Acer pseudoplatanus</i> 2 trees. Recent major crown reduction	Mature	5		450			3	1	1	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277378.52 721952.45	185	Birch <i>Betula pendula</i>	Young	9	2	140			3	1	3	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277378.52 721950.21	186	Lawson Cypress <i>Chamaecyparis</i>	Semi-mature	5	0	150			2	2	2	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277384.6 721941.25	187	Weeping Willow <i>Salix chrysocoma</i>	Semi-mature	7	1	170			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
277394.84 721943.9	G188	Hawthorn <i>Crataegus monogyna</i> 2 trees	Semi-mature	5	2	100			3	3	3	4	Fair	20 to 40 yrs	B	Retained	
277402.52 721945.5	189	Grey Willow <i>Salix cinerea</i>	Semi-mature	8	1	220			5	6	5	5	Fair	20 to 40 yrs	B	Retained	
277407.96 721949.66	190	Rowan <i>Sorbus aucuparia</i>	Semi-mature	5		140			2	3	2	2	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277412.76 721949.98	191	Grey Willow <i>Salix cinerea</i>	Semi-mature	8	2	170			5	5	5	5	Fair	10 to 20 yrs	C	Retained	
277437.76 721960.88	192	Alder <i>Alnus glutinosa</i>	Mature	9	2	400			6	7	7	7	Fair	20 to 40 yrs	B	Retained	
277443.52 721961.36	193	Alder <i>Alnus glutinosa</i>	Young	5	0	70	40		3	3	3	2	Fair	10 to 20 yrs	C	Retained	
277452.48 721959.44	194	Crack Willow <i>Salix fragilis</i>	Semi-mature	9	4	180	110	80	7	4	5	7	Fair	10 to 20 yrs	C	Retained	
277401.18 721941.73	G195	Common Ash <i>Fraxinus excelsior</i> Ash & Sycamore growing out of river bank	Young	6	2	100	70		1	10	4	10	Fair	10 to 20 yrs	C	Retained	
277453.53 721961.09	196	Crack Willow <i>Salix fragilis</i>	Semi-mature	12	3	150			1	2	4	2	Fair	10 to 20 yrs	C	Retained	
277454.49 721962.69	197	Grey Willow <i>Salix cinerea</i>	Semi-mature	6	3	130	100		0	2	5	2	Fair	10 to 20 yrs	C	Retained	
277455.13 721969.73	G198	Alder <i>Alnus glutinosa</i> 3 trees	Young	5	1	75			4	7	2	7	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277467.07 721976.62	199	Deciduous Camellia <i>Stuartia pseudocamellia</i>	Mature	15	1	320	290	290	9	10	9	9	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277480.51 721986.54	G200	Silver Maple <i>Acer saccharinum</i> 3 trees	Semi-mature	15	2	340	170	130	7	9	9	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277478.59 721975.02	201	Honey Locust <i>Gleditsia triacanthos</i>	Semi-mature	13	3	140	140	60	6	7	7	5	Fair	20 to 40 yrs	B	Retained	
277491.07 721983.98	202	Red Oak <i>Quercus rubra</i>	Semi-mature	12	3	320			8	7	7	7	Fair	20 to 40 yrs	B	Retained	
277485.63 721983.66	203	Lawson Cypress <i>Chamaecyparis</i>	Semi-mature	3		75	75	75	2	2	2	2	Fair	10 to 20 yrs	C	Retained	
277481.47 721970.22	204	Grey Willow <i>Salix cinerea</i>	Young	5	2	80	70	70	3	3	3	3	Fair	10 to 20 yrs	C	Retained	
277487.55 721975.02	205	Sycamore <i>Acer pseudoplatanus</i>	Young	7	2	150			3	1	4	4	Fair	10 to 20 yrs	C	Retained	
277496.83 721978.22	206	Corkscrew Willow <i>Salix matsudana 'Tortuosa'</i>	Semi-mature	9	3	160	160	150	4	6	6	6	Fair	20 to 40 yrs	B	Retained	

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277497.79 721986.54	G207	Rowan <i>Sorbus aucuparia</i> 4 trees	Semi-mature	7	2	150			5	8	2	7	Fair	20 to 40 yrs	B	Retained	
277502.91 721980.14	208	River Birch <i>Betula nigra</i>	Mature	18	1	330			5	4	4	4	Fair	20 to 40 yrs	B	Retained	
277501.76 721982.48	209	Birch <i>Betula pendula</i> Crown reduced	Mature	5	1	270			2	3	2	1	Fair	10 to 20 yrs	C	Retained	
277495.36 721989.84	210	Wellingtonia <i>Sequoiadendron giganteum</i>	Semi-mature	12	0	680			4	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277491.2 721996.08	211	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15	2	350			5	4	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277499.68 721991.12	212	Cherry Laurel <i>Prunus laurocerasus</i>	Semi-mature	5	1	130	70	50	3	3	4	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277505.92 721994	213	Norway Maple <i>Acer platanoides</i>	Semi-mature	10	3	190	150		5	4	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277509.92 721986.16	214	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	3	130			3	3	4	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277508.96 721983.28	215	Lawson Cypress <i>Chamaecyparis</i>	Semi-mature	10	0	260			2	2	2	2	Fair	20 to 40 yrs	B	Retained	
277510.88 721993.2	216	Nutmeg <i>Myristica fragrans</i>	Semi-mature	12	2	240			5	5	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277515.52 721985.2	217	Scots Pine <i>Pinus sylvestris</i>	Young	5	0	80			2	2	1	1	Fair	10 to 20 yrs	C	Retained	
277517.92 721984.4	G218	Common Ash <i>Fraxinus excelsior</i> 5 trees	Semi-mature	11	3	200			4	8	6	8	Fair	10 to 20 yrs	C	Retained	
277518.56 721994.8	219	Pine <i>Pinus sylvestris</i>	Dead	5	2	200			1	3	2	0	Dead	n/a	U	Removed	Removed to accommodate working area
277522.4 721990.48	220	Pine <i>Pinus sylvestris</i>	Semi-mature	9	2	320			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
277521.76 721987.44	221	Silver Birch <i>Betula pendula</i>	Semi-mature	11	2	140			1	2	3	2	Fair	10 to 20 yrs	C	Retained	
277525.56 721988.71	222	Norway Spruce <i>Picea abies</i>	Dead	9	0	180			1	1	1	1	Dead	n/a	U	Retained	

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277529.72 721987.43	223	Lawson Cypress <i>Chamaecyparis</i>	Semi-mature	10	0	230			2	2	2	2	Fair	20 to 40 yrs	B	Retained	
277530.68 721987.43	224	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	12	1	140			1	3	4	2	Fair	10 to 20 yrs	C	Retained	
277530.2 721991.59	225	European Larch <i>Larix decidua</i>	Semi-mature	16	3	340			4	3	5	3	Fair	20 to 40 yrs	B	Retained	
277534.68 721992.39	G226	Larch <i>Larix decidua</i> 2 Trees	Semi-mature	14	2	270			8	4	3	3	Fair	20 to 40 yrs	B	Retained	
277528.44 721997.03	227	Beech <i>Fagus sylvatica</i>	Semi-mature	9	1	250	70	80	3	4	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277536.44 721986.15	G228	Common Ash <i>Fraxinus excelsior</i> 2 trees. Ash die back	Semi-mature	12	4	210			4	5	8	5	Fair	10 to 20 yrs	C	Retained	
277536.28 721989.51	229	Spruce <i>Picea abies</i>	Young	5	0	150			1	2	1	2	Fair	10 to 20 yrs	C	Retained	
277539.58 722001.22	230	Silver Birch <i>Betula pendula</i>	Mature	20	3	470			7	8	7	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277463.52 721984.54	G231	Common Holly <i>Ilex aquifolium</i>	Semi-mature	4	0	140			3	3	3	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall
277498.46 722001.41	232	Elder <i>Sambucus nigra</i>	Mature	9	4	170	160	140	1	6	5	1	Fair	20 to 40 yrs	C	Removed	Removed to accommodate working area
277493.5 722006.85	233	Common Lime <i>Tilia europaea</i>	Mature	26	3	710			9	9	9	9	Fair	20 to 40 yrs	B	Retain if possible	less than 10% of the calculated rootzone within the working width
277509.02 722006.85	234	Common Lime <i>Tilia europaea</i>	Mature	26	2	730			10	10	9	8	Fair	20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location within a residential garden. Root zones are likely to be concentrated to the north of the existing garden wall therefore it may be possible to construct the proposed wall without the requirement to remove this tree.
277513.66 721998.69	H235	Leyland Cypress <i>X Cupressocyparis leylandii</i> <i>Young hedge along south of track. Trees smaller to east under crown of adjacent beech.</i>	Young	4	0	140			1	18	1	18	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277514.78 722002.21	239	Elder <i>Sambucus nigra</i>	Semi-mature	4	3	90	100	100	1	3	3	1	Poor	<10 yrs	U	Removed	Removed to accommodate working area
277523.7 722008.12	237	Beech <i>Fagus sylvatica</i> <i>Significant specimen</i>	Mature	18	4	1180			9	9	9	9	Fair	20 to 40 yrs	A	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location within a residential garden. Root zones are likely to be concentrated to the north of the existing garden wall therefore it may be possible to construct the proposed wall without the requirement to remove this tree.
277542.9 722004.14	238	Grey Willow <i>Salix cinerea</i>	Semi-mature	8		160	130	170	6	7	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277544.34 721997.42	239	Western Hemlock <i>Tsuga heterophylla</i>	Semi-mature	9	2	170			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
277541.62 721994.54	240	Birch <i>Betula pendula</i>	Mature	18	5	320			2	4	6	4	Fair	20 to 40 yrs	B	Retained	
277548.34 721996.3	241	Birch <i>Betula pendula</i>	Semi-mature	13	4	15			1	2	4	2	Fair	20 to 40 yrs	B	Retained	
277553.46 722001.74	242	Birch <i>Betula pendula</i>	Mature	20	3	400	150		7	8	7	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277556.5 721998.7	243	Tupelo <i>Nyssa sylvatica</i>	Semi-mature	9	3	280	170		8	5	2	5	Fair	20 to 40 yrs	B	Retained	
277556.82 722002.38	244	Grey Willow <i>Salix cinerea</i>	Semi-mature	5	2	140			4	0	1	6	Fair	10 to 20 yrs	C	Retained	
277560.43 721999.99	245	Birch <i>Betula pendula</i>	Semi-mature	14	5	300	170		5	5	4	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277547.63 722013.43	246	Deciduous Camellia <i>Stuartia pseudocamellia</i>	Semi-mature	6	1	130			4	4	2	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277555.63 722016.63	S247	<i>Ornamental shrubs</i>	Semi-mature	4	0	80			3	6	2	6	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277560.11 722009.27	247	Beech <i>Fagus sylvatica</i>	Semi-mature	8	1	190	140		4	4	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277561.71 722007.35	G250	Leyland Cypress <i>Leylandii</i> 2 trees	Young	6	0	80	70	90	5	3	6	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277571.95 722011.83	248	Spruce <i>Picea abies</i>	Mature	24	3	450			6	6	4	4	Good	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277575.47 722007.67	249	Spruce <i>Picea abies</i>	Mature	24	2	490			5	6	6	4	Fair	20 to 40 yrs	B	Retain if possible	Less than 10% of the calculated rootzone within the working width
277578.03 722005.11	251	Spruce <i>Picea abies</i>	Semi-mature	7	0	170			1	4	4	2	Fair	10 to 20 yrs	C	Retained	
277578.35 721992.95	252	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	17	3	330			5	5	6	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277578.67 721996.47	253	Birch <i>Betula pendula</i>	Semi-mature	17	3	180			4	5	3	1	Fair	20 to 40 yrs	B	Retained	
277573.39 721993.19	254	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	17	5	340			4	3	5	4	Fair	20 to 40 yrs	B	Retained	
277576.21 721992.32	255	Alder <i>Alnus glutinosa</i>	Semi-mature	9	6	140	140		0	3	4	1	Poor	10 to 20 yrs	C	Retained	
277574.13 721992.96	256	Alder <i>Alnus glutinosa</i>	Semi-mature	10	4	180	150	130	6	2	2	2	Fair	20 to 40 yrs	B	Retained	
277572.37 721993.6	257	Grey Willow <i>Salix cinerea</i>	Semi-mature	7	5	140	140	100	6	3	6	0	Fair	10 to 20 yrs	C	Retained	
277570.93 721995.2	258	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	2	200			6	5	4	4	Fair	10 to 20 yrs	C	Retained	
277561.33 721991.92	259	Alder <i>Alnus glutinosa</i>	Semi-mature	16	6	280			5	1	5	4	Poor	10 to 20 yrs	C	Retained	
277558.02 721994.21	260	Sycamore <i>Acer pseudoplatanus</i> <i>Defect at base</i>	Semi-mature	14	3	240	190		2	4	5	4	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277554.82 721991.65	261	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	17	5	280	180		7	6	6	6	Fair	20 to 40 yrs	B	Retained	
277544.94 721988.84	262	Willow <i>Salix cinerea</i>	Semi-mature	5	2	170			5	4	2	4	Fair	10 to 20 yrs	C	Retained	
277564.78 721994.28	263	Rowan <i>Sorbus aucuparia</i>	Semi-mature	5	1	120			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
277568.99 722020.82	264	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	2	340	350		6	5	6	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277592.67 722004.5	265	Larch <i>Larix decidua</i>	Mature	20	1	330			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
277602.27 722000.02	266	Black Poplar <i>Populus nigra var betulifolia</i>	Semi-mature	14	2	150			1	2	3	2	Fair	10 to 20 yrs	C	Retained	
277594.59 722001.94	G267	Rowan <i>Sorbus aucuparia</i> Overgrown area. Rowan, Hazel, Budlia	Young	5	0	70	70	70	3	9	5	9	Fair	10 to 20 yrs	C	Retained	
277605.47 722008.98	268	Leyland Cypress <i>Leylandii</i>	Semi-mature	7	0	170			3	2	2	2	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277606.75 722007.7	269	Crack Willow <i>Salix fragilis</i>	Semi-mature	13	2	340			3	2	6	6	Fair	20 to 40 yrs	B	Retained	
277609.95 722013.46	270	Rowan <i>Sorbus aucuparia</i>	Semi-mature	6	1	130	110		2	3	2	3	Fair	20 to 40 yrs	B	Retained	
277614.75 722009.14	271	Goat Willow <i>Salix caprea</i>	Semi-mature	8	0	140	130	130	3	5	5	5	Fair	20 to 40 yrs	B	Retained	
277616.35 722017.94	272	Goat Willow <i>Salix caprea</i>	Dead	4	3	350			1	8	4	0	Dead	n/a	U	Retained	
277617.95 722019.22	273	Crack Willow <i>Salix fragilis</i>	Mature	13	4	430			2	7	9	4	Poor	<10 yrs	U	Retained	
277612.83 722025.94	274	Lawson Cypress <i>Chamaecyparis</i>	Semi-mature	14	0	310			3	4	4	4	Fair	20 to 40 yrs	B	Retained	
277614.29 722032.24	275	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	3	330			3	7	7	2	Fair	20 to 40 yrs	B	Retained	
277612.05 722030.64	276	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	3	320			5	1	4	8	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277612.53 722032.72	277	Sycamore <i>Acer pseudoplatanus</i>	Mature	20	6	460			7	5	7	7	Fair	20 to 40 yrs	B	Retain if possible	Less than 10% of the calculated rootzone within the working width
277609.19 722040.59	278	Birch <i>Ivy clad bole</i>	Mature	21	>5	450			4	0	4	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277610.47 722040.91	279	Sycamore <i>Acer pseudoplatanus</i>	Young	5		140			1	2	2	2	Fair	10 to 20 yrs	C	Retained	
277612.07 722047.15	280	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	3	510			5	2	5	9	Fair	20 to 40 yrs	B	Removed	Removed for land remediation purposes
277608.07 722046.67	G281	Birch <i>Betula pendula</i> 3 trees	Mature	20	>5	400			5	4	5	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277607.56 722056.14	G282	Sycamore <i>Acer pseudoplatanus</i> 2 trees	Mature	18					5	6	5	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277610.6 722055.98	G283	Alder <i>Alnus glutinosa</i> 2 trees	Semi-mature	13	3	250			3	3	3	5	Fair	20 to 40 yrs	B	Retained	
277609.96 722064.94	290	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	4	320			6	3	4	7		20 to 40 yrs	B	Retained	
277609.8 722069.61	283	Grey Willow <i>Salix cinerea</i>	Semi-mature	5	3	180			4	0	0	5	Fair	10 to 20 yrs	C	Retained	
277609.32 722072.65	G284	Elm <i>Ulmus glabra</i> Multi stemmed tree plus 2 adjacent	Semi-mature	13	1	160	130	120	6	6	5	8		20 to 40 yrs	B	Retained	
277609.49 722075.33	285	Common Ash <i>Fraxinus excelsior</i> Ash die back	Mature	21	>5	340	310		1	5	6	6	Poor	<10 yrs	C	Retained	
277609.45 722077.2	286	Common Ash <i>Fraxinus excelsior</i> Ash die back	Mature	21	>5	250	300		6	3	4	9	Poor	<10 yrs	C	Retained	
277308.16 721928.14	287	Wild Cherry <i>Prunus avium</i>	Mature	12	2	720			6	6	6	6	Poor	<10 yrs	U	Removed	Removed to accommodate regrading of footpath for DDA compliance.
277303.36 721930.22	288	Macabeanum <i>Rhododendron macabeanum</i>	Mature	5	0	170	130	130	3	4	4	3	Fair	20 to 40 yrs	B	Retained	

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277290.69 721918.87	291	Hybrid Cockspur Thorr <i>Crataegus lavallei</i>	Semi-mature	5	1	160			0	5	5	0	Fair	10 to 20 yrs	C	Retained	
277281.41 721914.39	289	Common Ash <i>Fraxinus excelsior</i> <i>Growing out of wall. Ash die back</i>	Semi-mature	12	4	300	270	270	4	5	4	4	Poor	10 to 20 yrs	C	Retained	
277399.31 721907.56	292	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	8	2	190			4	3	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277403.79 721911	293	Grey Willow <i>Salix cinerea</i>	Semi-mature	7	3	160	150		3	4	3	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277401.39 721912.6	294	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	7	3	140	140	130	4	4	4	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277404.91 721915.16	G295	Willow <i>Salix cinerea</i> <i>2 trees</i>	Semi-mature	6	0	150			6	6	2	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277410.03 721914.52	296	Sycamore <i>Acer pseudoplatanus</i> <i>Somewhat sparse crown</i>	Semi-mature	10	3	260			5	5	5	5	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277414.99 721917.08	G297	Sycamore <i>Acer pseudoplatanus</i> <i>4 trees</i>	Semi-mature	9	2	160			5	8	5	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277412.75 721918.04	G288	Willow <i>Salix cinerea</i> 2 trees	Semi-mature	5		80			5	3	1	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277427.49 721921.56	G298	Elm <i>Ulmus glabra</i>	Semi-mature	7	2	180			5	5	5	5	Fair	10 to 20 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277436.45 721924.92	299	Birch <i>Betula pendula</i>	Young	5	0	90			2	2	2	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277439.49 721926.52	300	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	7	1	100	140		5	3	4	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277446 721929.25	301	Sycamore <i>Acer pseudoplatanus</i> 4 Sycamore	Semi-mature	7	2	140			5	4	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277444.24 721930.37	302	Common Ash <i>Fraxinus excelsior</i>	Young	6	1	80			4	2	1	2	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277452.72 721932.29	303	Common Ash <i>Fraxinus excelsior</i> 3 trees. Ash die back	Semi-mature	5	1	140			4	4	3	4	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277451.12 721932.61	304	Sycamore <i>Acer pseudoplatanus</i>	Young	5	2	130			3	2	1	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277459.76 721935.17	305	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	7	2	150	150		4	3	4	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277461.35 721936.49	306	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Young	7	1	120	120	120	4	5	0	2	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277472.43 721939.73	G307	Common Ash <i>Fraxinus excelsior</i> 2 trees. <i>Ash die back</i>	Young	7	1	140			5	3	2	3	Poor	20 to 40 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277475.15 721939.41	308	Alder <i>Alnus glutinosa</i>	Semi-mature	7	2	150			3	0	2	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277477.23 721939.89	G309	Sycamore <i>Acer pseudoplatanus</i> 4 trees	Semi-mature	9		160			5	5	4	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277485.55 721941.97	G310	Common Ash <i>Fraxinus excelsior</i> 3x Ash, <i>Ash die back</i> . Grey Willow understory	Semi-mature	7	2	190			4	5	3	6	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277493.23 721945.17	311	Crack Willow <i>Salix fragilis</i>	Semi-mature	9	2	240	170	160	6	4	5	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277496.27 721944.37	312	Sycamore <i>Acer pseudoplatanus</i>	Young	7	2	130	120	110	4	4	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277495.15 721945.49	313	Common Ash <i>Fraxinus excelsior</i>	Young	5	1	120	70		4	3	0	3	Poor	<10 yrs	U	Removed	Removed to accommodate bank erosion protection and working area
277500.37 721944.69	314	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	7	2	130			2	2	3	3	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277504.37 721944.85	315	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	8	2	180			4	4	4	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277502.13 721946.61	316	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	7	1	180			4	3	2	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277508.53 721945.49	317	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems</i>	Semi-mature	9	3	180	180		5	3	5	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall, bank erosion protection and working area
277510.29 721945.49	318	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	3	240			5	2	5	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall, bank erosion protection and working area
277509.49 721946.89	319	Sycamore <i>Acer pseudoplatanus</i>	Young	5	2	140			3	3	0	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277514.93 721946.41	G320	Sycamore <i>Acer pseudoplatanus</i> <i>2 trees with small leaves/sparse crown</i>	Semi-mature	9	2	170			5	3	4	3	Poor	10 to 20 yrs	C	Removed	Removed to accommodate flood wall, bank erosion protection and working area

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277513.65 721946.09	321	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	3	180			4	2	5	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall, bank erosion protection and working area
277513.33 721948.41	322	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Young	8	2	130			3	3	1	3	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection and working area
277525.66 721947.37	319 a	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	4	340			6	6	5	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall, bank erosion protection and working area
277521.5 721947.37	320	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	3	200			4	3	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277523.9 721949.37	321	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	4	210			4	3	4	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277535.45 721948.56	322	Grey Poplar <i>Populus canescens</i>	Mature	16	>5	320			5	7	7	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall, bank erosion protection and working area
277533.37 721948.72	323	Grey Poplar <i>Populus canescens</i>	Mature	18	>5	360			7	5	7	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall, bank erosion protection and working area
277537.05 721947.6	324	Elm <i>Ulmus glabra</i>	Semi-mature	11	1	240	200	190	3	6	5	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall, bank erosion protection and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277536.09 721951.12	G325	Sycamore <i>Acer pseudoplatanus</i> 4 trees	Semi-mature	12	3	200			6	6	6	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection and working area
277537.85 721951.12	326	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	14	4	230			8	7	4	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277541.21 721954.16	327	Alder <i>Alnus glutinosa</i>	Mature	7	0	290	170		5	0	2	10	Fair	10 to 20 yrs	C	Retain if possible	Less than 10% of the calculated rootzone within the working width
277541.05 721948.56	328	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	1	220	190	170	5	3	5	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277542.33 721951.28	329	Elm <i>Ulmus glabra</i>	Semi-mature	13	4	240			6	5	5	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277543.13 721951.44	G330	Sycamore <i>Acer pseudoplatanus</i> 3 Sycamores. Holly understorey	Semi-mature	12	3	230			7	6	8	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277548.89 721949.36	331	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	2	150	140	130	2	4	4	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277550.77 721951.58	332	Elder <i>Sambucus nigra</i>	Semi-mature	5	1	180	170	150	2	3	4	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277551.89 721953.18	333	Alder <i>Alnus glutinosa</i>	Mature	12	4	470			4	4	4	2	Poor	<10 yrs	U	Removed	Removed to accommodate working area
277549.95 721953.3	334	Alder <i>Alnus glutinosa</i>	Mature	12	5	390			5	3	4	5	Poor	10 to 20 yrs	C	Removed	Removed to accommodate working area
277551.07 721955.38	335	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	0	280	270		7	5	1	5	Fair	20 to 40 yrs	B	Retain if possible	Less than 10% of the calculated rootzone within the working width
277561.52 721948.74	336	Elm <i>Ulmus glabra</i>	Semi-mature	12	2	270	280		7	7	8	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277560.56 721951.46	337	Elm <i>Ulmus glabra</i>	Semi-mature	11	2	240			7	3	3	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277562.48 721952.42	338	Elm <i>Ulmus glabra</i>	Semi-mature	12	2	260			5	1	4	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277563.6 721952.74	339	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	3	460	300	240	9	8	9	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277562.47 721958.55	340	Alder <i>Alnus glutinosa</i>	Mature	7	0	270	240		7	5	3	4	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277566.95 721958.95	341	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	11	3	300			7	4	4	5	Poor	10 to 20 yrs	C	Retained	
277565.67 721957.99	342	Elm <i>Ulmus glabra</i>	Semi-mature	6	3	170	100		4	5	4	4	Fair	20 to 40 yrs	B	Retained	
277571.26 721959.4	343	Sycamore <i>Acer pseudoplatanus</i>	Mature	20	2	640	280		9	6	6	8	Fair	20 to 40 yrs	B	Retain if possible	Less than 10% of the calculated rootzone within the working width
277573.42 721960.99	344	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	5	3	140			6	4	0	2	Fair	10 to 20 yrs	C	Retained	
277582.06 721963.55	345	Sycamore <i>Acer pseudoplatanus</i>	Mature	20		480	250	140	9	7	6	5	Fair	20 to 40 yrs	B	Retained	
277585.26 721963.23	346	Elm <i>Ulmus glabra</i>	Semi-mature	13	5	230			1	4	5	1	Fair	20 to 40 yrs	B	Retained	
277585.9 721965.47	347	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	150			5	3	1	3	Fair	20 to 40 yrs	B	Retained	
277588.78 721967.07	348	Sycamore <i>Acer pseudoplatanus</i>	Mature	18		300	320		8	6	6	6	Fair	20 to 40 yrs	B	Retain if possible	Less than 10% of the calculated rootzone within the working width

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277592.3 721968.67	349	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	3	260	140		7	5	4	5	Fair	20 to 40 yrs	B	Retained	
277595.18 721968.03	G350	Common Ash <i>Fraxinus excelsior</i> 3 Ash, Holly & Elm understory	Semi-mature	14	0	190			5	8	5	8	Fair	20 to 40 yrs	B	Retained	
277607.34 721975.39	351	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	9	2	110	100	100	6	5	3	5	Fair	10 to 20 yrs	C	Retained	
277608.07 721972.6	G352	Grey Alder <i>Alnus incana</i> 3 trees	Semi-mature			160			4	5	3	8	Fair	20 to 40 yrs	B	Retained	
277618.15 721975.96	353	Goat Willow <i>Salix caprea</i>	Semi-mature	9	2	170	120	90	6	4	3	4	Fair	20 to 40 yrs	B	Retained	
277622.06 721972.51	G354	Larch <i>Larix decidua</i> 4 trees	Young	12	3	130			4	5	1	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277611.82 721970.27	355	Larch <i>Larix decidua</i>	Semi-mature	14	22	380			3	4	5	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277601.88 721964.93	G356	Common Ash <i>Fraxinus excelsior</i> Ash & Plumb	Semi-mature	9	2	70	80	70	4	4	4	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277599 721962.37	357	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	3	190	190	170	5	6	7	2	Poor	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277596.44 721960.77	358	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	3	240			4	5	5	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277590.04 721957.57	359	Common Ash <i>Fraxinus excelsior</i> <i>Basal decay</i>	Semi-mature	14	>5	270			3	4	5	4	Poor	<10 yrs	U	Removed	Removed to accommodate working area
277586.52 721955.97	G360	Common Ash <i>Fraxinus excelsior</i> <i>4 trees. Ash die back</i>	Semi-mature	13	5	140			4	7	6	5	Fair	10 to 20 yrs	C	Retained	
277583.64 721956.93	361	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	5	300	260		7	3	6	6	Fair	20 to 40 yrs	B	Retained	
277573.7 721952.31	G362	Elm <i>Ulmus glabra</i> <i>Woodland edge group. Circa 12 Elms. Yew also present</i>	Semi-mature	13	3	170			8	8	5	9	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277640.26 721977.91	363	Alder <i>Alnus glutinosa</i>	Semi-mature	10	3	190	110	80	7	4	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277643.78 721976.31	364	Oak <i>Quercus robur</i>	Young	7		190			5	4	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277648.41 721980.87	G365	Alder <i>Alnus glutinosa</i> 2 trees	Semi-mature	7	2	140	110		4	3	2	6	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277648.25 721977.67	G366	Larch <i>Larix decidua</i> Woodland edge group. 4 trees	Semi-mature	14	3	260			4	7	4	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277651.13 721983.11	367	Sycamore <i>Acer pseudoplatanus</i>	Young	6	0	90	80	80	3	3	2	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277654.97 721982.47	368	Pine <i>Pinus sylvestris</i>	Semi-mature	10	3	230			2	2	2	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277662.51 721986.45	369	Larch <i>Larix decidua</i> Ivy clad bole	Semi-mature	14	3	260			2	2	3	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277658.83 721994.29	370	Crack Willow <i>Salix fragilis</i>	Semi-mature	6	0	150	100	100	7	6	4	4	Fair	20 to 40 yrs	B	Retained	
277669.39 721993.97	371	Alder <i>Alnus glutinosa</i>	Semi-mature	8	3	160			5	5	1	1	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277677.01 722002.49	372	Common Alder <i>Alnus glutinosa</i> <i>Somewhat sparse crown</i>	Mature	12	3	310	250		7	4	4	5	Poor	10 to 20 yrs	C	Retain if possible	Less than 10% of the calculated rootzone within the working width
277679.89 722002.81	373	Sycamore <i>Acer pseudoplatanus</i> <i>Basal decay</i>	Semi-mature	13	2	250	190	150	8	4	4	4	Poor	10 to 20 yrs	C	Retain if possible	Less than 10% of the calculated rootzone within the working
277680.85 721998.65	374	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	6	2	160			2	3	3	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277686.77 721999.29	375	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	7	2	180			0	3	5	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277686.45 722001.37	376	Sycamore <i>Acer pseudoplatanus</i>	Mature	13	4	300			4	4	6	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277685.33 722005.21	377	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	3	450	430		8	7	7	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277687.89 722004.73	G378	Common Ash <i>Fraxinus excelsior</i> <i>2 trees. Ash die back</i>		2	1	140			0	6	7	2	Fair	10 to 20 yrs	C	Retained	
277698.19 722010.54	G379	Sycamore <i>Acer pseudoplatanus</i> <i>3 trees</i>	Semi-mature	14		240			7	6	5	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277703.15 722007.34	380	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	3	230	180		2	5	7	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277706.67 722008.62	G381	Sycamore <i>Acer pseudoplatanus</i> 5 trees	Semi-mature	13		240			8	6	7	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277710.83 722010.06	382	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	1	320	140		7	2	7	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277712.11 722009.74	383	Elm <i>Ulmus glabra</i>	Semi-mature	12	3	230			0	4	7	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277712.43 722014.06	G384	Sycamore <i>Acer pseudoplatanus</i> 2 trees	Semi-mature	14	3	240	230	190	7	5	7	4	Fair	20 to 40 yrs	B	Retained	
277718.73 722014.08	385	Elm <i>Ulmus glabra</i>	Young	8	3	100	70		2	3	7	3	Fair	10 to 20 yrs	C	Retained	
277721.13 722015.2	386	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	1	130	130	100	8	4	0	4	Fair	10 to 20 yrs	C	Retained	
277723.21 722015.2	387	Beech <i>Fagus sylvatica</i>	Semi-mature	8	2	170			5	5	6	1	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277724.81 722015.04	388	Sycamore <i>Acer pseudoplatanus</i> Somewhat sparse crown	Semi-mature	14	2	300	250		7	6	7	4	Poor	10 to 20 yrs	C	Retain if possible	Less than 10% of the calculated rootzone within the working width
277727.69 722016.16	G389	Sycamore <i>Acer pseudoplatanus</i> 3 trees	Semi-mature	9	2	180			7	8	4	4	Fair	20 to 40 yrs	B	Retained	
277732.01 722016.23	G390	Elm <i>Ulmus glabra</i> 1 Elm, 1 Plum	Semi-mature	10	2	160			4	4	6	4	Fair	20 to 40 yrs	B	Retained	
277736.97 722015.43	391	Elm <i>Ulmus glabra</i>	Semi-mature	10	3	130	120	90	1	5	6	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277736.33 722018.95	392	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15	3	370			8	7	7	6	Fair	20 to 40 yrs	B	Retained	
277749.77 722020.39	G393	A Group <i>Ash & Sycamore coppice stools. 6 stools</i>	Semi-mature	5	2	120	120	120	5	6	4	6	Fair	10 to 20 yrs	C	Retained	
277753.75 722017.83	394	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	2	250	240	200	7	4	7	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277753.75 722022.15	395	Grey Willow <i>Salix cinerea</i>	Semi-mature	7		140	140		5	3	1	3	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277758.39 722018.79	397	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	9	2	180	150	110	4	1	7	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277765.27 722020.87	398	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	2	610			9	7	7	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277762.71 722020.71	396	Elm <i>Ulmus glabra</i>	Semi-mature	6	0	170			7	2	0	4	Fair	20 to 40 yrs	C	Retained	
277770.61 722014.22	399	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	11	3	290	170	100	4	6	6	6	Poor	<10 yrs	U	Removed	Removed to accommodate flood wall and working area
277770.29 722022.06	400	Common Alder <i>Alnus glutinosa</i>	Semi-mature	12	4	200			6	4	4	4	Fair	20 to 40 yrs	B	Retained	
277774.13 722022.06	401	Elm <i>Ulmus glabra</i>	Semi-mature	12	0	210			6	3	3	4	Fair	20 to 40 yrs	B	Retained	
277785.71 722022.16	402	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	2	250	240	160	8	5	5	5	Poor	10 to 20 yrs	C	Removed	Removed to accommodate working area
277791.15 722018	403	Prunus <i>Prunus avium</i> <i>2 trees</i>	Semi-mature	7	2	170			3	5	3	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277795.95 722026	404	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	8		100	100	100	6	4	4	4	Fair	10 to 20 yrs	C	Retained	
277801.71 722029.84	G405	Sycamore <i>Acer pseudoplatanus</i> 2 trees multi stemmed	Mature	15	2	310	290	280	8	8	7	8	Fair	20 to 40 yrs	B	Retained	
277802.35 722026	406	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	12	4	190	100		0	4	6	3	Poor	10 to 20 yrs	C	Retained	
277806.83 722032.08	407	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	270			6	5	5	3	Fair	20 to 40 yrs	B	Retained	
277807.79 722030.16	408	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	13	5	140	140	120	5	7	1	2	Poor	10 to 20 yrs	C	Retained	
277805.55 722019.6	409	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	2	210			3	3	4	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277810.03 722020.88	410	Elm <i>Ulmus glabra</i>	Semi-mature	13	3	240	150	100	5	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277812.27 722020.88	411	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	3	150	150		5	4	4	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277812.59 722033.68	412	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	12		250	160	130	7	7	7	7	Poor	10 to 20 yrs	C	Retained	
277821.35 722033.87	G413	A Group <i>Elm, Ash, Sycamore</i>	Semi-mature	13	2	140			6	6	5	6	Fair	20 to 40 yrs	B	Retained	
277823.59 722021.39	G414	Sycamore <i>Acer pseudoplatanus</i> <i>Sycamore & Ash coppice stools. 5 stools</i>	Semi-mature	9	3	150	140	110	5	6	6	6	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277827.43 722032.91	415	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	5	2	80	80	70					Fair	10 to 20 yrs	C	Retained	
277831.91 722034.51	G416	Common Ash <i>Fraxinus excelsior</i> <i>2 trees. Ash die back</i>	Semi-mature	14	4	250	180	70	7	6	6	6	Poor	10 to 20 yrs	C	Retained	
277831.59 722027.15	417	Prunus <i>Prunus avium</i>	Semi-mature	5	2	140	80	60	2	1	2	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277833.83 722036.11	418	Sycamore <i>Acer pseudoplatanus</i>	Young	5	1	80	80		5	2	2	2	Fair	10 to 20 yrs	C	Retained	
277837.99 722037.07	419	Alder <i>Alnus glutinosa</i>	Mature	13	5	260	190	170	7	5	5	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277838.63 722028.75	420	Elm <i>Ulmus glabra</i>	Semi-mature	13	3	130	130	100	5	6	6	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277832.55 722022.03	421	Elm <i>Ulmus glabra</i>	Mature	14	4	430			6	8	7	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277829.67 722022.03	422	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	3	410			7	3	7	7		20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277836.07 722022.35	423	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	250	100	100	5	6	6	1	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277844.39 722025.23	424	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	14	3	270	230	190	5	6	7	6	Fair	10 to 20 yrs	B	Removed	Removed to accommodate flood wall and working area
277849.51 722027.79	425	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	9	3	300	260		6	5	6	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277847.27 722040.91	G426	Sycamore <i>Acer pseudoplatanus</i> <i>2 large multi stemmed Sycamores, 1 Ash</i>	Mature	16	3	430	380	310	10	8	10	9	Fair	20 to 40 yrs	B	Retained	
277851.11 722038.35	427	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	>5	170	170		1	6	6	3	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277848.55 722043.47	428	Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	140			5	5	0	0	Poor	10 to 20 yrs	C	Retained	
277861.4 722040.26	G429	Common Ash <i>Fraxinus excelsior</i> 4 trees	Semi-mature	13	3	140	140		8	7	5	6	Poor	10 to 20 yrs	C	Retained	
277860.44 722027.78	430	Elm <i>Ulmus glabra</i>	Semi-mature	13	3	200	180	180	8	6	1	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277861.4 722026.18	431	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	4	580			8	7	8	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277870.68 722026.82	G432	Elm <i>Ulmus glabra</i> 5 trees	Semi-mature	13		240	250		6	6	6	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277866.52 722025.86	433	Common Ash <i>Fraxinus excelsior</i> Basal decay	Semi-mature	6	2	220			9	3	5	3	Poor	<10 yrs	U	Removed	Removed to accommodate working area
277866.52 722030.98	434	Sycamore <i>Acer pseudoplatanus</i>	Mature	13	4	220	200	180	7	6	5	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277865.24 722040.58	435	Alder <i>Alnus glutinosa</i>	Mature	13	4	320	230	220	7	4	6	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277869.08 722041.54	G436	Common Ash <i>Fraxinus excelsior</i> 4 trees	Semi-mature	14	>5	140			8	4	1	4	Fair	10 to 20 yrs	C	Retained	
277872.6 722042.18	G437	Sycamore <i>Acer pseudoplatanus</i> 2 trees	Mature	15	4	360			8	6	5	6	Fair	20 to 40 yrs	B	Retained	
277876.86 722036.37	438	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	230	250	150	6	5	7	5	Fair	20 to 40 yrs	B	Retained	
277877.18 722042.77	439	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	2	180	150		7	7	1	0	Fair	20 to 40 yrs	B	Retained	
277874.62 722030.13	440	Elm <i>Ulmus glabra</i>	Semi-mature	12	1	140			1	2	2	1	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277882.3 722030.29	441	Elm <i>Ulmus glabra</i>	Semi-mature	12	3	28			1	5	6	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277938.89 721970.81	H442	A Hedgerow <i>Beech hedge</i>	Semi-mature	2	0	80			9	1	9	1	Fair	10 to 20 yrs	C	Retained	
277966.94 721912.93	H443	Leyland Cypress <i>Leylandii</i> Garden hedge	Semi-mature	3	0	80			10	1	10	1	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277993.22 721848.65	445	Wild Cherry <i>Prunus avium</i>	Semi-mature	5	2	260			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
277985.54 721869.13	H444	A Hedgerow <i>Mixed species garden hedge</i>	Semi-mature	3	0	130			10	2	10	2	Fair	20 to 40 yrs	B	Retained	
278001.22 721832.01	446	Hawthorn <i>Crataegus monogyna</i>	Semi-mature	6	1	150	150	70	3	3	3	3	Fair	20 to 40 yrs	B	Retained	
278008.71 721815.79	447	Oak <i>Quercus robur</i>	Semi-mature	5	2	160			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
278023.81 721734.62	448	Birch <i>Betula pendula</i> <i>Tree on edge of Group to west</i>	Semi-mature	17	2	190			3	3	3	2	Fair	20 to 40 yrs	B	Retained	
278025.41 721726.3	G449	Norway Maple <i>Acer platanoides</i>	Semi-mature	17	2	320			8	5	7	5	Fair	20 to 40 yrs	B	Retain if possible	Less than 10% of the calculated rootzone within the working width
278026.69 721713.5	450	Rowan <i>Sorbus aucuparia</i>	Semi-mature	4	1	140			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
278027.88 721695.47	451	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	2	300			5	6	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
278028.2 721691.63	452	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	2	250			6	5	2	6	Fair	10 to 20 yrs	C	Retained	
278029.48 721674.67	453	Rowan <i>Sorbus aucuparia</i>	Semi-mature	7	2	200			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
278034.69 721643.44	454	Rowan <i>Sorbus aucuparia</i> <i>2 small adjacent ornamental trees</i>	Semi-mature	6	2	100	100		2	2	2	2	Fair	10 to 20 yrs	C	Retained	
277603.75 722084.49	454	Beech <i>Fagus sylvatica</i> <i>Basal decay</i>	Mature	19	2	850			4	10	10	10	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277603.75 722094.73	456	Beech <i>Fagus sylvatica</i>	Mature	19	1	900			10	12	9	8	Fair	20 to 40 yrs	B	Retained	
277603.11 722104.01	457	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Semi-mature	13		280			5	5	3	5		20 to 40 yrs	B	Retained	
277601.51 722109.13	458	Pine <i>Pinus sylvestris</i>	Semi-mature	17	2	670			4	6	4	5	Fair	20 to 40 yrs	B	Retained	
277600.87 722128.97	459	Lawson Cypress <i>Chamaecyparis</i>	Semi-mature	17	0	260			3	3	3	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277599.52 722134.3	G460	Norway Spruce <i>Picea abies</i> 2 trees	Semi-mature	17		310			4	3	2	3	Fair	20 to 40 yrs	B	Retained	
277595.04 722156.7	461	Rowan <i>Sorbus aucuparia</i>	Semi-mature	8	2	200	180		4	4	4	4	Fair	20 to 40 yrs	B	Retained	
277286.65 721924.83	463	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	9	2	170	80		3	1	2	3	Poor	10 to 20 yrs	C	Retained	
277283.45 721920.03	464	Spruce <i>Picea abies</i>	Semi-mature	15	2	350			5	5	4	5	Fair	20 to 40 yrs	B	Retained	
277270.33 721918.43	465	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	9	2	250			6	5	4	5	Poor	10 to 20 yrs	C	Retained	
277275.45 721935.39	G466	Irish Yew <i>Taxus baccata 'Fastigiata'</i> 2 multi stemmed trees	Mature	7	0	300			4	4	4	4	Fair	20 to 40 yrs	A	Retained	
277285.69 721932.83	G467	Irish Yew <i>Taxus baccata 'Fastigiata'</i> 4 multi stemmed trees	Mature	7	0	450			5	4	5	4	Fair	20 to 40 yrs	A	Retained	
277246.66 721923.27	G468	A Group Grey Willow, Sycamore, Ash	Semi-mature	8	1	190			2	7	5	7	Fair	10 to 20 yrs	C	Retained	

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277232.58 721920.71	469	Grey Willow <i>Salix cinerea</i>	Semi-mature	7	2	140	90	90	1	3	5	3	Fair	10 to 20 yrs	C	Retained	
277250.5 721930.31	470	Leyland Cypress <i>Leylandii</i>	Semi-mature	7	0	210			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
277228.74 721927.75	471	Leyland Cypress <i>Leylandii</i>	Semi-mature	6	0	170			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
277210.82 721936.71	472	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	3	170	140		4	4	4	4	Poor	10 to 20 yrs	C	Retained	
277197.38 721940.55	473	Wild Cherry <i>Prunus avium</i>	Semi-mature	5	2	150			2	3	3	2		10 to 20 yrs	C	Retained	
277188.42 721957.19	474	Birch <i>Betula pendula</i> <i>Ivy clad bole</i>	Semi-mature	16	2	270			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
277180.1 721966.15	475	Red Oak <i>Quercus rubra</i>	Semi-mature	10	2	170			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
277177.54 721941.19	476	Bird Cherry <i>Prunus padus</i> <i>Crack in bole</i>	Mature	9	2	360			5	5	5	4	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277166.66 721956.55	477	Wild Cherry <i>Prunus avium</i>	Semi-mature	7	2	130	90	90	4	4	3	4	Fair	10 to 20 yrs	B	Retained	
277172.42 721975.11	478	Swamp Cypress <i>Taxodium Distichum</i>	Semi-mature	9	1	240			2	4	4	3	Fair	20 to 40 yrs	B	Retained	
277189.7 721976.39	479	Monkey Puzzle Tree <i>Araucaria araucana</i>	Semi-mature	5	0	170			2	2	2	2	Fair	20 to 40 yrs	B	Retained	
277210.18 721982.15	480	Rowan <i>Sorbus psuedofenica</i>	Semi-mature	5	1	170			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
277157.7 721967.43	481	Sweet Chestnut <i>Castanea sativa</i>	Semi-mature	10	1	210			3	4	4	3	Fair	20 to 40 yrs	B	Retained	
277153.22 721981.51	482	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	3	200			4	4	4	4	Fair	10 to 20 yrs	C	Retained	
277160.3 721990.04	483	Spruce <i>Picea abies</i> <i>Topped</i>	Mature	15	2	480			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
277148.14 721986.84	484	Larch <i>Larix decidua</i>	Mature	17	2	460			4	4	4	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276668.3 721699.12	S481	Leyland Cypress <i>Leylandii</i>	Mature	18	1	920			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276656.9 721719.12	S476	Sycamore <i>Acer pseudoplatanus</i>	Mature	20	4	620			7	11	9	5	Fair	20 to 40 yrs	B	Retained	
276653.3 721720.32	S475	Lime <i>Tilia europaea</i>	Mature	22	0	1020			5	6	7	7	Fair	20 to 40 yrs	B	Retained	
276662.39 721723.95	S474	Oak <i>Quercus robur</i>	Mature	20	3	720			16	11	3	7	Fair	20 to 40 yrs	B	Retained	
276687.3 721712.79	1508	Ash <i>Fraxinus excelsior</i>	Mature	25	5	680			10	8	9	8	Fair	20 to 40 yrs	B	Retained	
276689.7 721711.59	1509	Sycamore <i>Acer pseudoplatanus</i>	Mature	19	2	610			8	7	9	7	Fair	20 to 40 yrs	B	Retained	
276692.3 721711.59	1510	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	2	650			10	8	12	8	Fair	20 to 40 yrs	B	Retained	
276693.9 721710.99	1511	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	2	520			12	9	8	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277167.98 721993.24	485	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	7	2	240			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
277182.7 722012.44	486	Spruce <i>Picea abies</i>	Semi-mature	7	3	150			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
277134.06 721984.92	487	Common Alder <i>Alnus glutinosa</i>	Semi-mature	8	0	200	190	170	3	3	4	4	Fair	20 to 40 yrs	B	Retained	
277131.5 721991.32	488	Grey Willow <i>Salix cinerea</i>	Semi-mature	7	1	150	130	120	5	3	4	5	Fair	20 to 40 yrs	B	Retained	
277142.38 721999	489	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	9	2	270	220		4	5	4	4	Fair	20 to 40 yrs	B	Retained	
277140.46 721992.12	490a	Willow <i>Salix cinerea</i>	Semi-mature	5	2	230	150		3	3	3	2	Fair	20 to 40 yrs	B	Retained	
277144.3 722017.72	491	Wild Cherry <i>Prunus avium</i>	Semi-mature	7	2	110			1	2	2	2	Fair	10 to 20 yrs	C	Retained	
277138.86 722021.24	492a	Rowan <i>Sorbus aucuparia</i>	Semi-mature	7	3	140	130	130	4	4	4	4	Fair	20 to 40 yrs	B	Retained	

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277135.96 722021.68	493a	Irish Yew <i>Taxus baccata 'Fastigiata'</i>	Semi-mature	5	0	200			2	2	2	2	Fair	20 to 40 yrs	B	Retained	
277123.48 722029.68	494a	Willow <i>Salix cinerea</i>	Semi-mature	5	0	90	90	90	3	3	3	4	Fair	10 to 20 yrs	C	Retained	
277149.72 722030	H495	A Hedgerow <i>Mixed species garden hedge</i>	Semi-mature	5	0	200			3	10	3	10	Fair	20 to 40 yrs	B	Retained	
277138.2 722038.32	496	Cider Gum <i>Eucalyptus gunnii</i>	Young	6	3	60	60		2	2	2	2	Fair	10 to 20 yrs	C	Retained	
277112.16 722044.04	489	Pencil Cedar <i>Juniperus virginiana</i>	Semi-mature	5	0	170			1	1	1	1	Fair	10 to 20 yrs	C	Retained	
277115.36 722046.6	490	Wild Cherry <i>Prunus avium</i>	Semi-mature	7	2	300	310		4	4	5	5	Fair	20 to 40 yrs	B	Retained	
277129.12 722060.2	491a	Crab Apple <i>Malus sylvestris</i>	Semi-mature	5	2	220	170	170	2	3	2	3	Fair	20 to 40 yrs	B	Retained	
277059.65 722052.76	492	Copper Beech <i>Fagus sylvatica 'Purpurea'</i> <i>Significant specimen</i>	Mature	21	3	1200			10	10	10	10	Fair	20 to 40 yrs	A	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277048.77 722038.68	493	Birch <i>Betula pendula</i>	Mature	18	2	400			4	5	5	5	Fair	20 to 40 yrs	B	Retained	
277059.65 722036.12	494	Crack Willow <i>Salix fragilis</i>	Semi-mature			130	110	100	3	5	4	4	Fair	20 to 40 yrs	C	Retained	
277083.97 722052.76	495	Apple <i>Malus sylvestris</i>	Mature	5	1	230	250		2	4	4	5	Fair	20 to 40 yrs	B	Retained	
277017.73 722040.55	496a	Oak <i>Quercus rubra</i>	Semi-mature	10	2	370	360		6	5	3	6	Fair	20 to 40 yrs	B	Retained	
277020.61 722037.67	497	Oak <i>Quercus rubra</i>	Semi-mature	9	0	360			1	5	6	7	Fair	20 to 40 yrs	B	Retained	
276999.06 722027.38	498	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	2	280	250	170	6	6	6	6	Poor	10 to 20 yrs	C	Retained	
277002.26 722036.98	499	Birch <i>Betula pendula</i>	Mature	16	1	510			6	6	6	6	Fair	20 to 40 yrs	C	Retained	
277001.94 722016.5	G500	Common Ash <i>Fraxinus excelsior</i> <i>10 trees. Ash & Sycamore. Ash die back</i>	Semi-mature	10	2	140			5	7	5	7	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277602.2 722088.7	501	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	14	1	200			3	3	3	3	Good	10 to 20 yrs	C	Retained	
277600 722096.3	502	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	14		250			3	3	3	4	Fair	10 to 20 yrs	C	Retained	
277598.8 722110.1	503	Norway Spruce <i>Picea abies</i>	Mature	22	2	700			6	4	6	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277596.4 722125.2	504	Wild Cherry <i>Prunus avium</i> BS5837 Survey V111 with Photo.jpg	Mature	9	3	330			4	3	4	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277595.1 722135.5	505	Common Horse Chestnut <i>Aesculus hippocastanum</i>	Mature	22	2	700			7	7	8	5	Good	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277591.6 722164.9	462	Sycamore <i>Acer pseudoplatanus</i> <i>Kretzschmaria deusta</i> . recommended for felling in the short term. Owner Advised	Mature	19	3	1100			13	10	9	10	Poor	<10 yrs	U	Removed	Recommended for felling/removed to accommodate flood wall and working area
277276.8 721930.4	506	American Elm <i>Ulmus americana</i>	Semi-mature	10	2	275	175		5	3	4	4	Good	20 to 40 yrs	B	Retained	
277278.6 721926.6	507	Norway Spruce <i>Picea abies</i>	Semi-mature	8	1	200			3	3	3	3	Good	20 to 40 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277261.9 721919.5	508	Norway Spruce <i>Picea abies</i>	Semi-mature	12	2	200			3	3	3	3	Good	20 to 40 yrs	B	Retained	
277334 721960.2	509	Irish Yew <i>Taxus baccata 'Fastigiata'</i>	Mature	8	1	200			2	2	2	2	Good	20 to 40 yrs	A	Retained	
277322.1 721960.5	510	Irish Yew <i>Taxus baccata 'Fastigiata'</i> BS5837 Survey V111 with Photo1.jpg	Mature	8	1	300			2	2	2	2	Good	20 to 40 yrs	A	Retained	
277318.3 721954.1	511	Irish Yew <i>Taxus baccata 'Fastigiata'</i>	Mature	8	2	250			2	2	2	2	Good	20 to 40 yrs	A	Retained	
277211.2 721930.2	512	Common Ash <i>Fraxinus excelsior</i> BS5837 Survey V111 with Photo2.jpg	Young	7	3	120			2	2	2	2	Good	>40 yrs	C	Retained	
277217.7 721935.6	513	Common or Black Elde <i>Sambucas nigra</i>	Mature	7	2	165	150	150	3	3	3	3	Poor	<10 yrs	U	Retained	
277229.9 721949.2	514	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	15	3	300			4	4	3	4	Poor	10 to 20 yrs	C	Retained	
277193.9 721933.9	515	White Willow <i>Salix alba</i>	Semi-mature	7	1	200			3	3	3	3	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277159.5 721934.5	516	Common Alder <i>Alnus glutinosa</i>	Semi-mature	9	4	300			3	3	3	4	Fair	20 to 40 yrs	B	Retained	
277161.6 721945.3	517	Lodgepole Pine <i>Pinus contorta var latifolia</i>	Semi-mature	9	1	210			3	3	3	3	Good	>40 yrs	B	Retained	
277158 721950.5	518	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	1	360			4	4	4	5	Good	20 to 40 yrs	B	Retained	
277157.1 721951.7	519	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	17	2	290			4	4	4	4	Good	20 to 40 yrs	B	Retained	
277151.4 721956.2	520	Grey Willow <i>Salix cinerea</i>		15	2	280			3	4	5	5	Good	20 to 40 yrs	B	Retained	
277149.8 721961.2	G521	Common Alder <i>Alnus glutinosa</i> <i>Small group of alder stems on rivers edge</i>	Semi-mature	15	1	200			7	7	7	7	Fair	10 to 20 yrs	C	Retained	
277144.7 721964.7	522	Goat Willow <i>Salix caprea</i>	Mature	14	4	330			6	6	3	4	Fair	20 to 40 yrs	B	Retained	
277148.7 721975.6	523	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16		250			3	4	3	3	Good	>40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277143.8 721969.3	524	Grey Willow <i>Salix cinerea</i>	Semi-mature	12	2	220			2	2	4	5	Fair	10 to 20 yrs	C	Retained	
277142.9 721971.8	525	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	16	2	300			5	3	4	6	Good	>40 yrs	B	Retained	
277130.1 721990.2	526	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	2	210			2	2	3	3	Fair	10 to 20 yrs	C	Retained	
277128 721993	528	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15	3	210	190	200	4	4	4	3	Fair	10 to 20 yrs	C	Retained	
277124.9 722002.8	529	Common Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	260	175		4	3	2	3	Poor	10 to 20 yrs	C	Retained	
277130.6 722016	530	Silver Birch <i>Betula pendula</i>	Semi-mature	12	2	160			3	3	3	3	Good	>40 yrs	B	Retained	
277095.4 722053.2	531	Leyland Cypress 'Gree X Cupressocyparis leylandii 'Green Spire' Group of 3 tightly grouped garden trees	Semi-mature	6	1	100			3	3	3	3	Good	>40 yrs	B	Retained	
277086.9 722052.9	532	Apple <i>Malus John Downie'</i>	Mature	5	2	175			3	3	3	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277021.5 722036.3	G532	Mixed group <i>Group of mixed species semi mature occupying steep bank west of church. Low quality.</i>	Semi-mature	10	2	200			10	10	10	10	Fair	10 to 20 yrs	C	Retained	
277048.1 722026.2	534	Common Ash <i>Fraxinus excelsior</i>	Mature	18	2	375	320	265	7	5	6	6	Fair	20 to 40 yrs	B	Retained	
277042.7 722025.3	535	Common Beech <i>Fagus sylvatica</i>	Semi-mature	13	2	175			3	3	3	3	Good	>40 yrs	B	Retained	
277036 722022.7	536	Common Beech <i>Fagus sylvatica</i>	Semi-mature	17	2	320			4	5	4	4	Good	20 to 40 yrs	B	Retained	
277044.3 722018	537	Common Alder <i>Alnus glutinosa</i>	Mature	12	2	200	350		4	5	4	4	Fair	10 to 20 yrs	C	Retained	
277033.2 722017.6	538	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	14	3	200			3	3	3	3		20 to 40 yrs	B	Retained	
277034.4 722008.2	539	White Willow <i>Salix alba</i> <i>Main stem fallen with regrowth</i>	Mature	17	3	400			6	6	6	6	Poor	<10	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277022.9 722009.8	540	White Willow <i>Salix alba</i>	Semi-mature	9	2	175			3	4	3	3	Fair	10 to 20 yrs	C	Retained	
277011.6 722013.8	G541	Grey Willow <i>Salix cinerea</i> <i>Dense group of low quality mixed willow</i>	Semi-mature	9	2	200			15	15	15	15	Fair	10 to 20 yrs	C	Retained	
277039.8 722016.3	542	Common Alder <i>Alnus glutinosa</i>	Mature	12	3	450			5	4	4	4	Fair	10 to 20 yrs	C	Retained	
277039.5 722007.5	543	White Willow <i>Salix alba</i>	Semi-mature	14	4	170	90		3	3	3	3	Fair	10 to 20 yrs	C	Retained	
277037.1 722001.1	544	White Willow <i>Salix alba</i>	Semi-mature	16	5	170	130	150	3	3	3	3	Fair	10 to 20 yrs	C	Retained	
277036.9 721997.3	G545	Common Ash <i>Fraxinus excelsior</i> <i>Group of young ash and a young Norway maple. Low quality.</i>	Young	11	3	158			7	7	7	3	Fair	10 to 20 yrs	C	Retained	
276955 722002.4	546	Common Hawthorn <i>Crataegus monogyna</i>	Mature	5	1	180			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276961.1 722005.3	547	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	11	2	400			3	4	4	4	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276967.8 722008.3	548	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	14	2	200	170	175	4	4	4	5	Fair	10 to 20 yrs	C	Retained	
276922.2 721992.5	549	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Semi-mature	5	1	150			2	2	2	2	Good	20 to 40 yrs	B	Retained	
276903.5 721998.4	550	Goat Willow <i>Salix caprea</i>	Mature	13	2	600	250	250	5	5	5	8	Fair	20 to 40 yrs	B	Retained	
276879.4 722005.3	551	Norway Spruce <i>Picea abies</i> BS5837 Survey V111 with Photo6.jpg	Mature	22	1	550			4	4	4	5	Good	20 to 40 yrs	B	Retained	
276872.9 721969	552	Bird Cherry <i>Prunus padus</i>	Mature	7	2	275	100		3	3	3	3	Good	20 to 40 yrs	B	Retained	
276862.6 721964.1	553	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	9	2	300			3	4	5	3	Fair	10 to 20 yrs	C	Retained	
276860.7 721972	554	Common Holly <i>Ilex aquifolium</i>	Mature	8	1	210	180	150	3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276865.5 722003.1	552 a	Common Laburnum <i>Laburnum anagyroides</i>	Semi-mature	5	1	120	130		2	2	3	2	Good	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276860.4 721986.3	553a	Common Laburnum <i>Laburnum anagyroides</i>	Mature	5	1	175	150		2	2	2	2	Good	20 to 40 yrs	B	Retained	
276830.6 722011.2	557	Crab Apple <i>Malus sylvestris</i>	Mature	5	2	175			3	3	3	3	Good	20 to 40 yrs	B	Retained	
276824.3 722010.2	G558	A Group <i>Group of mixed species garden trees including cherry, domestic apple and laurel</i>	Semi-mature	5	1	200			8	8	8	8	Good	20 to 40 yrs	B	Retained	
276817.8 722018.1	559	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	17	1	300	280	280	3	3	3	3	Good	20 to 40 yrs	B	Retained	
276809 722033.5	560	Common Alder <i>Alnus glutinosa</i>	Mature	8	4	290			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276811 722030.9	561	Common Ash <i>Fraxinus excelsior</i>	Mature	17	2	375	375		4	4	4	5	Poor	10 to 20 yrs	C	Retained	
276830.6 721968	562	Common Ash <i>Fraxinus excelsior</i> <i>Ash dieback</i>	Mature	14	3	450			4	5	5	5	Poor	10 to 20 yrs	C	Retained	
276834.8 721962.7	563	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	2	400			4	4	4	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276815.9 722013.4	564	Common Ash <i>Fraxinus excelsior</i>	Mature	16	3	450			4	4	4	4	Poor	10 to 20 yrs	C	Retained	
276757.4 722079.3	G565	Common Alder <i>Alnus glutinosa</i> <i>Group of young alder regeneration along river bank - low quality</i>	Young	4	1	100			8	2	8	2	Fair	10 to 20 yrs	C	Retained	
276787.9 722015.2	566	Hybrid Black Poplar <i>Populus x canadensis</i>	Mature	25	3	458			4	4	5	4	Good	20 to 40 yrs	B	Retained	
276789.3 722018.5	567	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	2	170	175		3	4	3	2	Fair	10 to 20 yrs	C	Retained	
276785.9 722021.3	568	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	19	3	275	320	270	5	5	5	5	Poor	10 to 20 yrs	C	Retained	
276785.2 722023.4	569	Common Ash <i>Fraxinus excelsior</i> <i>Ash dieback</i>	Semi-mature	19		275	220	190	5	5	5	5	Poor	10 to 20 yrs	C	Retained	
276784.2 722026.2	570	Common Alder <i>Alnus glutinosa</i>	Mature	18	3	250	248	160	4	4	4	4	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276783.5 722028.3	571	Silver Birch <i>Betula pendula</i>	Mature	25	4	440			5	6	5	6	Good	20 to 40 yrs	B	Retained	
276782.5 722031.2	572	Common Alder <i>Alnus glutinosa</i>	Mature	14	2	250	260	250	5	4	4	4	Fair	20 to 40 yrs	B	Retained	
276783.2 722011.5	573	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	5	2	210	140		3	3	4	3	Fair	20 to 40 yrs	B	Retained	
276781 722019.4	574	Wild Cherry <i>Prunus avium</i>	Semi-mature	3	1	165			3	3	3	3	Good	20 to 40 yrs	B	Retained	
276773 722035.9	575	Prunus <i>Prunus spp.</i>	Semi-mature	6	2	150	150	140	4	4	4	4	Good	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	BS5837 Quality	Removed/Retained	Comments
276807.1 721826	576	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Mature	18	4	550			5	6	6	5	Good	>40 yrs	A	Retained	
276769 721837.6	577	Douglas Fir <i>Douglas fir topped</i>	Veteran	22	5	1100			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276777.2 721828.1	Hedge	A Group <i>Garden hedge between properties</i>		12	1	100			3	3	3	3	Good	20 to 40 yrs	B	Retained	
276784.8 721818	578	Common Beech <i>Fagus sylvatica</i> <i>Component of beech hedge</i>	Semi-mature	17	2	280			3	4	3	3	Fair	20 to 40 yrs	B	Retained	
276786.8 721815.6	579	Common Ash <i>Fraxinus excelsior</i> <i>Crown die back</i>	Semi-mature	19	3	360			4	4	5	4	Poor	10 to 20 yrs	C	Retained	
276802.4 721796.1	580	Goat Willow <i>Salix caprea</i>	Semi-mature	14	2	270			4	4	4	4	Good	20 to 40 yrs	B	Retained	
276811.9 721785.2	581	Common Beech <i>Fagus sylvatica</i>	Semi-mature	5	2	330			4	4	5	4	Good	20 to 40 yrs	B	Retained	
276821.5 721774.1	582	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16	2	290			4	3	4	4	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	BS5837 Quality	Removed/Retained	Comments
276831.3 721762.7	583	Common Beech <i>Fagus sylvatica</i>	Semi-mature	17	3	320			2	7	5	2	Good	20 to 40 yrs	B	Retained	
276824.6 721756.8	584	Common Oak <i>Quercus robur</i>	Semi-mature	17	2	310			3	4	5	5	Good	>40 yrs	B	Retained	
276818.7 721751.7	585	Norway Maple <i>Acer platanoides</i>	Semi-mature	16	2	275			4	2	5	5	Fair	20 to 40 yrs	B	Retained	
276808.7 721743.1	586	Common Beech <i>Fagus sylvatica</i>	Semi-mature	16	2	300			4	4	4	4	Good	20 to 40 yrs	B	Retained	
276799.4 721735.1	587	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Mature	21	3	750			5	5	6	7	Good	20 to 40 yrs	A	Retained	
276785.1 721736.8	588	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	18	2	400			3	3	3	3	Good	20 to 40 yrs	B	Retained	
276786.8 721730.1	589	Wild Cherry <i>Prunus avium</i>	Mature	16	6	400			4	5	5	4	Fair	20 to 40 yrs	B	Retained	
276775.6 721719.9	590	Silver Birch <i>Betula pendula</i>	Mature	20	5	360			4	4	4	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	BS5837 Quality	Removed/Retained	Comments
276776.2 721707.6	591	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	16	3	200	210	200	4	5	4	4	Fair	20 to 40 yrs	B	Retained	
276763.2 721690.4	592	Norway Spruce <i>Picea abies</i>	Semi-mature	17	3	340			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276781.2 721689.4	593	Norway Spruce <i>Picea abies</i>	Semi-mature	16	3	340			4	4	3	3	Fair	20 to 40 yrs	B	Retained	
276770.2 721683.5	594	Norway Maple <i>Acer platanoides</i>	Mature	21	3	600			5	5	5	6	Fair	20 to 40 yrs	B	Retained	
276780.6 721669.6	G595	Brewer Spruce <i>Picea brewerana</i> <i>Linear Group of 6 trees forming shelterbelt</i>	Mature	19	2	300	300		8	3	8	3	Good	20 to 40 yrs	B	Retained	BS5837 Survey V111 with Photo8.jpg
276755.1 721850.1	596	Wild Cherry <i>Prunus avium</i>	Mature	20	3	400			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
276769 721826.9	597	Silver Birch <i>Betula pendula</i>	Mature	19	3	330			4	4	4	4	Good	20 to 40 yrs	B	Retained	
276778.7 721809.9	598	Common Oak <i>Quercus robur</i>	Semi-mature	9	2	250			4	4	3	4	Good	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	BS5837 Quality	Removed/Retained	Comments
276783.7 721802.4	599	Grand Fir <i>Abies grandis</i>	Mature	27	3	1000			5	5	5	5	Fair	20 to 40 yrs	A	Retained	
276744.9 721823.6	600	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	3	430			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276748.6 721817.6	601	Korean Maple <i>Acer pseudosieboldianum</i>	Semi-mature	12	2	150	150	150	4	4	4	4	Good	20 to 40 yrs	B	Retained	
276758 721755.2	602	Himalayan Birch <i>Betula utilis</i>	Semi-mature	9	2	200			3	3	3	3	Good	20 to 40 yrs	B	Retained	
276775.2 721755.8	603	Chilean Incense Cedar <i>Austrocedrus chilensis</i>	Semi-mature	9	3	360			3	3	3	3	Good	20 to 40 yrs	B	Retained	
276784.6 721757.8	604	Mountain Ash <i>Sorbus aucuparia</i>	Mature	11	2	265			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276796.9 721769.3	605	John Downie <i>Malus John Downie'</i>	Mature	7	2	400			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276817.9 721766.5	606	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	18	4	500			3	3	3	3	Good	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	BS5837 Quality	Removed/Retained	Comments
276775.3 721736.4	607	Western Red Cedar <i>Thuja plicata</i>	Mature	17	2	400	150		3	3	4	4	Good	20 to 40 yrs	B	Retained	
276772.8 721728.8	608	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	24	1	900			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276772.2 721744.8	609	Nootka Cypress <i>Chamaecyparis nootkatensis</i>	Semi-mature	9	1	375			3	3	2	3	Fair	20 to 40 yrs	B	Retained	
276727.6 721788.7	610	Goat Willow <i>Salix caprea</i>	Mature	11	2	350			4	4	4	4	Good	20 to 40 yrs	B	Retained	
276707.1 721796.9	611	Mountain Ash <i>Sorbus aucuparia</i>	Mature	9	2	175	140	130	3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276711.8 721791.3	612	Silver Birch <i>Betula pendula</i>	Mature	14	3	275			3	4	3	3	Fair	10 to 20 yrs	C	Retained	
276728.2 721767.2	613	Lodgepole Pine <i>Pinus contorta var latifolia</i>	Mature	19	4	550			4	4	4	4	Good	20 to 40 yrs	B	Retained	
276723.9 721756.4	614	Sawara Cypress <i>Chamaecyparis pisifera</i>	Mature	7	2	250			3	3	3	3	Good	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	BS5837 Quality	Removed/Retained	Comments
276719.7 721751.6	615	Wild Cherry <i>Prunus avium</i>	Mature	10	2	340			5	5	4	5	Fair	20 to 40 yrs	B	Retained	
276702.1 721758.9	616	Goat Willow <i>Salix caprea</i>	Semi-mature	13	2	230			3	3	4	3	Fair	20 to 40 yrs	B	Retained	
276699.5 721750.5	617	Sycamore <i>Acer pseudoplatanus</i> <i>Property not accessed</i>	Semi-mature	13	2	150	148	140	1	4	4	4	Fair	20 to 40 yrs	B	Retained	
276637.8 721746.1	618	Common Lime <i>Tilia europaea</i>	Mature	23	2	940			4	5	5	5	Fair	20 to 40 yrs	B	Retained	
276647.7 721732.9	S468	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	3	600			6	7	6	7	Fair	20 to 40 yrs	B	Retained	
276630.8 721723.7	619	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	20	1	800			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276634.9 721713.5	G620	Leyland Cypress <i>X Cupressocyparis leylandii</i> <i>Group of 12 forming shelter belt</i>	Semi-mature	15	2	250			5	2	5	3	Fair	20 to 40 yrs	B	Retained	
276643.6 721714.6	621	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	21	2	550	400		4	4	4	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	BS5837 Quality	Removed/Retained	Comments
276644.9 721713.3	622	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	22	1	700			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276644.9 721691.3	623	Goat Willow <i>Salix caprea</i> <i>Group of 3. Largest recorded</i>	Mature	16	2	450			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276657.2 721702.9	G624	Lawson Cypress <i>Chamaecyparis lawsoniana</i> <i>Pair of cypress</i>	Mature	13	2	270	300		4	4	4	4	Good	20 to 40 yrs	B	Retained	
276663.6 721697.9	625	Sycamore <i>Acer pseudoplatanus</i>	Mature	20	3	400	300		5	5	5	4	Fair	20 to 40 yrs	B	Retained	
276668.5 721684.5	626	European Larch <i>Larix decidua</i>	Mature	24	4	500			5	6	5	5	Fair	20 to 40 yrs	B	Retained	
276655.6 721674.9	G627	Common Beech <i>Fagus sylvatica</i> <i>Large beech with small group of beech</i>	Mature	23	2	750			8	8	8	8	Fair		B	Retained	
276669.1 721663.6	G628	Sycamore <i>Acer pseudoplatanus</i> <i>Group of early mature sycamores in good general condition</i>	Semi-mature	18	2	300			10	10	10	10	Fair	20 to 40 yrs	B	Retained	
276731.5 721741.4	629	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Mature	23	2	1100			8	8	8	8	Good	20 to 40 yrs	A	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	BS5837 Quality	Removed/Retained	Comments
276742 721738.3	630	Douglas Fir <i>Pseudotsuga menziesii</i>	Mature	25	4	900			5	4	5	5	Good	20 to 40 yrs	A	Retained	
276743.2 721750.9	631	Western Hemlock <i>Tsuga heterophylla</i>	Mature	26	6	850			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
276750.6 721740	G632	Douglas Fir <i>Pseudotsuga menziesii</i> <i>Douglas fir with 2 Lawson cypress forming tight group.</i>	Mature	24	4	600			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
276750.2 721730	633	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	6	600			6	7	6	6	Fair	20 to 40 yrs	B	Retained	
276749.3 721724	634	Douglas Fir <i>Pseudotsuga menziesii</i>	Mature	23	4	565			5	4	4	4	Fair	20 to 40 yrs	B	Retained	
276758.9 721723.8	635	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	22	6	258	240	208	5	5	5	4	Fair	10 to 20 yrs	C	Retained	
276762.2 721716.3	636	Common Lime <i>Tilia europaea</i>	Mature	22	5	700			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276765 721709.1	637	Common Lime <i>Tilia europaea</i>	Mature	23	4	550			5	5	5	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	BS5837 Quality	Removed/Retained	Comments
276763.8 721702.4	638	Red Oak <i>Quercus rubra</i>	Veteran	25	2	1050			6	6	9	9	Good	>40 yrs	A	Retained	
276755.3 721708.8	639	Common Horse Chestn <i>Aesculus hippocastanum</i>	Mature	17	1	600			4	3	6	7	Fair	20 to 40 yrs	B	Retained	
276768.4 721698.4	640	Lodgepole Pine <i>Pinus contorta var latifolia</i>	Mature	20	1	365			4	4	4	4	Good	20 to 40 yrs	B	Retained	
276769.4 721668.9	641	Common Lime <i>Tilia europaea</i>	Mature	24	2	1000			7	7	7	7	Fair	20 to 40 yrs	A	Retained	
276774.8 721666.5	642	Norway Maple <i>Acer platanoides</i>	Mature	24	2	700			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
276779.1 721655	B.orchid	<i>Colony of 40:plus lesser butterfly orchids of high ecological value</i>															BS5837 Survey V111 with Photo10.jpg
276664.3 721653.1	643	Norway Maple <i>Acer platanoides</i>	Mature	22	3	450	550		4	6	6	6	Fair	20 to 40 yrs	B	Retained	
276671.9 721653.7	644	Wild Cherry <i>Prunus avium</i>	Mature	18	5	350	300		3	7	6	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	BS5837 Quality	Removed/Retained	Comments
276683 721643.7	645	Wild Cherry <i>Prunus avium</i>	Mature	16	2	550			3	6	4	2	Poor	<10 yrs	U	Retained	
276688.1 721622	646	Silver Birch <i>Betula pendula</i> <i>Leaning into cypress tree</i>	Mature	19	4	400			3	2	4	4	Poor	10 to 20 yrs	C	Retained	
276823.5 721905.6	647	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Mature	22	4	730			6	7	7	7	Fair	20 to 40 yrs	B	Retained	
276827.4 721921.5	648	Downy Japanese Mapl <i>Acer japonicum</i>	Semi-mature	9	1	130	140	120	4	4	4	4	Good	20 to 40 yrs	B	Retained	
276826.1 721929.5	G648	Common Alder <i>Alnus glutinosa</i>	Mature	13	2	350			4	4	3	3	Poor	<10 yrs	U	Retained	
276822.3 721939.8	650	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	23	2	1000			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276822.3 721939.8	651	Lawson Cypress <i>Chamaecyparis lawsoniana</i> <i>Leaning acutely over rivet</i>	Mature	24	1	750			3	5	3	2	Fair	20 to 40 yrs	B	Retained	
276822.6 721946.5	652	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	22	1	780			3	5	4	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	BS5837 Quality	Removed/Retained	Comments
276820.5 721949.9	653	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	23	1	700			3	4	3	3	Fair	20 to 40 yrs	B	Retained	
276814.5 721947	654	River Birch <i>Betula nigra</i>	Mature	21	5	350			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276814.9 721953.4	655	Hybrid Black Poplar <i>Populus x canadensis</i>	Mature	24	6	600			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276807.1 721962.4	656	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	25	1	1400			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
276812.7 721963	657	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Mature	20	2	395			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276806.7 721966.8	658	Norway Spruce <i>Picea abies</i>	Semi-mature	17	3	330			3	4	3	3	Fair	10 to 20 yrs	C	Retained	
276810.1 721967.9	659	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	1	365	200		4	6	3	3	Fair	20 to 40 yrs	B	Retained	
276805.9 721971.1	660	Silver Birch <i>Betula pendula</i>	Mature	19	8	375			4	6	6	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	BS5837 Quality	Removed/Retained	Comments
276802 721965.9	661	Noble Fir <i>Abies procera</i>	Mature	26	13	1200			6	6	6	6	Good	20 to 40 yrs	A	Retained	
276800.3 721973	662	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	3	450			6	5	5	5	Good	20 to 40 yrs	B	Retained	
276795.8 721989.5	G663	Leyland Cypress <i>X Cupressocyparis leylandii</i> <i>Understory of suckering Leyland Cyprus</i>	Semi-mature	12	2	208			5	5	5	5	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277002.58 722000.82	G701	Goat Willow <i>Salix caprea</i>	Semi-mature	9	0	110	110	110	13	13	13	13	Fair	10 to 20 yrs	C	Retained	
277012.82 722018.42	702	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	16	2	330	290	280	5	8	6	6	Poor	10 to 20 yrs	C	Retained	
277015.7 722024.18	703	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	1	200			5	4	4	4	Fair	20 to 40 yrs	B	Retained	
277023.06 722023.54	704	Birch <i>Betula</i>	Semi-mature	14	5	270			5	4	4	4	Fair	20 to 40 yrs	B	Retained	
277018.26 722020.66	705	Spruce <i>Picea abies</i>	Semi-mature	9	1	170			3	3	3	2	Fair	20 to 40 yrs	B	Retained	
277034.26 722021.62	707	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	2	180			4	3	4	4	Poor	10 to 20 yrs	C	Retained	
277032.17 721982.63	706	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	4	0	100	70	70	2	2	3	3	Poor	10 to 20 yrs	C	Retained	
277033.13 721985.19	707 a	Bird Cherry <i>Prunus padus</i>	Semi-mature	5	1	100	100	70	2	1	4	3	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277036.01 721989.35	708	Crack Willow <i>Salix fragilis</i>	Semi-mature	10	2	150	150	130	5	4	6	4		20 to 40 yrs	B	Retained	
277037.61 721994.15	709	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	11	0	160	110	100	2	5	6	5	Fair	10 to 20 yrs	B	Retained	
276987.83 722018.15	710	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	11		470			6	6	6	3	Fair	10 to 20 yrs	C	Retained	
276981.43 722017.51	711	Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	150			5	5	3	4	Fair	20 to 40 yrs	B	Retained	
276982.07 722014.95	712	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	11	2	180	130	130	2	5	5	5	Fair	20 to 40 yrs	B	Retained	
276914.99 721992.98	713	Common Laburnum <i>Laburnum anagyroides</i>	Semi-mature	5	1	160			0	2	3	3	Fair	10 to 20 yrs	C	Retained	
276914.35 721998.1	714	Wild Cherry <i>Prunus avium</i>	Semi-mature	7	1	120	120	120	3	4	4	4	Fair	20 to 40 yrs	B	Retained	
276903.47 721984.66	715	Grey Willow <i>Salix cinerea</i>	Semi-mature	4	0	140	140	120	4	7	2	7	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276875.31 721969.94	716	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	0	170	110	110	4	5	4	3	Fair	10 to 20 yrs	C	Retained	
276862.51 721964.82	717	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	8	1	270			4	4	5	5	Fair	20 to 40 yrs	B	Retained	
276856.62 721950.46	G718	A Group <i>Hazel, Bird Cherry, Sycamore</i>	Semi-mature	9	1	180			6	4	6	4	Fair	10 to 20 yrs	C	Retained	
276854.06 721941.5	719	Alder <i>Alnus glutinosa</i>	Semi-mature	7	0	170	180		4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276852.14 721933.18	720	Sycamore <i>Acer pseudoplatanus</i> <i>Re-growing coppice</i>	Semi-mature	9	1	300	12	12	4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276857.26 721921.02	721	Alder <i>Alnus glutinosa</i> <i>Re-growing coppice</i>	Semi-mature	7	1	90	80	80	4	4	4	2	Fair	10 to 20 yrs	C	Retained	
276850.86 721924.86	722	Alder <i>Alnus glutinosa</i>	Mature	14	1	400			1	1	7	7	Fair	20 to 40 yrs	B	Retained	
276843.82 721939.42	723	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	1	150	130	130	5	1	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276845.69 721937.25	724	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	4	180			0	5	5	1	Fair	10 to 20 yrs	C	Retained	
276844.89 721939.57	725	Alder <i>Alnus glutinosa</i>	Mature	15	5	310	290		5	4	6	6	Fair	20 to 40 yrs	B	Retained	
276845.85 721939.57	726	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	2	330			4	5	3	4	Fair	20 to 40 yrs	B	Retained	
276840.25 721946.85	727	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	2	260	190		1	6	5	4	Poor	10 to 20 yrs	C	Retained	
276838.97 721949.09	728	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	5	380	150		5	5	7	7	Fair	10 to 20 yrs	C	Retained	
276837.05 721953.57	729	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	3	390			2	4	7	7	Fair	20 to 40 yrs	B	Retained	
276835.77 721955.81	730	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	5	520			6	5	2	7	Fair	10 to 20 yrs	C	Retained	
276715.1 722096.47	731	Cherry <i>Prunus avium</i>	Semi-mature	7	1	250			5	5	5	4	Fair	20 to 40 yrs	B	Retained	

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276709.98 722077.27	732	Alder <i>Alnus glutinosa</i>	Semi-mature	8	0	230			3	3	4	3	Fair	20 to 40 yrs	B	Retained	
276684.38 722072.15	733	Alder <i>Alnus glutinosa</i>	Semi-mature	11	3	230	170		5	4	6	4	Fair	20 to 40 yrs	B	Retained	
276668.79 722070.71	734	Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	270			5	4	6	4	Fair	20 to 40 yrs	B	Retained	
276699.51 722089.91	735a	Pissards Plum <i>Prunus atropurpurea</i>	Semi-mature	4	1	170			2	2	2	2	Fair	20 to 40 yrs	B	Retained	
276768.63 722048.79	733a	Atlas Cedar <i>Cedrus atlantica</i>	Mature	17	2	530			7	2	8	8	Fair	20 to 40 yrs	B	Retained	
276769.91 722047.83	734	Spruce <i>Picea abies</i>	Semi-mature	16	1	220			6	2	5	2	Fair	20 to 40 yrs	B	Retained	
276770.55 722046.87	735	Spruce <i>Picea abies</i>	Semi-mature	17	2	350			3	3	7	2	Fair	20 to 40 yrs	B	Retained	
276772.47 722045.27	736	Lawson Cypress <i>Chamaecyparis</i>	Mature	15	0	480			2	2	2	2	Fair	20 to 40 yrs	B	Retained	

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276775.67 722046.55	737	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	12		150	150	80	7	4	0	7	Fair	20 to 40 yrs	B	Retained	
276775.35 722045.33	738	Spruce <i>Picea abies</i>	Semi-mature	16	0	300			4	1	4	4	Fair	20 to 40 yrs	B	Retained	
276775.99 722043.89	739	Crack Willow <i>Salix fragilis</i>	Semi-mature	8	4	260			2	5	2	0	Fair	10 to 20 yrs	C	Retained	
276775.67 722044.69	740	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	1	130			3	2	3	3	Fair	10 to 20 yrs	C	Retained	
276777.27 722043.09	741	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	0	240	230	180	8	7	5	5	Fair	20 to 40 yrs	C	Retained	
276783.35 722029.33	742	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	7	2	150			3	2	3	3	Fair	20 to 40 yrs	B	Retained	
276784.63 722030.13	743	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	5	0	50	50	50	4	2	0	2	Fair	10 to 20 yrs	C	Retained	
276775.99 722029.57	744	Cherry <i>Prunus avium</i>	Semi-mature	8	3	150	130		4	3	3	0	Fair	20 to 40 yrs	B	Retained	

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276775.99 722022.53	745	Plum <i>Prunus Domestica</i>	Semi-mature	4	1	50	50	50	3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276771.19 722024.13	746	Wild Cherry <i>Prunus avium</i>	Semi-mature	4	1	70	50		2	2	2	2	Fair	10 to 20 yrs	C	Retained	
276780.15 722038.21	747	Sorbus 'Joseph Rock' <i>Sorbus aucuparia 'Joseph Rock'</i> 2 trees	Semi-mature	4	1	80			2	4	2	4	Fair	20 to 40 yrs	B	Retained	
277886.72 722028.21	743	Lawson Cypress <i>Chamaecyparis</i>	Semi-mature	7	0	290			2	2	2	2	Fair	20 to 40 yrs	B	Retained	
277889.28 722032.69	744a	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	4	750			5	6	7	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277885.23 722040.04	745a	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	3	280	270	270	7	4	6	5		20 to 40 yrs	B	Retained	
277888.11 722040.68	746a	Wych Elm <i>Ulmus glabra</i>	Semi-mature	12	3	200	190	170	5	6	4	2	Fair	20 to 40 yrs	B	Retained	
277889.39 722043.88	747a	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	>5	300			6	6	3	2	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277891.95 722044.52	748	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	2	270			7	5	2	2	Poor	10 to 20 yrs	C	Retained	
277895.79 722036.2	749	Wych Elm <i>Ulmus glabra</i>	Mature	13	5	270	250	150	6	7	7	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277898.03 722044.2	750	Alder <i>Alnus glutinosa</i>	Semi-mature	7	3	70	70	70	5	4	1	2	Fair	10 to 20 yrs	C	Retained	
277900.91 722043.88	751	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	330	290	160	7	4	5	5	Fair	20 to 40 yrs	B	Retained	
277907.63 722044.52	752	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	330	250		7	4	5	1	Fair	20 to 40 yrs	B	Retained	
277914.03 722043.88	753	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	5	180			5	5	2	4	Fair	10 to 20 yrs	C	Retained	
277914.35 722044.52	754	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	11	2	240			6	5	4	1	Fair	20 to 40 yrs	B	Retained	
277914.03 722031.4	G755	Wych Elm <i>Ulmus glabra</i> <i>2 trees</i>	Semi-mature	13	1	340			7	7	7	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277910.51 722033	756	Wych Elm <i>Ulmus glabra</i>	Semi-mature	13	2	190	200	170	7	7	4	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277901.87 722033.32	757	Wych Elm <i>Ulmus glabra</i>	Semi-mature	13		200			5	5	2	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277901.87 722029.16	758	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	13	2	350	300	270	7	6	7	7	Poor	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277922.31 722031.17	759	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Twin co dominant stems with compression forks and included bark</i>	Semi-mature	13	2	320		170	7	3	7	3	Poor	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277925.1 722031.17	760	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	13	2	430	140	140	8	3	3	7	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277927.58 722030.55	761	Ash <i>Fraxinus excelsior</i>	Mature	13	5	520			6	6	7	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277936.88 722028.69	762	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	2	870			7	3	7	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277939.67 722027.76	763	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	3	350	310	70	7	5	7	1	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277946.8 722026.52	G763	Ash <i>Fraxinus excelsior</i> <i>3 Ash coppice stools, Ash die back. Hawthorn understorey</i>	Semi-mature	9	3	140	90		4	6	5	6	Poor	10 to 20 yrs	C	Retained	
277953.64 722025.39	764	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	2	820			8	8	8	6	Fair	20 to 40 yrs	B	Retained	
277964.18 722023.22	G765	Ash <i>Fraxinus excelsior</i> <i>Understorey group. Ash, Prunus, Elm</i>	Semi-mature	5	1	90	50		3	5	5	7	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277968.52 722022.91	766	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	15	5	770			9	9	9	9	Fair	10 to 20 yrs	C	Retained	
277972.55 722023.84	768	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	8		140			4	4	0	1	Poor	10 to 20 yrs	C	Retained	
277974.72 722021.67	769	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	5	0	200	130	70	2	5	4	3	Fair	10 to 20 yrs	C	Retained	
277983.71 722017.02	G770	Sycamore <i>Acer pseudoplatanus</i> <i>Sycamore, Hawthorn</i>	Semi-mature	10	3	140			3	4	3	3	Fair	10 to 20 yrs	C	Retained	
278006.41 722011.51	771	Sycamore <i>Acer pseudoplatanus</i>	Mature	13	0	400		340	7	7	7	7	Fair	20 to 40 yrs	B	Retained	
278017.57 722005.62	772	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	13	1	300	300		7	7	7	7	Poor	10 to 20 yrs	C	Retained	
278013.54 722016.16	773	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	4	180			6	6	4	4	Fair	10 to 20 yrs	C	Retained	
278002.69 722021.12	G774	Alder <i>Alnus glutinosa</i> <i>Understorey of smaller Ash</i>	Semi-mature	8	2	250			4	4	3	4	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277993.7 722017.71	775	Beech <i>Fagus sylvatica</i> <i>Decay in crown limb. Twin co dominant stems with compression forks and included bark</i>	Mature	11	2	340			1	6	8	4	Poor	10 to 20 yrs	C	Retained	
277992.46 722022.36	776	Beech <i>Fagus sylvatica</i>	Mature	13	0	610			5	6	8	7	Fair	20 to 40 yrs	B	Retained	
277985.02 722022.36	G777	Ash <i>Fraxinus excelsior</i> <i>Coppice stools. 4 Ash, Ash die back, 1 Hazel</i>	Semi-mature	7	1	140	120	120	5	7	4	3	Poor	10 to 20 yrs	C	Retained	
277978.82 722027.63	778	Sycamore <i>Acer pseudoplatanus</i>	Mature	13	2	330	300	270	8	8	4	5	Fair	20 to 40 yrs	B	Retained	
277976.03 722035.38	779	Crack Willow <i>Salix fragilis</i>	Mature	10	0	370	350		10	7	0	7	Fair	20 to 40 yrs	B	Retained	
277975.1 722033.52	G780	Prunus <i>Prunus avium</i> <i>2 trees</i>	Semi-mature	8	1	250	140		6	7	3	3	Fair	20 to 40 yrs	B	Retained	
277986.88 722032.28	781	Crack Willow <i>Salix fragilis</i>	Semi-mature	7	2	170	160		7	6	0	1	Fair	10 to 20 yrs	C	Retained	
277967.97 722031.66	782	Elm <i>Ulmus glabra</i>	Semi-mature	10	2	220	140		7	2	1	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277968.9 722037.55	783	Grey Willow <i>Salix cinerea</i>	Semi-mature	7	0	80	75	75	6	1	0	5	Fair	10 to 20 yrs	C	Retained	
277956.33 722039.84	784	Ash <i>Fraxinus excelsior</i>	Semi-mature	11	1	270	190	160	6	5	4	5	Fair	10 to 20 yrs	C	Retained	
277952.92 722041.7	785	Willow <i>Salix cinerea</i>	Semi-mature	5	0	80	80	80	4	7	0	0	Fair	10 to 20 yrs	C	Retained	
277948.27 722042.94	G786	Ash <i>Fraxinus excelsior</i> 2 trees	Semi-mature	5	1	140			4	6	1	7	Fair	10 to 20 yrs	C	Retained	
277950.75 722033.64	786	Alder <i>Alnus glutinosa</i>	Semi-mature	7	3	240			6	3	1	3	Fair	10 to 20 yrs	C	Retained	
277951.37 722034.57	787	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	12	3	150	120		5	4	1	2	Poor	10 to 20 yrs	C	Retained	
277947.03 722033.64	788	Elm <i>Ulmus glabra</i>	Semi-mature	13	5	260	230		8	6	2	4	Fair	20 to 40 yrs	B	Retained	
277944.86 722037.67	G789	Prunus <i>Prunus avium</i> 2 trees	Semi-mature	9	2	120			4	3	1	2	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277939.59 722039.84	790	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	2	270	200	180	8	5	4	6	Fair	20 to 40 yrs	B	Retained	
277933.39 722039.53	791	Sycamore <i>Acer pseudoplatanus</i> <i>Co dominant stems with compression forks and included bark</i>	Mature	12	2	370	270	270	9	7	7	7	Fair	10 to 20 yrs	C	Retained	
277979.58 722020.62	792	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	7	1	170	150	100	8	2	0	4	Fair	10 to 20 yrs	C	Retained	
277928.43 722037.98	793	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	3	570			7	6	4	5	Fair	20 to 40 yrs	B	Retain if possible	Less than 10% of the calculated rootzone within the working width
277921.27 722037.62	794	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Coppice stool</i>	Semi-mature	5	0	50	50	50	4	1	1	3	Poor	10 to 20 yrs	C	Retained	
277923.13 722042.89	795	Prunus	Semi-mature	6	1	150	100	100	3	1	4	4	Fair	20 to 40 yrs	B	Retained	
277924.06 722044.75	796	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	1	260	80		6	7	3	4	Fair	10 to 20 yrs	C	Retained	
277921.45 722044.39	797	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	260			5	3	1	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277919.69 722044.39	G798	Grey Willow <i>Salix cinerea</i> 2 trees	Semi-mature	5	0	80	80		5	3	4	5	Fair	10 to 20 yrs	C	Retained	
277358.01 721881.54	799	Grey Willow <i>Salix cinerea</i> Basal decay	Semi-mature	10	1	360	320		6	5	5	3	Poor	<10 yrs	U	Removed	Removed to accommodate flood wall and working area
277356.09 721880.9	800	Alder <i>Alnus glutinosa</i>	Semi-mature	13	3	300			1	3	6	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277249.45 721707.36	801	Sycamore <i>Acer pseudoplatanus</i> Ash die back	Semi-mature	10	2	190			4	4	4	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate access to working area
277255.53 721707.04	802	Elder <i>Sambucus nigra</i>	Semi-mature	7	1	230	180	120	7	4	3	3	Poor	10 to 20 yrs	C	Removed	Removed to accommodate access to working area
277236.5 721701.66	803	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	18	3	950			11	11	11	11	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection
277242.58 721693.66	804	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13		230	190	170	5	6	6	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277234.9 721714.14	S805	A Group <i>Scrub group. Hawthorn & Bird Cherry dominant, Hazel; young Ash & Sycamore present.</i>	Semi-mature	5	0	120			9	9	9	9	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277240.98 721688.54	806	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	13	1	280	280		5	3	5	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277243.22 721685.34	807	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	2	450	320		8	7	8	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277247.38 721681.18	G808	Ash <i>Fraxinus excelsior</i> 3 trees. Ash die back	Semi-mature	12	2	200			7	7	7	7	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277265.9 721662.44	809	Elm <i>Ulmus glabra</i>	Semi-mature	5	1	100			4	2	3	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277271.34 721654.12	810	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	15	1	510			8	8	8	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection
277275.5 721644.84	812	Grey Willow <i>Salix cinerea</i>	Semi-mature	5	0	150	150	130	5	5	5	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277279.02 721629.8	811	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	12	2	270	240		4	4	4	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277279.51 721625.83	813	A Group Ash, Sycamore, Crack Willow	Semi-mature	12	0	130			6	4	6	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277279.19 721622.63	814	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	10	1	240			4	4	4	5	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277279.19 721617.19	G815	A Group	Semi-mature	8	1	100	80	80	6	4	6	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277277.91 721613.03	816	Sycamore <i>Acer pseudoplatanus</i> <i>Multi stemmed with compression forks and included bark</i>	Semi-mature	13	0	300	250	210	5	5	5	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277276.95 721607.59	G817	Ash <i>Fraxinus excelsior</i> <i>4 trees. Ash die back</i>	Semi-mature	10	2	150			7	4	7	4	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277275.84 721606.83	818	Sycamore <i>Acer pseudoplatanus</i> <i>Multi stemmed tree with compression forks and included bark. Somewhat sparse crown</i>	Semi-mature	10	2	310	300	250	4	5	4	6	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277274.24 721598.99	819	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13		350			5	7	4	6	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277272.96 721597.55	820	Grey Willow <i>Salix cinerea</i>	Semi-mature	6	0	110	90	90	4	3	6	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277273.28 721594.67	821	Alder <i>Alnus glutinosa</i>	Semi-mature	10		320			5	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection
277273.92 721589.87	S822	Willow <i>Salix cinerea</i> <i>Scrub</i>	Young	3	0				7	3	7	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277272 721577.71	G823	Sycamore <i>Acer pseudoplatanus</i> <i>3 trees</i>	Semi-mature	12	2	190	170	180	8	5	8	5	Fair	20 to 40 yrs	B	Retain if possible	Less than 10% of the calculated rootzone within the bank erosion protection zone

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277266.88 721566.19	G824	Ash <i>Fraxinus excelsior</i> <i>Ash die back. 5 trees</i>	Semi-mature	13	1	130	240		10	7	10	7	Poor	<10 yrs	U	Retained	
277259.33 721552.52	825	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	0	150	160	150	5	5	5	5	Fair	20 to 40 yrs	B	Retained	
277254.13 721545.64	826	Ash <i>Fraxinus excelsior</i>	Semi-mature	9	0	140	70		5	4	3	5	Fair	20 to 40 yrs	B	Retained	
277252.53 721543.4	827	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	1	140	120	120	4	4	4	4	Fair	10 to 20 yrs	C	Retained	
277249.65 721538.6	828	Sycamore <i>Acer pseudoplatanus</i> <i>Somewhat sparse crown</i>	Semi-mature	13	1	260	170	170	5	6	5	6	Poor	10 to 20 yrs	C	Retained	
277245.17 721534.12	829	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	11	0	220	190	200	5	5	5	5	Fair	20 to 40 yrs	B	Retained	
277240.77 721524.68	830	Alder <i>Alnus glutinosa</i>	Semi-mature	10	2	370	210	190	5	5	5	5	Fair	20 to 40 yrs	B	Retained	
277225.61 721515.13	831	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	11	0	340	160		5	4	2	5	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277219.85 721510.65	832	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Young	5	1	70	70		5	2	5	2	Poor	<10 yrs	U	Retained	
277217.23 721508.59	833	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	1	240			4	4	2	3	Fair	20 to 40 yrs	B	Retained	
277212.75 721507.31	834	Elm <i>Ulmus glabra</i>	Semi-mature	13	2	320	250	250	6	6	6	6	Fair	20 to 40 yrs	B	Retained	
277200.91 721504.11	835	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	1	120	120	120	4	3	2	4	Fair	10 to 20 yrs	C	Retained	
277197.39 721501.87	836	Alder <i>Alnus glutinosa</i>	Young	5	0	100	90	80	3	3	3	3	Fair	10 to 20 yrs	C	Retained	
277194.68 721500.27	837	Alder <i>Alnus glutinosa</i>	Semi-mature	12	1	28			4	4	2	2	Fair	20 to 40 yrs	B	Retained	
277192.44 721498.67	838	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	0	240	160		6	5	5	5	Fair	20 to 40 yrs	B	Retained	
277191 721498.27	839	Alder <i>Alnus glutinosa</i>	Dead	13	5	420			6	7	5	6	Dead	n/a	U	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277189.24 721498.11	G840	Alder <i>Alnus glutinosa</i>	Mature	15	4	430			5	6	6	7	Poor	<10 yrs	U	Retained	
277186.2 721496.99	841	Alder <i>Alnus glutinosa</i>	Mature	12	2	400	290		5	5	5	5	Fair	20 to 40 yrs	B	Retained	
277166.54 721489.22	842	Alder <i>Alnus glutinosa</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	10	2	250	260		5	4	5	5	Fair	10 to 20 yrs	C	Retained	
277152.17 721487.88	S843	Prunus <i>Prunus avium</i> <i>Scrub group. Blackthorn dominant.</i>	Young	5	0	80			4	10	6	10	Fair	10 to 20 yrs	C	Retained	
277136.17 721482.12	844	Sycamore <i>Acer pseudoplatanus</i> <i>Compression forks and included bark</i>	Mature	17	2	62			8	8	8	8	Fair	20 to 40 yrs	B	Retained	
277128.49 721477.64	845	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	2	380			5	5	7	7		20 to 40 yrs	B	Retained	
277092.93 721437.76	G846	Sycamore <i>Acer pseudoplatanus</i> <i>Coppice group within woodland. Sycamore dominant. Ash, Hazel also present</i>	Mature	8	0	300			10	40	10	10	Fair	20 to 40 yrs	B	Retained	
277089.73 721448.16	847	Ash <i>Fraxinus excelsior</i>	Semi-mature	16	4	210			5	4	5	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277091.01 721450.08	848	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16	3	250			5	5	4	4	Fair	20 to 40 yrs	B	Retained	
277091.49 721450.48	849	Elm <i>Ulmus glabra</i>	Semi-mature	7	1	110			7	5	0	2	Fair	10 to 20 yrs	C	Retained	
277095.97 721450.8	850	Ash <i>Fraxinus excelsior</i>	Semi-mature	15	>5	140			3	2	1	2	Fair	<10 yrs	C	Retained	
277099.97 721451.28	851	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16	3	330			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
277095.17 721453.84	852	Ash <i>Fraxinus excelsior</i>	Semi-mature	8	3	120			4	2	1	2	Fair	10 to 20 yrs	C	Retained	
277096.45 721454.48	853	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16	2	150			4	3	2	3	Fair	10 to 20 yrs	C	Retained	
277098.38 721459.5	854	Ash <i>Fraxinus excelsior</i>	Semi-mature	15	3	200			3	2	2	2	Fair	20 to 40 yrs	B	Retained	
277100.77 721457.62	855	Ash <i>Fraxinus excelsior</i> <i>Tree on woodland edge</i>	Semi-mature	16	>5	210			4	5	4	1	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277101.09 721461.78	856	Ash <i>Fraxinus excelsior</i> <i>Tree on woodland edge</i>	Semi-mature	15	4	190	160	160	6	5	6	5	Fair	20 to 40 yrs	B	Retained	
277103.17 721460.66	857	Ash <i>Fraxinus excelsior</i> <i>Tree on woodland edge. Ash die back</i>	Semi-mature	16	5	280			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
277103.97 721460.34	858	Ash <i>Fraxinus excelsior</i> <i>Tree on woodland edge.</i>	Semi-mature	16	>5	240			5	8	0	4	Fair	20 to 40 yrs	B	Retained	
277110.27 721464.84	859	Sycamore <i>Acer pseudoplatanus</i> <i>Tree on woodland edge</i>	Semi-mature	14	3	370			6	6	5	6	Fair	20 to 40 yrs	B	Retained	
277112.99 721465.64	860	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	2	110			4	2	3	1	Fair	10 to 20 yrs	C	Retained	
277119.39 721463.08	861	Silver Birch <i>Betula pendula</i>	Mature	15	5	300	280		7	5	8	8	Fair	20 to 40 yrs	B	Retained	
277118.27 721468.04	862	Sycamore <i>Acer pseudoplatanus</i> <i>Tree on woodland edge</i>	Semi-mature	13	3	310			7	5	5	6	Fair	20 to 40 yrs	B	Retained	
277124.03 721468.36	863	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	2	370			8	8	6	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277130.32 721468.09	864	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	3	340			4	6	7	6	Fair	20 to 40 yrs	B	Retained	
277131.92 721469.69	865	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	2	140			4	4	3	3	Fair	10 to 20 yrs	C	Retained	
277127.76 721458.17	W866	Sycamore <i>Acer pseudoplatanus</i> <i>Group within woodland</i>	Semi-mature	13	3	200			7	9	9	9	Fair	10 to 20 yrs	B	Retained	
277124.56 721450.49	867	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	3	620	290		9	11	11	9	Fair	20 to 40 yrs	B	Retained	
277117.7 721436.73	868	Alder <i>Alnus glutinosa</i>	Mature	16	3	580	310		5	8	8	8	Fair	20 to 40 yrs	B	Retained	
277108.74 721449.53	W869	Sycamore <i>Acer pseudoplatanus</i> <i>Semi-mature woodland. Sycamore dominant in upper canopy with occasional Ash. Understorey of Hawthorn. & Blackthorn. Graduates into coppice woodland to west.</i>	Semi-mature	15	4	200			18	16	18	16	Fair	20 to 40 yrs	B	Retained	
277125.38 721438.65	868a	Grey Willow <i>Salix cinerea</i>	Mature	7	0	290	260	260	10	10	10	10	Fair	20 to 40 yrs	B	Retained	
277146.18 721446.65	870	Ash <i>Fraxinus excelsior</i>	Semi-mature	14	2	400			7	7	7	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277138.5 721437.69	W871	Willow <i>Salix cinerea</i> <i>Willow group within woodland</i>	Semi-mature	5	0	120			15	8	15	8	Fair	10 to 20 yrs	C	Retained	
277149.06 721469.05	871	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	15	3	310	300	310	9	9	8	4	Poor	10 to 20 yrs	C	Retained	
277146.5 721466.17	872	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	13	2	460			5	8	7	7	Poor	10 to 20 yrs	C	Retained	
277144.26 721472.57	873	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	15	2	580			9	7	9	9	Poor	10 to 20 yrs	C	Retained	
277139.78 721461.05	S874	Prunus <i>Prunus avium</i> <i>Scrub group within woodland. Blackthorn. & Hawthorn</i>	Semi-mature	4	0	80			8	8	8	8	Fair	10 to 20 yrs	C	Retained	
277355.14 721472.74	S874a	Willow <i>Salix cinerea</i> <i>Young Willow</i>	Young	4	0	40			3	3	3	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate the scheme.

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277330.96 721570.7	875	Lime <i>Tilia europaea</i>	Mature	16	2	630			7	7	7	7	Fair	20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location within a residential garden. Root zones are likely to be concentrated to the east of the existing garden wall and ditch therefore it may be possible to construct the proposed wall without the requirement to remove this tree.
277318.8 721603.98	876	Lime <i>Tilia europaea</i>	Mature	16	0	620			8	8	8	8	Fair	20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location within a residential garden. Root zones are likely to be concentrated to the east of the existing garden wall and ditch therefore it may be possible to construct the proposed wall without the requirement to remove this tree.

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277316.88 721616.78	877	Noble Fir <i>Abies procera</i>	Mature	27	5	900			9	9	9	9	Fair	20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location within a residential garden. Root zones are likely to be concentrated to the east of the existing garden wall and ditch therefore it may be possible to construct the proposed wall without the requirement to remove this tree.
277310.57 721621.7	878	Beech <i>Fagus sylvatica</i>	Semi-mature	16	2	310	300	270	8	8	8	8		20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location within a residential garden. Root zones are likely to be concentrated to the east of the existing garden wall and ditch therefore it may be possible to construct the proposed wall without the requirement to remove this tree.
277308.33 721625.38	879	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	1	320			6	6	4	6	Fair	20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location within a residential garden. Root zones are likely to be concentrated to the east of the existing garden wall and ditch therefore it may be possible to construct the proposed wall without the requirement to remove this tree.

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277305.77 721631.14	880	Prunus	Semi-mature	10	2	230			5	5	5	5	Fair	20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location within a residential garden. Root zones are likely to be concentrated to the east of the existing garden wall and ditch therefore it may be possible to construct the proposed wall without the requirement to remove this tree.
277296.81 721652.26	881	Beech <i>Fagus sylvatica</i>	Semi-mature	12	2	230	230	230	7	7	7	7	Fair	20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location within a residential garden. Root zones are likely to be concentrated to the east of the existing garden wall and ditch therefore it may be possible to construct the proposed wall without the requirement to remove this tree.
277294.67 721657.33	882	Beech <i>Fagus sylvatica</i> <i>Crown reduction</i>	Semi-mature	9	4	140	140	140	3	3	2	3	Fair	10 to 20 yrs	C	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location within a residential garden. Root zones are likely to be concentrated to the east of the existing garden wall and ditch therefore it may be possible to construct the proposed wall without the requirement to remove this tree.

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277291.15 721664.37	883	Beech <i>Fagus sylvatica</i>	Semi-mature	7	2	150	140	130	4	3	5	3	Fair	10 to 20 yrs	C	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location within a residential garden. Root zones are likely to be concentrated to the east of the existing garden wall and ditch therefore it may be possible to construct the proposed wall without the requirement to remove this tree.
		<i>Crown reduction</i>															
277265.83 721695.73	884	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	11	3	310	240		5	5	5	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277269.03 721703.09	885	Alder <i>Alnus glutinosa</i>	Semi-mature	9	2	170	150		1	4	5	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277268.39 721705.65	886	Alder <i>Alnus glutinosa</i>	Semi-mature	9	2	170			5	5	2	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277262.31 721712.05	887	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	3	170	160	120	1	4	6	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
275518.96 721703.76	888	Beech <i>Fagus sylvatica</i>	Mature	18	2	400	330	350	9	7	9	9	Fair	20 to 40 yrs	B	Retained	
275511.9 721693.23	H889	Beech <i>Fagus sylvatica</i> <i>Hedge</i>	Semi-mature	2	0	150			1	1	1	2	Fair	10 to 20 yrs	B	Retained	
275523.1 721697.71	890	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Semi-mature	9	4	140			2	2	2	1	Fair	10 to 20 yrs	C	Retained	
275525.34 721702.75	891	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Semi-mature	18	>5	240			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
275523.66 721709.05	892	Birch <i>Betula pendula</i>		18	>5	140			2	3	2	1	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275517.78 721708.77	893	Beech <i>Fagus sylvatica</i> <i>Tree on woodland edge. Twin co dominant stems with compression forks and included bark</i>	Semi-mature	16	3	230	230		5	6	3	6	Fair	10 to 20 yrs	C	Retained	
275517.5 721710.45	894	Beech <i>Fagus sylvatica</i>	Young	7	0	90			4	1	1	4	Fair	10 to 20 yrs	C	Retained	
275514.98 721714.37	895	Alder <i>Alnus glutinosa</i>	Semi-mature	8	2	220			3	0	3	6	Fair	10 to 20 yrs	C	Retained	
275514.41 721710.94	896	Oak <i>Quercus robur</i> <i>Tree on woodland edge</i>	Semi-mature	12	7	350			3	1	1	6	Poor	10 to 20 yrs	C	Retained	
275513.71 721713.74	897	Oak <i>Quercus robur</i> <i>Tree on woodland edge</i>	Semi-mature	16	4	430			7	6	7	8	Fair	20 to 40 yrs	B	Retained	
275513.43 721714.86	898	Beech <i>Fagus sylvatica</i>	Young	5	1	70	70		2	0	3	4	Fair	10 to 20 yrs	C	Retained	
275512.59 721717.94	899	Oak <i>Quercus robur</i> <i>Tree on woodland edge</i>	Mature	18	5	470			8	7	7	8	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275516.37 721718.08	900	Beech <i>Fagus sylvatica</i>	Semi-mature	16	2	240	150		7	5	5	7	Fair	20 to 40 yrs	B	Retained	
277354.53 721880.47	901	Alder <i>Alnus glutinosa</i>	Semi-mature	9	2	150			2	1	4	1	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area and open up space for public use
277351.17 721878.39	902	Alder <i>Alnus glutinosa</i>	Semi-mature	8	0	160			3	2	3	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area and open up space for public use
277347.49 721876.47	903	Alder <i>Alnus glutinosa</i>	Semi-mature	9	3	240			4	2	5	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area and open up space for public use
277343.38 721871.54	904	Wild Cherry <i>Prunus avium</i>	Semi-mature	9	2	300			4	4	6	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area and open up space for public use
277357.78 721892.9	G905	Grey Willow <i>Salix cinerea</i> <i>Grey Willow, Alder</i>	Semi-mature	5	0	75	75	75	4	5	4	5	Fair	10 to 20 yrs	C	Removed	Removed to open up space for public use

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277354.58 721890.98	906	Grey Willow <i>Salix cinerea</i> <i>Ivy clad monolith</i>	Dead	5	0	280			1	2	1	1	Dead	n/a	U	Removed	Removed to open up space for public use
277353.3 721890.66	907	Grey Willow <i>Salix cinerea</i>	Young	4		50	50	50	2	4	3	4	Fair	10 to 20 yrs	C	Removed	Removed to open up space for public use
277349.14 721890.66	908	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	2	270			5	4	4	4	Fair	10 to 20 yrs	C	Removed	Removed to open up space for public use
277343.06 721886.5	G909	Alder <i>Alnus glutinosa</i> <i>Smaller Sycamore beneath/adjacent Alder</i>	Mature	11	2	420			6	5	4	5	Fair	20 to 40 yrs	B	Retained	
277336.98 721885.22	G910	Alder <i>Alnus glutinosa</i>	Semi-mature	12	>5	260	220		5	3	2	2	Poor	10 to 20 yrs	C	Removed	Removed to open up space for public use
277337.62 721866.98	G911	Ash <i>Fraxinus excelsior</i> <i>2 trees. Ash die back</i>	Semi-mature	14	2	269			3	6	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277338.26 721868.9	G912	Bird Cherry <i>Prunus padus</i> <i>2 trees</i>	Mature	12	2	140	140	140	5	6	5	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277339.22 721875.94	G913	Ash <i>Fraxinus excelsior</i> <i>4 trees. Ash die back</i>	Semi-mature	14	2	240	200	150	6	6	3	6	Fair	20 to 40 yrs	B	Retain if possible	Less than 10% of the calculated rootzone within the bank erosion protection zone

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277328.02 721879.14	914	Elm <i>Ulmus glabra</i>	Semi-mature	13	2	270	240	80	5	8	5	2	Fair	20 to 40 yrs	B	Retained	
277325.78 721871.14	915	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	18	5	410			7	7	7	7	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277323.54 721865.06	916	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	3	450	490		8	7	6	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277320.34 721882.02	917	Sycamore <i>Acer pseudoplatanus</i>	Mature	19	2	510	410	520	10	8	7	7	Fair	20 to 40 yrs	B	Retained	
277325.46 721886.18	918	Alder <i>Alnus glutinosa</i>	Mature	13	3	320			6	5	2	0	Fair	20 to 40 yrs	B	Retained	
277320.66 721879.78	919	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	4	340	270		10	4	5	7	Fair	20 to 40 yrs	B	Retained	
277319.38 721877.54	920	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	2	210			2	3	5	3	Fair	20 to 40 yrs	B	Retained	
277316.82 721877.54	921	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	11	4	190			3	0	3	3	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277294 721888.73	922	Alder <i>Alnus glutinosa</i> Sparse crown	Mature	13	5	260	240	140	5	1	4	2	Poor	10 to 20 yrs	C	Retained	
277300.4 721886.81	923	Alder <i>Alnus glutinosa</i> Somewhat sparse crown	Mature	13	5	300	280	260	6	5	5	1	Fair	20 to 40 yrs	B	Retained	
277303.6 721886.49	924	Alder <i>Alnus glutinosa</i>	Mature	13	4	320			6	4	1	1	Fair	20 to 40 yrs	B	Retained	
277299.12 721881.69	G925	Ash <i>Fraxinus excelsior</i> Understorey group. 8 trees. Ash, Sycamore, Hawthorn	Young	7	2	100			4	8	4	8	Fair	10 to 20 yrs	C	Retained	
277307.76 721885.53	926	Alder <i>Alnus glutinosa</i> Decay/defect in bole	Semi-mature	6	4	240			8	2	0	2	Poor	10 to 20 yrs	C	Retained	
277306.8 721880.41	927	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	15	5	350	220		7	6	5	7	Poor	10 to 20 yrs	C	Retained	
277310.64 721886.17	928	Alder <i>Alnus glutinosa</i>	Semi-mature	12	4	290	150		6	4	0	2	Fair	20 to 40 yrs	B	Retained	
277306.2 721875.89	929	Sycamore <i>Acer pseudoplatanus</i> Co-dominant stems from 3.5m height with compression forks, included bark & crack, colonised by <i>Coriolus versicolor</i>	Mature	19	3	810			10	9	8	9	Poor	<10 yrs	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277311.64 721862.45	930	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	18	>5	790			7	9	6	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277304.6 721853.81	931	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	2	520	520	340	6	7	8	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277307.8 721863.09	932	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	>5	370	350		8	5	3	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277300.76 721864.69	G933	Ash <i>Fraxinus excelsior</i> <i>3 trees. Ash die back</i>	Mature	17	>5	380			8	8	5	8	Fair	10 to 20 yrs	C	Retained	
277296.28 721854.45	934	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	>5	590	580	580	8	9	9	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277298.52 721869.81	935	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	>5	360			7	5	4	6	Poor	10 to 20 yrs	C	Retained	
277294.36 721873.01	936	Sycamore <i>Acer pseudoplatanus</i>	Mature	19	>5	800			10	8	7	5	Fair	20 to 40 yrs	B	Retained	
277297.88 721871.73	937	Elm <i>Ulmus glabra</i>	Semi-mature	8	1	140	130	40	3	3	3	3	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277292.76 721860.85	938	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	2	480			6	5	6	8	Fair	20 to 40 yrs	B	Retained	
277291.16 721857.33	939	Prunus <i>Prunus avium</i>	Dead	15	5	330			2	2	2	2	Dead	n/a	U	Retained	
277282.9 721839.33	940	Prunus <i>Prunus avium</i>	Dead	13	5	370			1	1	1	1	Dead	n/a	U	Retained	
277294.42 721845.09	941	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	19	>5	380	370		6	6	8	8	Poor	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277295.06 721850.85	942	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	5	320			3	2	2	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277287.06 721833.89	943	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	18	3	520			9	9	6	6	Poor	10 to 20 yrs	C	Retained	
277282.26 721835.17	944	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	19	>5	500	470	470	8	10	7	7	Poor	10 to 20 yrs	C	Retained	
277285.78 721828.13	945	Alder <i>Alnus glutinosa</i> <i>Sparse crown</i>	Mature	15	5	350	400		1	2	7	2	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277297.62 721834.21	946	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	19	>5	620	600		9	9	10	10	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277300.18 721828.45	G947	Sycamore <i>Acer pseudoplatanus</i> <i>2 trees</i>	Semi-mature	10	3	270			6	5	6	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277291.86 721823.97	G948	Sycamore <i>Acer pseudoplatanus</i> <i>3 trees</i>	Mature	17	4	280	260	170	8	4	7	9	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277286.1 721821.73	949	Elder <i>Sambucus nigra</i>	Semi-mature	5	2	160			1	1	2	2	Fair	10 to 20 yrs	C	Retained	
277296.34 721822.37	950	Elder <i>Sambucus nigra</i>	Semi-mature	6	1	190			3	3	3	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood embankment and working area
277313.62 721834.53	G951	Sycamore <i>Acer pseudoplatanus</i> <i>2 trees</i>	Mature	16	5	610			8	8	8	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277305.3 721830.37	G952	Sycamore <i>Acer pseudoplatanus</i> <i>2 trees</i>	Mature	16	4	640			7	6	6	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277277.46 721817.89	953	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	21	>5	430			7	8	7	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277283.26 721815.89	954	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	5	140	150		3	4	3	2	Poor	<10 yrs	U	Retained	
277305.34 721815.25	955	Goat Willow <i>Salix caprea</i>	Mature	13	2	330	220	170	6	6	7	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall, embankment and working area
277302.14 721823.89	G956	Ash <i>Fraxinus excelsior</i> <i>4 trees. Ash die back</i>	Semi-mature	17	>5	270			6	6	5	7	Poor	10 to 20 yrs	C	Removed	Removed to accommodate flood wall, embankment and working area
277296.38 721811.09	G957	Sycamore <i>Acer pseudoplatanus</i> <i>4 trees</i>	Semi-mature	14	4	250			5	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277268.19 721798.74	G958	Willow <i>Salix cinerea</i> <i>Group within woodland growing along existing drainage ditch on southwest - northeast axis. Willow dominant, Sycamore present. Approximately 20 trees</i>	Semi-mature	11		120	120	120	20	8	8	20	Fair	20 to 40 yrs	B	Retained	
277278.11 721793.3	G969	Ash <i>Fraxinus excelsior</i> <i>Group within woodland growing to southwest of existing drainage ditch, running on southeast - northwest axis. Mix of poor quality Ash affected by Ash die-back & Sycamore in better condition. Elder & Prunus in understorey. Approximately 50 trees</i>	Semi-mature	14	4	250			20	10	20	10	Poor	10 to 20 yrs	C	Removed	Removed to accommodate working area
277274.59 721786.9	960	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	5	270	180		6	6	6	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277260.51 721749.14	961	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	3	330			7	7	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277260.83 721783.38	C963	Clearing							7	7	7	7				Removed	Removed to accommodate working area
277254.75 721761.62	961	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	2	320			6	6	4	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277248.4 721762.92	G964	Grey Willow <i>Salix cinerea</i> Approximately 6 multi-stemmed trees	Mature	12	0	270	250	200	14	7	14	7	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277255.44 721742.44	965	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	7	3	110			2	2	2	2	Poor	<10 yrs	U	Removed	Removed to accommodate working area
277249.36 721740.84	G966	A Group Scrub group, Prunus & Hawthorn dominant	Semi-mature	7	0	150			10	4	10	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277216.04 721738.24	967	Wild Cherry <i>Prunus avium</i> Defect in scaffold limb	Mature	18	5	320	310		7	5	4	7	Poor	<10 yrs	U	Removed	Removed to accommodate bank erosion protection
277116.55 721762.27	968	Alder <i>Alnus glutinosa</i> Sparse crown	Mature	16	>5	370	320	300	8	8	5	6	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277133.35 721773.8	969	Sycamore <i>Acer pseudoplatanus</i>	Mature	20	2	580			9	8	8	9	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277139.64 721767.62	970	Ash <i>Fraxinus excelsior</i> <i>Sparse crown. Ash die back</i>	Mature	19	>5	340			6	7	5	6	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277140.28 721761.86	971	Sycamore <i>Acer pseudoplatanus</i>	Young	8	2	120			4	3	1	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277146.04 721766.98	972	Alder <i>Alnus glutinosa</i>	Mature	15	5	240	240		5	7	3	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277150.52 721766.34	973	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	11	2	260			5	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection
277155.64 721766.34	S974	A Group <i>Scrub/young trees</i>	Young	5	0	75			6	8	1	8	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277161.4 721759.94	975	Alder <i>Alnus glutinosa</i> <i>Snapped main stem</i>	Semi-mature	3	0	260			1	1	1	1	Poor	<10 yrs	U	Removed	Removed to accommodate bank erosion protection
277165.88 721765.7	976	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	20	>5	530			10	0	5	10	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277169.72 721761.86	977	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	5	410	340	350	5	5	7	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277163.96 721747.14	978	Sycamore <i>Acer pseudoplatanus</i> <i>Root plate washed loose by river</i>	Mature	2	0	490			4	18	6	0	Poor	<10 yrs	U	Removed	Removed to accommodate bank erosion protection
277176.12 721767.62	978	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	4	520			7	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection
277178.68 721761.86	979	Ash <i>Fraxinus excelsior</i> <i>Root plate failure</i>	Mature	20	>5	440			15	7	0	1	Poor	<10 yrs	U	Removed	Removed to accommodate bank erosion protection
277185.08 721759.3	G980	Sycamore <i>Acer pseudoplatanus</i> <i>2 trees</i>	Mature	20	5	590			4	6	9	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection
277188.28 721758.66	981	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	4	480	420	470	10	9	6	10	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection
277199.61 721748.16	S182	A Group <i>Scrub. Small Ash, Alder, Sycamore</i>	Young	6	2	75			10	15	0	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277210.49 721743.68	G982	Ash <i>Fraxinus excelsior</i> <i>5 larger trees among young scrub</i>	Semi-mature	16	5	240	100		8	8	3	8	Poor	10 to 20 yrs	C	Removed	Removed to accommodate bank erosion protection
277222.38 721734.45	983	Sycamore <i>Acer pseudoplatanus</i> <i>Root plate failure probable. Die back on south of crown</i>	Mature	19	>5	280			4	4	4	4	Poor	<10 yrs	U	Removed	Removed to accommodate bank erosion protection

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277292.97 721725.28	984	Beech <i>Fagus sylvatica</i>	Mature	15	2	530	290	310	9	6	9	6	Fair	20 to 40 yrs	B	Retained	
277282.41 721719.84	985	Beech <i>Fagus sylvatica</i>	Semi-mature	10	2	190			4	5	3	1	Fair	20 to 40 yrs	B	Retained	
277276.01 721716.96	986	Beech <i>Fagus sylvatica</i> <i>Colonised by Gandoderma fungus. Small leaves/sparse crown</i>	Mature	17	5	1060			14	12	14	10	Poor	<10 yrs	U	Removed	Removed to accommodate flood wall and working area
277272.17 721715.04	987	Beech <i>Fagus sylvatica</i>	Mature	18	2	640			6	0	6	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277286.25 721709.92	988	Beech <i>Fagus sylvatica</i>	Early mature	17	2	490			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
277278.25 721704	989	Oak <i>Quercus robur</i>	Semi-mature	7	2	120			3	3	3	3	Fair	10 to 20 yrs	B	Retained	
277276.97 721695.04	H990	Beech <i>Fagus sylvatica</i> <i>Garden hedge. Beech</i>	Semi-mature	3	0	130			10	1	10	1	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277227.05 721721.28	991	Sycamore <i>Acer pseudoplatanus</i> <i>Root plate failure imminent. Tree leaning north.</i>	Semi-mature	17	4	280			7	8	0	5	Poor	<10 yrs	U	Removed	Removed to accommodate bank erosion protection

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277230.89 721724.48	992	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	17	5	340			10	7	2	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate bank erosion protection
277243.69 721718.08	993	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	3	350			5	5	6	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate access to working area
277248.81 721727.04	994	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	160	5	450			9	7	8	8	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area and access
277251.37 721718.08	995	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	2	470			6	10	9	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area and access
277255.21 721721.28	996	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Mature	18	5	400	310		7	6	7	8	Fair	10 to 20 yrs	C	Removed	Removed to accommodate access to working area
277259.69 721722.08	997	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	5	330	290	150	7	9	9	9	Fair	20 to 40 yrs	B	Removed	Removed to accommodate ditch and working area
277261.61 721725.92	998	Beech <i>Fagus sylvatica</i>	Semi-mature	12	1	320	170		6	6	3	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate floodwall, ditch and working area
277264.81 721727.2	999	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	2	170			4	2	1	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277255.21 721736.16	S1000	A Group <i>Scrub. Hawthorn & Bird Cherry dominant</i>	Young	6	0	120			9	9	9	9	Fair	10 to 20 yrs	C	Removed	Removed to accommodate ditch and working area

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275516.93 721714.02	1101	Beech <i>Fagus sylvatica</i>	Semi-mature	16	3	200	100		2	2	4	4	Fair	20 to 40 yrs	B	Retained	
275522.37 721722.12	1102	Beech <i>Fagus sylvatica</i> <i>Snapped main stem colonised by fungus: Fomes fomentarius</i>	Mature	5	2	910			0	2	5	3	Poor	<10 yrs	U	Retained	
275516.36 721718.87	1103	Grand Fir <i>Abies grandis</i>	Semi-mature	10	1	190			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
275517.34 721725.45	1104	Oak <i>Quercus robur</i>	Semi-mature	16	>5	290			4	5	5	5	Fair	20 to 40 yrs	B	Retained	
275512.07 721725.02	1105	Beech <i>Fagus sylvatica</i>	Semi-mature	17	3	340			7	5	7	8	Fair	20 to 40 yrs	B	Retained	
275516.55 721728.66	1106	Oak <i>Quercus robur</i>	Semi-mature	16	>5	340			5	5	6	10	Fair	20 to 40 yrs	B	Retained	
275513.75 721724.74	G1107	Beech <i>Fagus sylvatica</i> <i>Understorey group. Beech, Birch. 4 trees</i>	Young	8	3	120			8	4	7	4	Fair	10 to 20 yrs	C	Retained	
275505.91 721727.42	1108	Alder <i>Alnus glutinosa</i> <i>Somewhat sparse crown</i>	Semi-mature	7	0	190	150		6	0	4	8	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275508.43 721729.66	1109	Birch <i>Betula pendula</i>	Semi-mature	7	1	130			3	0	3	5	Fair	10 to 20 yrs	C	Retained	
275510.67 721732.46	1110	Oak <i>Quercus robur</i> <i>Somewhat sparse crown</i>	Mature	15	6	380			8	7	9	9	Fair	20 to 40 yrs	B	Retained	
275508.71 721742.82	1111	Oak <i>Quercus robur</i> <i>Snapped main stem</i>	Semi-mature	6	0	200			1	9	1	4	Poor	<10 yrs	U	Retained	
275500.03 721751.22	1112	Alder <i>Alnus glutinosa</i> <i>Sparse crown</i>	Semi-mature	11	4	140			4	4	4	4	Poor	<10 yrs	U	Retained	
275498.63 721752.06	G1113	Grey Willow <i>Salix cinerea</i> <i>Willow, Alder, Elm, Sycamore. Circa 15 trees</i>	Semi-mature	9	1	100			12	5	9	7	Fair	10 to 20 yrs	C	Retained	
275502.81 721754.49	1114	Alder <i>Alnus glutinosa</i>	Mature	13	1	280	260	160	8	7	7	7	Fair	20 to 40 yrs	B	Retained	
275500.01 721762.05	1115	Alder <i>Alnus glutinosa</i>	Mature	17	2	300	310	110	8	7	8	8	Fair	20 to 40 yrs	B	Retained	
275499.17 721764.29	1116	Alder <i>Alnus glutinosa</i>	Semi-mature	13	1	180			5	5	5	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275496.65 721765.34	G1117	Alder <i>Alnus glutinosa</i> 3 stems	Mature	16		360			8	8	8	8	Fair	20 to 40 yrs	B	Retained	
275489.65 721767.3	1118	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	18	2	340			9	9	7	7	Fair	20 to 40 yrs	B	Retained	
275483.65 721762.06	1119	Alder <i>Alnus glutinosa</i> Coppice re-grown	Mature	16	2	230	190	190	7	2	8	10	Fair	20 to 40 yrs	B	Retained	
275488.27 721759.12	1120	Alder <i>Alnus glutinosa</i>	Semi-mature	5	0	90	80	80	2	0	2	4	Fair	10 to 20 yrs	C	Retained	
275481.27 721764.02	1121	Alder <i>Alnus glutinosa</i> Coppice re grown. 10 stems	Mature	17	3	260	250	260	7	8	9	10	Fair	20 to 40 yrs	B	Retained	
275479.17 721766.12	1122	Ash <i>Fraxinus excelsior</i> Coppice re grown. Ash die back	Mature	16	2	250	210	200	4	9	4	10	Fair	10 to 20 yrs	C	Retained	
275477.91 721767.24	1123	Alder <i>Alnus glutinosa</i> Coppice re grown	Mature	15	3	180	190	170	3	7	5	6	Poor	10 to 20 yrs	C	Retained	
275472.27 721769.94	1124	Alder <i>Alnus glutinosa</i>	Semi-mature	180	1	180			4	1	3	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275474.09 721772.88	1125	Alder <i>Alnus glutinosa</i> <i>Coppice re grown. Somewhat sparse crown</i>	Mature	16	5	210	100	180	7	8	4	8	Poor	10 to 20 yrs	C	Retained	
275466.53 721776.1	1126	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	14	3	320	200	210	7	7	7	9	Fair	20 to 40 yrs	B	Retained	
275462.33 721779.88	1127	Sycamore <i>Acer pseudoplatanus</i> <i>Coppice re grown</i>	Mature	13	2	220	200	140	3	5	5	4	Poor	10 to 20 yrs	C	Retained	
275462.36 721784.58	1128	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	5	290	230	220	6	8	7	8	Fair	20 to 40 yrs	B	Retained	
275459.98 721782.76	1129	Ash <i>Fraxinus excelsior</i>	Semi-mature	9	5	160			2	1	4	2	Poor	<10 yrs	U	Retained	
275456.76 721788.64	1130	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	16	0	240	240	230	9	9	8	11	Fair	20 to 40 yrs	B	Retained	
275455.78 721791.72	1131	Ash <i>Fraxinus excelsior</i> <i>Root plate eroded</i>	Mature			250	150	90	6	9	6	2	Poor	10 to 20 yrs	C	Retained	
275454.66 721792.7	1132	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	4	300	240	160	6	8	6	9	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275452.56 721795.92	1133	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	11	2	230	140		7	7	5	5	Poor	<10 yrs	U	Retained	
275451.11 721797.82	1134	Sycamore <i>Acer pseudoplatanus</i> <i>Coppice re grown</i>	Mature	15	4	280			4	5	5	6	Fair	20 to 40 yrs	B	Retained	
275451.81 721798.38	1135	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	1	200			4	4	4	1	Fair	20 to 40 yrs	B	Retained	
275450.27 721797.82	1136	Sycamore <i>Acer pseudoplatanus</i>	Young	5	1	100			2	1	4	2	Fair	20 to 40 yrs	C	Retained	
275447.61 721802.02	1137	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	9	1	160	170	160	3	5	5	4	Poor	<10 yrs	U	Retained	
275445.93 721804.26	1138	Sycamore <i>Acer pseudoplatanus</i> <i>Stem leaning west</i>	Semi-mature	10	3	180			2	0	2	6	Fair	20 to 40 yrs	B	Retained	
275539.73 721720.8	1138a	Beech <i>Fagus sylvatica</i> <i>Tree on woodland edge</i>	Semi-mature	16	3	270	160		7	7	7	6	Fair	20 to 40 yrs	B	Retained	
275546.31 721718.7	1139	Birch <i>Betula pendula</i> <i>Large target canker on stem. Tree on woodland edge</i>	Mature	18	>5	250			5	6	4	5	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275549.11 721712.68	1140	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Semi-mature	16	>5	230			4	7	6	4	Fair	20 to 40 yrs	B	Retained	
275547.69 721704.5	1141	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Mature	16	4	310			2	7	7	4	Fair	20 to 40 yrs	B	Retained	
275541.81 721700.72	1142	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Mature	18	5	340			3	4	8	4	Fair	20 to 40 yrs	B	Retained	
275535.93 721706.32	1143	Oak <i>Quercus robur</i> <i>Tree on woodland edge</i>	Semi-mature	10	5	270			0	6	10	2	Fair	20 to 40 yrs	B	Retained	
275535.93 721703.66	1144	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Mature	18	>5	360			5	5	7	5	Fair	20 to 40 yrs	B	Retained	
275529.41 721700.12	1145	Oak <i>Quercus robur</i> <i>Tree on woodland edge</i>	Semi-mature	16	5	300	250	70	3	4	9	4	Fair	20 to 40 yrs	B	Retained	
275526.38 721715.95	1146	Beech <i>Fagus sylvatica</i> <i>Tree on woodland edge</i>	Semi-mature	16	1	320	150	60	8	7	7	7	Fair	20 to 40 yrs	B	Retained	
275527.72 721718.77	1147	Oak <i>Quercus robur</i> <i>Tree on woodland edge</i>	Semi-mature	16	>5	350			5	5	6	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275535.59 721727.39	1148	Beech <i>Fagus sylvatica</i> <i>Tree on woodland edge</i>	Semi-mature	16	2	310			7	5	4	5	Fair	20 to 40 yrs	B	Retained	
275534.05 721712.9	W1149	A Woodland <i>Beech, Birch, Oak. Approximately 45 trees</i>	Semi-mature	16	2	210			16	18	16	18	Fair	20 to 40 yrs	B	Retained	
275534.05 721734.46	1150	Beech <i>Fagus sylvatica</i> <i>Tree on woodland edge</i>	Semi-mature	17	2	270			5	7	5	7	Fair	20 to 40 yrs	B	Retained	
275531.25 721735.3	1151	Beech <i>Fagus sylvatica</i> <i>Tree on woodland edge</i>	Semi-mature	17	3	360			7	8	6	7	Fair	20 to 40 yrs	B	Retained	
275527.33 721737.54	1152	Beech <i>Fagus sylvatica</i> <i>Tree on woodland edge</i>	Semi-mature	16	1	300			6	7	5	4	Fair	20 to 40 yrs	B	Retained	
275524.25 721732.5	1153	Oak <i>Quercus robur</i>	Semi-mature	16	>5	410			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
275519.21 721734.18	1154	Oak <i>Quercus robur</i>	Semi-mature	16	>5	460			8	8	8	8	Fair	20 to 40 yrs	B	Retained	
275514.28 721733.01	1155	Oak <i>Quercus robur</i>	Semi-mature	16	>5	340			5	4	4	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275511.75 721741.37	1156	Beech <i>Fagus sylvatica</i>	Semi-mature	17	3	320			4	6	6	6	Fair	20 to 40 yrs	B	Retained	
275511.33 721742.21	1157	Oak <i>Quercus robur</i>	Semi-mature	16	>5	360			5	7	7	6	Fair	20 to 40 yrs	B	Retained	
275511.47 721744.59	1158	Oak <i>Quercus robur</i> <i>Tree on woodland edge</i>	Semi-mature	16	3	380			8	8	6	6	Fair	20 to 40 yrs	B	Retained	
275518.89 721744.45	1159	Beech <i>Fagus sylvatica</i>	Semi-mature	16	4	240	200	170	6	7	6	6	Fair	20 to 40 yrs	B	Retained	
275512.45 721750.19	1160	Beech <i>Fagus sylvatica</i>	Semi-mature	16	4	240	250		8	10	5	3	Fair	20 to 40 yrs	B	Retained	
275508.53 721749.63	1161	Beech <i>Fagus sylvatica</i>	Semi-mature	15	1	230			4	4	6	7	Fair	20 to 40 yrs	B	Retained	
275507.69 721750.61	1162	Birch <i>Betula pendula</i>	Semi-mature	17	5	240			6	0	3	8	Fair	20 to 40 yrs	B	Retained	
275510.11 721754.75	1163	Oak <i>Quercus robur</i>	Semi-mature	16	2	310			7	7	6	8	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275509.83 721758.53	1164	Oak <i>Quercus robur</i>	Semi-mature	15	2	320			9	8	6	7	Fair	20 to 40 yrs	B	Retained	
275523.01 721733.97	W1165	Beech <i>Fagus sylvatica</i> <i>Approximately 12 trees. Beech, Birch</i>	Semi-mature	13	2	180			10	9	10	10	Fair	20 to 40 yrs	B	Retained	
275442.35 721808.67	1166	Alder <i>Alnus glutinosa</i>	Semi-mature	9	3	120			1	4	4	0	Fair	10 to 20 yrs	C	Retained	
275439.69 721812.87	1167	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	17	3	240	240	250	9	9	7	9	Poor	10 to 20 yrs	C	Retained	
275435.77 721817.77	1168	Alder <i>Alnus glutinosa</i>	Semi-mature	9	1	120	60		4	4	3	3	Fair	10 to 20 yrs	C	Retained	
275448.51 721808.81	1169	Ash <i>Fraxinus excelsior</i>	Semi-mature	13	4	140			2	4	4	4	Poor	10 to 20 yrs	C	Retained	
275432.97 721822.39	1170	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	15	4	140	120	120	4	5	5	7	Poor	10 to 20 yrs	C	Retained	
275431.85 721825.05	1171	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	16	3	120	120	50	0	6	5	6	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275431.01 721826.31	1172	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	2	160	140		1	3	3	4	Fair	10 to 20 yrs	C	Retained	
275429.8 721827.89	1173	Alder <i>Alnus glutinosa</i> <i>Coppice re grown. Root plate eroded. Dead / fallen stems</i>	Mature	9	2	180	160	140	5	8	5	8	Poor	<10 yrs	U	Retained	
275429.8 721829.29	1174	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back. Root plate eroded</i>	Mature	5	0	160	160	140	0	6	6	2	Poor	<10 yrs	U	Retained	
275422.1 721835.45	1175	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	10	2	170	150	150	6	5	6	8	Poor	<10 yrs	U	Retained	
275428.68 721809.76	S1176	Willow <i>Salix cinerea</i> <i>Scrub group. Willow & young Birch. Rivers meanderings have changed location of islets as shown on map</i>	Semi-mature	7	0	140			10	6	10	6	Fair	10 to 20 yrs	C	Retained	
275414.4 721853.16	1177	Alder <i>Alnus glutinosa</i>	Young	5	1	70	50		3	3	3	3	Fair	10 to 20 yrs	C	Retained	
275411.88 721856.8	1178	Ash <i>Fraxinus excelsior</i> <i>Stem submerged</i>	Semi-mature	11	2	240			6	4	6	7	Poor	<10 yrs	U	Retained	
275406.92 721871.9	1179	Ash <i>Fraxinus excelsior</i> <i>Stem submerged</i>	Semi-mature	6	1	190	120		4	3	3	3	Poor	<10 yrs	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275404.12 721879.18	G1180	Willow <i>Salix cinerea</i> <i>Willow, Ash, Sycamore</i>	Young	4	0	100			9	3	9	3	Fair	10 to 20 yrs	C	Retained	
275400.26 721887.65	1181	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	16	2	230	200	180	6	7	8	8	Poor	<10 yrs	U	Retained	
275398.86 721895.49	1182	Sycamore <i>Acer pseudoplatanus</i> <i>Coppice re grown. Heavily pruned</i>	Mature	7	2	70			1	1	2	3	Fair	10 to 20 yrs	C	Retained	
275398.58 721902.49	1183	Alder <i>Alnus glutinosa</i> <i>Coppice re grown. Somewhat sparse crown</i>	Mature	9	1	150	130	120	6	4	4	8	Fair	20 to 40 yrs	B	Retained	
275397.74 721905.29	1184	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	1	249			1	3	5	5	Fair	20 to 40 yrs	B	Retained	
275397.18 721908.09	1185	Alder <i>Alnus glutinosa</i>	Semi-mature	5	0	150			2	4	3	3	Fair	20 to 40 yrs	B	Retained	
275397.46 721909.42	1186	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown</i>	Mature	17	3	280	250		6	7	6	9	Fair	10 to 20 yrs	B	Retained	
275396.8 721914.74	1187	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	14	1	140	130	130	3	6	7	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275396.94 721916.56	1188	Ash <i>Fraxinus excelsior</i> <i>2 adjacent coppice stools re grown. Ash die back</i>	Mature	17	1	290	260	130	8	8	8	8	Poor	10 to 20 yrs	C	Retained	
275398.06 721925.52	1189	Ash <i>Fraxinus excelsior</i>	Dead	12	2	150	130	110	1	2	2	2	Dead	n/a	U	Retained	
275398.34 721928.6	1190	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	17	0	200	180	160	6	7	7	7	Fair	20 to 40 yrs	B	Retained	
275398.37 721930.88	G1192	Ash <i>Fraxinus excelsior</i> <i>Ash coppice re grown, Ash die back. Sycamore & Hawthorn understory</i>	Mature	17	1	170	180	140	8	6	7	8	Poor	10 to 20 yrs	C	Retained	
275399.63 721935.22	1193	Alder <i>Alnus glutinosa</i>	Semi-mature	15	5	210			6	6	0	4	Fair	20 to 40 yrs	B	Retained	
275401.03 721942.08	G1194	Ash <i>Fraxinus excelsior</i> <i>2 coppice stools re grown. Ash die back</i>	Mature	17	1	190	180	150	7	8	10	8	Fair	10 to 20 yrs	C	Retained	
275403.71 721949.72	1195	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	15		140	130		6	5	6	5	Poor	<10 yrs	U	Retained	
275404.83 721957.91	1196	Alder <i>Alnus glutinosa</i>	Dead	8	0	330			1	1	1	1	Dead	n/a	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275414.07 721961.55	S1197	Alder <i>Alnus glutinosa</i> <i>Alder scrub</i>	Young	7	1	90			8	7	8	3	Fair	10 to 20 yrs	C	Retained	
275411.27 721968.55	1198	Wild Cherry <i>Prunus avium</i>	Semi-mature	6	1	120			3	3	3	3	Fair	10 to 20 yrs	B	Retained	
275408.19 721966.87	1199	Ash <i>Fraxinus excelsior</i> <i>2 coppice stools re grown. Ash die back</i>	Mature	16	4	200	190	180	9	6	9	8	Poor	10 to 20 yrs	C	Retained	
275410.99 721976.95	1200	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	17	3	200	180	170	6	6	6	8	Fair	10 to 20 yrs	C	Retained	
275413.29 721982.64	1201	A Group <i>Willow, Alder, Ash</i>	Semi-mature	6	0	110			5	5	5	5	Poor	10 to 20 yrs	C	Retained	
275414.69 721986.28	1202	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	3	150	140	120	8	5	6	6	Fair	20 to 40 yrs	B	Retained	
275416.37 721990.2	1203	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	10	1	170	120	120	7	7	7	7	Poor	10 to 20 yrs	C	Retained	
275418.05 721995.8	1204	Alder <i>Alnus glutinosa</i>	Mature	12	2	140	150	140	5	8	7	2	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275416.37 721996.92	1205	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown</i>	Mature	12	2	150	140	130	8	3	8	5	Poor	<10 yrs	U	Retained	
275420.57 722003.64	1206	Alder <i>Alnus glutinosa</i>	Dead	8	0	150	140	140	4	4	4	4	Dead	n/a	U	Retained	
275805.03 721773.78	1206a	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Semi-mature	16	4	240			2	5	7	3	Fair	20 to 40 yrs	B	Retained	
275795.79 721780.5	1207	Alder <i>Alnus glutinosa</i>	Semi-mature	16	>5	200	180	170	6	5	5	5	Fair	20 to 40 yrs	B	Retained	
275806.43 721777.7	1208	Alder <i>Alnus glutinosa</i>	Dead	13	5	380			3	3	3	3	Dead	n/a	U	Retained	
275802.79 721781.9	1209	Alder <i>Alnus glutinosa</i>	Semi-mature	14	<5	180			6	6	4	2	Fair	20 to 40 yrs	B	Retained	
275805.87 721781.9	1210	Alder <i>Alnus glutinosa</i>	Semi-mature	15	4	240			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
275808.95 721782.74	G1211	A Group <i>Group within woodland. Alder, Oak, Rowan</i>	Young	8	3	130			3	4	3	3	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275813.71 721782.74	1212	Birch <i>Betula pendula</i>	Semi-mature	15	>5	220			7	6	5	5	Fair	20 to 40 yrs	B	Retained	
275818.75 721774.9	1213	Ash <i>Fraxinus excelsior</i> <i>Tree on woodland edge. Ash die back</i>	Semi-mature	13	5	210			0	4	8	4	Poor	10 to 20 yrs	C	Retained	
275831.91 721776.58	1214	Oak <i>Quercus robur</i> <i>Tree on woodland edge</i>	Semi-mature	13	5	250	140	140	3	4	9	4	Fair	20 to 40 yrs	B	Retained	
275838.48 721775.98	1215	Oak <i>Quercus robur</i> <i>Tree on woodland edge</i>	Semi-mature	16	5	260			3	4	8	4	Fair	20 to 40 yrs	B	Retained	
275844.64 721776.26	1216	Oak <i>Quercus robur</i>	Mature	18	3	620	230	240	10	8	9	9	Fair	20 to 40 yrs	B	Retained	
275854.44 721773.46	1217	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	18	>5	220			6	6	4	4	Fair	10 to 20 yrs	C	Retained	
275853.6 721777.94	G1218	Birch <i>Betula pendula</i> <i>Group of young trees growing atop bridge pontoon. Birch & Beech</i>	Young	5	2	75			8	8	8	8	Fair	10 to 20 yrs	C	Retained	
275874.74 721772.31	H1219	Beech <i>Fagus sylvatica</i> <i>Beech hedge</i>	Semi-mature	3	0	130			1	10	1	10	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275862.98 721775.67	1220	Bird Cherry <i>Prunus padus</i>	Mature	13	0	170	150	130	6	9	5	4		20 to 40 yrs	B	Retained	
275877.54 721774.83	1221	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	15	5	190	180	150	7	7	7	7	Poor	10 to 20 yrs	C	Retained	
275871.38 721773.99	1222	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	17	5	330	240	130	8	7	8	7	Poor	10 to 20 yrs	C	Retained	
275869.28 721777.84	1223	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	3	180	140	140	6	6	4	6	Fair	20 to 40 yrs	B	Retained	
275866.06 721779.38	1224	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	5	140	130	130	7	6	7	6	Fair	20 to 40 yrs	B	Retained	
275863.33 721780.91	1225	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	6	240	220	130	6	6	6	6	Fair	20 to 40 yrs	B	Retained	
275859.69 721781.82	1226	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	14	5	100	50		5	3	6	3	Poor	10 to 20 yrs	C	Retained	
275856.33 721782.66	1227	Oak <i>Quercus robur</i> <i>Coppice re grown</i>	Mature	18	5	250	180	70	6	6	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275851.85 721783.78	1228	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	17	>5	200	150	160	5	5	5	5	Fair	20 to 40 yrs	B	Retained	
275847.09 721781.54	1229	Oak <i>Quercus robur</i>	Semi-mature	12	2	100			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
275844.57 721781.26	1230	Birch <i>Betula pendula</i>	Semi-mature	18	>5	220			4	4	5	4	Fair	20 to 40 yrs	B	Retained	
275845.69 721788.26	1231	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	1	240	170		8	6	3	5	Fair	20 to 40 yrs	B	Retained	
275847.37 721791.34	1232	Alder <i>Alnus glutinosa</i>	Mature	12	5	260			7	7	1	1	Fair	10 to 20 yrs	C	Retained	
275847.09 721787.42	1233	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	17	>5	210	170	140	8	8	7	4	Fair	20 to 40 yrs	B	Retained	
275860.53 721796.1	1234	Oak <i>Quercus robur</i>	Mature	13	1	450			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
275853.53 721793.86	G1235	Alder <i>Alnus glutinosa</i> <i>Alder & Oak growing along edge of ditch</i>	Semi-mature	8	2	130	130		4	8	2	8	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275865.57 721784.06	1236	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	5	210	150	150	7	6	3	4	Fair	20 to 40 yrs	B	Retained	
275863.05 721785.18	1237	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	15	>5	120	90		6	5	3	1	Fair	20 to 40 yrs	B	Retained	
275857.17 721787.98	1238	Alder <i>Alnus glutinosa</i>	Mature	15	>5	120			1	2	3	2	Fair	10 to 20 yrs	C	Retained	
275852.41 721788.82	1239	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	5	140	130	80	6	6	7	6	Fair	20 to 40 yrs	B	Retained	
275854.37 721791.06	G1240	Alder <i>Alnus glutinosa</i> <i>6 trees. Alder & Birch</i>	Semi-mature	12	1	150			5	8	5	8	Fair	10 to 20 yrs	C	Retained	
275837.01 721783.22	1241	Oak <i>Quercus robur</i>	Semi-mature	13	5	130			2	5	3	0	Fair	10 to 20 yrs	C	Retained	
275838.41 721784.06	1242	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	12	>5	120			4	5	0	0	Poor	10 to 20 yrs	C	Retained	
275836.45 721784.06	1243	Alder <i>Alnus glutinosa</i>	Semi-mature	13	>5	120			3	4	2	1	Fair	20 to 40 yrs	B	Retained	

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275835.05 721783.5	1244	Alder <i>Alnus glutinosa</i> <i>Coppice re grown. Dead stems</i>	Mature	13	>5	130	80	90	2	2	2	2	Poor	<10 yrs	U	Retained	
275825.31 721779.05	W1245	A Woodland <i>Woodland dominated by Birch. Oak & Beech present, Rowan in understorey</i>	Semi-mature	16	5	190			8	20	15	20	Fair	20 to 40 yrs	B	Retained	
275696.79 721841.01	G1246	Birch <i>Betula pendula</i> <i>Linear group along south side of ditch, overhanging. Birch, Beech, Alder</i>	Semi-mature	10	3	90			5	25	1	25	Fair	20 to 40 yrs	B	Retained	
275678.31 721851.23	1247	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	6	150	130		8	6	6	6	Fair	10 to 20 yrs	C	Retained	
275679.71 721855.43	1248	Alder <i>Alnus glutinosa</i> <i>Somewhat sparse crown</i>	Mature	13	3	620			7	5	5	6	Fair	20 to 40 yrs	B	Retained	
275676.07 721854.03	G1249	Alder <i>Alnus glutinosa</i> <i>4 trees</i>	Semi-mature	15	3	190			8	6	5	7	Fair	20 to 40 yrs	B	Retained	
275668.41 721850.68	G1250	Alder <i>Alnus glutinosa</i> <i>Linear group along north of ditch. Approximately 10 trees</i>	Semi-mature	13	2	190			5	12	5	12	Fair	20 to 40 yrs	B	Retained	
275667.57 721856.84	1251	Birch <i>Betula pendula</i>	Semi-mature	8	0	120	80		4	3	2	2	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275672.33 721862.44	1252	Grey Willow <i>Salix cinerea</i>	Semi-mature	3	0	200	210		4	4	3	5	Poor	<10 yrs	U	Retained	
275657.49 721865.52	S1252	Grey Willow <i>Salix cinerea</i> <i>Willow scrub</i>	Young	4	1	150			3	8	3	8	Fair	10 to 20 yrs	C	Retained	
275656.65 721871.4	G1253	Alder <i>Alnus glutinosa</i> <i>Approximately 5 trees</i>	Semi-mature	9	0	140			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
275653.57 721877	1254	Alder <i>Alnus glutinosa</i> <i>4x Coppice re grown.</i>	Mature	12	1	140	140	140	10	7	10	7	Fair	10 to 20 yrs	B	Retained	
275605.4 721896.5	S1255	Birch <i>Betula pendula</i> <i>Birch & Alder scrub along south side of bund. Larger trees to north</i>	Young	7	0	75			5	25	5	25	Fair	10 to 20 yrs	C	Retained	
275498.15 722022.7	1256	Prunus <i>Prunus padus</i> <i>Basal defect-evidence of beaver activity</i>	Semi-mature	12	2	300			5	3	5	5	Poor	10 to 20 yrs	C	Retained	
275501.79 722017.94	1257	Prunus <i>Prunus padus</i>	Semi-mature	12		190	170		6	6	4	4	Fair	20 to 40 yrs	B	Retained	
275484.71 722028.3	1258	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	1	140			3	3	3	3	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275477.71 722040.06	1259	Ash <i>Fraxinus excelsior</i> <i>Snapped stem at base</i>	Mature	5	0	130			5	9	3	0	Poor	<10 yrs	U	Retained	
275509.35 722023.26	1260	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	16	3	280	280		9	8	8	7	Poor	10 to 20 yrs	C	Retained	
275469.87 722044.82	G1261	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	8	2	120	100		7	5	4	5	Poor	<10 yrs	U	Retained	
275461.74 722047.18	G1262	Alder <i>Alnus glutinosa</i>	Semi-mature	13	2	200	110		8	6	7	6	Fair	20 to 40 yrs	B	Retained	
275453.34 722046.62	G1263	Alder <i>Alnus glutinosa</i>	Semi-mature	10	2	75			4	4	4	4	Fair	10 to 20 yrs	C	Retained	
275454.46 722053.06	1264	Willow <i>Salix cinerea</i>	Mature	10	0	140	120	100	8	7	0	0	Fair	20 to 40 yrs	B	Retained	
275449.7 722053.9	G1265	Willow <i>Salix cinerea</i> <i>Some stems fallen</i>	Semi-mature	12	0	180	140		8	7	5	8	Poor	10 to 20 yrs	C	Retained	
275442.98 722046.06	G1266	Alder <i>Alnus glutinosa</i> <i>4 trees</i>	Semi-mature	7	2	110			5	5	5	5	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275439.34 722042.14	1267	Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	190			1	4	7	5	Fair	20 to 40 yrs	B	Retained	
275438.22 722044.66	1268	Alder <i>Alnus glutinosa</i>	Semi-mature	12	0	220			5	5	0	0	Poor	<10 yrs	U	Retained	
275436.54 722042.14	1269	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	14		190	140		5	5	2	3	Poor	<10 yrs	U	Retained	
275432.06 722036.26	1270	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	17	4	300	280	240	8	7	4	7	Poor	10 to 20 yrs	C	Retained	
275429.82 722034.02	1271	Alder <i>Alnus glutinosa</i>	Mature	16	3	250			6	4	3	4	Fair	20 to 40 yrs	B	Retained	
275427.86 722030.66	1272	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back. Fallen stems evidence of beaver activity</i>	Mature	16	1	260	180	150	7	5	7	5	Poor	<10 yrs	U	Retained	
275434.58 722024.64	1273	Sycamore <i>Acer pseudoplatanus</i>	Young	7	0	100			1	2	3	2	Fair	10 to 20 yrs	C	Retained	
275424.5 722020.72	G1274	Alder <i>Alnus glutinosa</i> 2 trees	Semi-mature	15	2	180			6	6	6	7	Fair	20 to 40 yrs	B	Retained	

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275431.5 722017.5	1275	Sycamore <i>Acer pseudoplatanus</i>	Young	7	2	75			3	3	3	2	Fair	10 to 20 yrs	C	Retained	
275449.89 722034.29	S1276	Alder <i>Alnus glutinosa</i> <i>Alder scrub. Occasional Rowan present</i>	Young	7	2	75			10	16	10	16	Fair	10 to 20 yrs	C	Retained	
275514.62 722023.35	1277	Sycamore <i>Acer pseudoplatanus</i>	Young	6	1	80			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
275516.86 722025.59	1278	Willow <i>Salix cinerea</i>	Dead	6	3	290			4	2	0	2	Dead	n/a	U	Retained	
275521.34 722011.03	G1279	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	12	1	180	150	80	7	6	6	7	Fair	20 to 40 yrs	B	Retained	
275523.02 722003.19	H1280	Hawthorn <i>Crataegus monogyna</i> <i>Remenant Hawthorn hedge, discontinuous</i>	Semi-mature	4	0	100			3	10	3	10	Fair	10 to 20 yrs	C	Retained	
275530.86 721998.15	1281	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	3	250	230	170	8	8	5	5	Fair	20 to 40 yrs	B	Retained	
275530.3 722004.87	G1282	Willow <i>Salix cinerea</i>	Semi-mature	6	0	140			7	7	0	4	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275526.38 722011.03	1283	Ash <i>Fraxinus excelsior</i>	Semi-mature	4	0	150	140		5	5	3	3	Poor	<10 yrs	U	Retained	
275532.54 721996.05	1284	Alder <i>Alnus glutinosa</i>	Semi-mature	13	2	130	130		5	6	5	3	Fair	20 to 40 yrs	B	Retained	
275537.58 721990.68	1285	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	2	230	170	170	8	8	7	7	Fair	20 to 40 yrs	B	Retained	
275541.5 721988.44	1286	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	14	4	290	300	240	8	8	6	4	Fair	20 to 40 yrs	B	Retained	
275534.78 721982.28	1287	Ash <i>Fraxinus excelsior</i>	Young	7	1	90			3	3	3	4	Fair	10 to 20 yrs	C	Retained	
275544.47 721987.23	1288	Alder <i>Alnus glutinosa</i>	Mature	12	5	290	150		7	9	0	0	Fair	20 to 40 yrs	B	Retained	
275559.87 721973.79	1289	Willow <i>Salix cinerea</i>	Semi-mature	5	0	70	80		4	6	8	4	Fair	10 to 20 yrs	C	Retained	
275561.55 721969.31	1290	Sycamore <i>Acer pseudoplatanus</i> <i>Base of stem gnawed. Evidence of beaver activity</i>	Semi-mature	8	2	100			3	3	3	3	Poor	<10 yrs	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275564.91 721964.55	G1291	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	15	1	320	250	200	9	9	7	7	Fair	20 to 40 yrs	B	Retained	
275571.63 721961.19	1292	Willow <i>Salix cinerea</i>	Semi-mature	7	0	130	140		7	7	6	6	Fair	10 to 20 yrs	C	Retained	
275570.79 721959.23	1293	Alder <i>Alnus glutinosa</i>	Semi-mature	8	1	170			2	3	7	6	Fair	20 to 40 yrs	B	Retained	
275588.48 721941.75	G1294	Alder <i>Alnus glutinosa</i> <i>Linear group running along top of bund</i>	Semi-mature	9	2	130			5	18	5	18	Fair	20 to 40 yrs	B	Retained	
275584.66 721947.31	1295	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	17	3	270	260	230	8	8	6	6	Fair	20 to 40 yrs	B	Retained	
275580.18 721951.37	1296	Alder <i>Alnus glutinosa</i>	Semi-mature	7	2	120			6	4	1	4	Fair	10 to 20 yrs	C	Retained	
275579.62 721952.21	1297	Willow <i>Salix cinerea</i> <i>Fallen stems evidence of beaver activity</i>	Semi-mature	2	0	140	130		6	8	0	4	Poor	10 to 20 yrs	C	Retained	
275591.94 721942.13	1298	Ash <i>Fraxinus excelsior</i>	Semi-mature	7	3	130	130		6	6	0	0	Poor	<10 yrs	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275595.02 721937.93	G1299	Alder <i>Alnus glutinosa</i>	Dead	14	5	140			5	5	5	5	Dead	n/a	U	Retained	
275604.82 721925.33	G1300	Alder <i>Alnus glutinosa</i> <i>Approximately 10 trees</i>	Semi-mature	12	2	100			6	6	6	6	Fair	10 to 20 yrs	C	Retained	
275610.81 721925.03	1301	Alder <i>Alnus glutinosa</i> <i>Coppice re grown. Stems submerged</i>	Mature	10	2	160	150	140	6	6	4	5	Fair	20 to 40 yrs	B	Retained	
275612.21 721921.39	1302	Alder <i>Alnus glutinosa</i>	Mature	13	1	170	170	90	6	6	4	4	Fair	20 to 40 yrs	B	Retained	
275611.93 721918.03	1303	Alder <i>Alnus glutinosa</i>	Semi-mature	13	2	240			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
275614.73 721919.71	1304	Alder <i>Alnus glutinosa</i>	Semi-mature	8	0	130			3	6	4	4	Fair	20 to 40 yrs	B	Retained	
275624.25 721912.71	1305	Alder <i>Alnus glutinosa</i>	Young	6	0	100	120		3	3	3	3	Fair	10 to 20 yrs	C	Retained	
275625.65 721904.87	G1306	Alder <i>Alnus glutinosa</i> <i>Group growing along top of bund. Alder, Birch, Willow. 8 trees</i>	Semi-mature	13	2	130			9	5	9	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275636.35 721899.17	1307	Alder <i>Alnus glutinosa</i>	Young	7	1	100			4	4	0	11	Fair	10 to 20 yrs	C	Retained	
275637.75 721898.05	1308	Alder <i>Alnus glutinosa</i>	Young	8		110			5	5	0	1	Poor	<10 yrs	U	Retained	
275639.43 721896.09	1309	Alder <i>Alnus glutinosa</i>	Young	6	0	120			0	6	4	1	Fair	10 to 20 yrs	C	Retained	
275630.19 721898.61	1310	Norway Spruce <i>Picea abies</i>	Semi-mature			130			2	4	2	1	Poor	<10 yrs	U	Retained	
275641.95 721887.97	G1311	Alder <i>Alnus glutinosa</i> <i>Group growing along top of bund down to rivers edge. Alder dominant with Birch & occasional Spruce</i>	Semi-mature	12	2	130			8	13	5	13	Fair	20 to 40 yrs	B	Retained	
275648.11 721879.01	1312	Crack Willow <i>Salix fragilis</i>	Semi-mature	5	0	80	80	80	2	4	5	4		20 to 40 yrs	C	Retained	
275687.77 721851.48	G1313	Ash <i>Fraxinus excelsior</i> <i>2 trees. Ash die back</i>	Semi-mature	13	4	130			6	3	2	3	Fair	10 to 20 yrs	C	Retained	
275691.13 721852.81	1314	Alder <i>Alnus glutinosa</i>	Semi-mature	13	3	140			5	2	3	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275691.13 721849.17	1315	Alder <i>Alnus glutinosa</i>	Semi-mature	13	3	180			6	5	4	1	Fair	10 to 20 yrs	C	Retained	
275695.61 721848.75	1316	Alder <i>Alnus glutinosa</i>	Semi-mature	13	5	320			8	4	1	4	Fair	20 to 40 yrs	B	Retained	
275697.43 721848.12	1317	Alder <i>Alnus glutinosa</i>	Dead	8	5	180			4	1	1	1	Dead	n/a	U	Retained	
275699.81 721847.49	1318	Alder <i>Alnus glutinosa</i>	Semi-mature	13	3	240	160		8	3	5	4	Fair	20 to 40 yrs	B	Retained	
275705.97 721845.53	G1319	Alder <i>Alnus glutinosa</i> <i>Linear group along north of ditch. 7 trees</i>	Semi-mature	13	3	170			5	8	4	8	Fair	20 to 40 yrs	B	Retained	
275712.97 721854.21	1320	Alder <i>Alnus glutinosa</i> <i>Twin co dominant stems with compression forks and included bark. Sparse crown</i>	Mature	17	3	630			8	8	8	8	Poor	10 to 20 yrs	C	Retained	
275709.33 721861.21	G1321	Alder <i>Alnus glutinosa</i> <i>2 trees</i>	Semi-mature	9	2	150			6	4	4	4	Poor	10 to 20 yrs	C	Retained	
275714.65 721872.69	1322	Ash <i>Fraxinus excelsior</i>	Mature	16	1	350	350	310	8	8	9	8	Poor	<10 yrs	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275724.73 721843.43	1323	Alder <i>Alnus glutinosa</i>	Dead	10	5	250	200		4	4	4	4	Dead	n/a	U	Retained	
275716.89 721841.61	1324	Alder <i>Alnus glutinosa</i>	Semi-mature	13	>5	150			2	3	2	3	Fair	20 to 40 yrs	B	Retained	
275723.89 721838.53	1325	Alder <i>Alnus glutinosa</i>	Semi-mature	12	>5	130			5	4	0	0	Fair	20 to 40 yrs	B	Retained	
275724.86 721838.44	1326	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	14	1	140	140		6	6	3	3	Fair	10 to 20 yrs	C	Retained	
275727.52 721837.04	1327	Alder <i>Alnus glutinosa</i>	Mature	14	1	270	260	200	7	7	5	5	Fair	20 to 40 yrs	B	Retained	
275726.6 721829.34	1328	Beech <i>Fagus sylvatica</i>	Semi-mature	13	1	180	140	120	2	7	6	2	Fair	20 to 40 yrs	B	Retained	
275739.56 721843.98	1329	Alder <i>Alnus glutinosa</i>	Semi-mature	12	2	240	180		6	5	5	7	Fair	20 to 40 yrs	B	Retained	
275772.99 721822.62	1330	Alder <i>Alnus glutinosa</i>	Mature	11	1	330			5	3	1	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275774.91 721816.38	1331	Alder <i>Alnus glutinosa</i> <i>Basal decay cavity</i>	Mature	13	3	350	170		9	3	2	7	Poor	<10 yrs	U	Retained	
275777.79 721815.42	1332	Alder <i>Alnus glutinosa</i>	Mature	14	4	290	270	180	7	7	3	3	Poor	<10 yrs	U	Retained	
275782.35 721811.82	S1333	Alder <i>Alnus glutinosa</i> <i>Alder scrub</i>	Young	4	1	75			4	4	4	4	Fair	10 to 20 yrs	C	Retained	
275791.28 721804.35	1334	Alder <i>Alnus glutinosa</i> <i>Coppice re grown. Decayed cracked stem</i>	Mature	17	3	350	340	300	9	9	7	9	Poor	20 to 40 yrs	U	Retained	
275791.28 721801.23	1335	Alder <i>Alnus glutinosa</i>	Mature	14		250	180	180	6	6	6	7	Fair	20 to 40 yrs	B	Retained	
275794.88 721804.35	1336	Birch <i>Betula pendula</i> <i>Co dominant stems with compression forks and included bark</i>	Mature	17	2	290	280	190	6	8	8	8	Fair	10 to 20 yrs	C	Retained	
275802.32 721803.87	1337	Birch <i>Betula pendula</i>	Mature	18	2	420			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
275812.4 721799.07	1338	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	20	1	620	280	180	11	11	11	11	Fair	10 to 20 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275831.13 721788	1339	Ash <i>Fraxinus excelsior</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	18	>5	230	160		5	5	5	5	Poor	10 to 20 yrs	C	Retained	
275825.13 721786.8	1340	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	19	<5	310			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
275797.29 721787.52	1341	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	5	200	180	170	5	7	7	4	Fair	20 to 40 yrs	B	Retained	
275792.72 721786.48	1342	Birch <i>Betula pendula</i>	Mature	17	5	230			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
275789.36 721786.24	1343	Birch <i>Betula pendula</i>	Semi-mature	16	5	130			5	2	4	2	Fair	10 to 20 yrs	C	Retained	
275790.32 721787.68	1344	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	2	250	270		1	6	7	6	Fair	20 to 40 yrs	B	Retained	
275812.16 721787.92	G1345	Alder <i>Alnus glutinosa</i> <i>Linear group growing along north of mill lade. Approximately 8 trees</i>	Mature	16	5	180	140		5	15	6	15	Fair	20 to 40 yrs	B	Retained	
275816.19 721788.58	1346	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	14	4	120	60		4	3	1	3	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275820.03 721787.14	1347	Ash <i>Fraxinus excelsior</i>	Semi-mature	16	5	220			7	6	4	6	Fair	20 to 40 yrs	B	Retained	
275831.07 721800.58	1348	Goat Willow <i>Salix caprea</i> <i>Growing atop bridge</i>	Semi-mature	12	3	330			7	7	6	6	Fair	20 to 40 yrs	B	Retained	
275835.87 721801.3	1349	Birch <i>Betula pendula</i>	Semi-mature	13	6	170			3	4	5	4	Fair	20 to 40 yrs	B	Retained	
275834.91 721806.34	G1350	Mountain Ash <i>Sorbus aucuparia</i> <i>2 trees</i>	Mature	8	0	260	140		6	6	6	7	Fair	10 to 20 yrs	C	Retained	
275828.91 721806.82	1351	Willow <i>Salix cinerea</i>	Mature	13	2	480			6	6	6	6	Poor	10 to 20 yrs	C	Retained	
275823.63 721812.82	G1352	Birch <i>Betula pendula</i> <i>2 trees</i>	Semi-mature	8	0	130			5	5	4	4	Fair	10 to 20 yrs	C	Retained	
275810.44 721812.39	1353	Common Holly <i>Ilex aquifolium</i>	Semi-mature	6	0	100	60		3	3	3	3	Fair	10 to 20 yrs	C	Retained	
275813.32 721812.63	1354	Pine <i>Pinus sylvestris</i>	Semi-mature	16	3	320			3	6	7	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275807.32 721809.27	1355	Birch <i>Betula pendula</i> <i>Tree on group edge</i>	Mature	16	2	280	70		7	5	6	7	Fair	20 to 40 yrs	B	Retained	
275808.1 721813.4	1356	Birch <i>Betula pendula</i> <i>Tree on group edge</i>	Mature	18	2	140	140		5	5	5	4	Fair	20 to 40 yrs	B	Retained	
275794.15 721823.73	G1357	Birch <i>Betula pendula</i> <i>Linear group growing along top of embankment, northeastern edge. Approximately 20 trees</i>	Mature	18	5	270			7	25	5	25	Fair	20 to 40 yrs	B	Retained	
275805.43 721814.37	1358	Willow <i>Salix cinerea</i>	Semi-mature	13	3	160	140		1	6	6	1	Poor	10 to 20 yrs	C	Retained	
275807.09 721815.63	1359	Hazel <i>Corylus avellana</i>	Mature	8	0	150	150	150	7	7	5	5	Fair	20 to 40 yrs	B	Retained	
275805.77 721819.35	1360	Oak <i>Quercus robur</i> <i>Suppressed crown</i>	Semi-mature	7	0	200			6	7	1	1	Fair	20 to 40 yrs	B	Retained	
275796.29 721823.79	1361	Willow <i>Salix cinerea</i>	Mature	17	>5	360			9	7	5	6	Fair	20 to 40 yrs	B	Retained	
275797.37 721823.31	1362	Willow <i>Salix cinerea</i>	Mature	13	0	250			7	7	0	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275793.57 721830.63	1363	Sorbus <i>Sorbus aucuparia</i>	Mature	11		450			6	7	5	4	Fair	20 to 40 yrs	B	Retained	
275775.3 721832.99	G1364	Birch <i>Betula pendula</i> <i>Linear group growing along top of embankment, southwest edge.</i>	Mature	18	3	290			5	40	7	40	Fair	20 to 40 yrs	B	Retained	
275772.9 721833.05	1365	Norway Spruce <i>Picea abies</i> <i>Crown suppressed</i>	Semi-mature	8	0	360			4	4	5	5	Fair	20 to 40 yrs	B	Retained	
275774.46 721843.25	1366	Hazel <i>Corylus avellana</i>	Semi-mature	6	0	140	140	140	5	2	2	5	Fair	10 to 20 yrs	C	Retained	
275764.03 721835.7	1367	Oak <i>Quercus robur</i>	Young	7	0	140			2	2	3	3	Fair	10 to 20 yrs	C	Retained	
275758.51 721840.56	1368	Oak <i>Quercus robur</i> <i>Crown suppressed</i>	Semi-mature	9	0	170			5	5	7	7	Fair	10 to 20 yrs	B	Retained	
275751.55 721845.84	1369	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	0	320	290		5	5	8	8	Fair	10 to 20 yrs	C	Retained	
275755 721854.19	G1370	Birch <i>Betula pendula</i> <i>Linear group growing along top of embankment, northeastern edge</i>	Mature	18	2	280			7	22	5	22	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275742.15 721851.4	1371	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	20	0	400			6	6	8	8	Poor	<10 yrs	U	Retained	
275741.91 721854.52	1372	Alder <i>Alnus glutinosa</i>	Mature	14	0	230	240		3	3	5	5	Fair	20 to 40 yrs	B	Retained	
275723.67 721876	G1373	A Group <i>Group of young trees. Rowan, Birch, Alder</i>	Young	8	0	110			5	5	5	5	Fair	10 to 20 yrs	C	Retained	
275728.47 721871.68	G1374	A Group <i>Alder & Willow mid canopy group beneath Birch, Hazel & Hawthorn understorey</i>	Mature	13	2	250	160		8	8	8	8	Fair	20 to 40 yrs	B	Retained	
275723.91 721857.16	1375	Alder <i>Alnus glutinosa</i>	Mature	13	3	300			4	0	3	6	Fair	20 to 40 yrs	B	Retained	
275734.71 721852.36	1376	Grey Willow <i>Salix cinerea</i>	Semi-mature	5	0	150	150		3	0	3	6	Poor	10 to 20 yrs	C	Retained	
275733.51 721855.72	1377	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	18	3	640			7	7	8	8	Poor	10 to 20 yrs	C	Retained	
275720.31 721863.64	1378	Alder <i>Alnus glutinosa</i>	Mature	16	0	310			3	3	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275727.03 721861.96	1379	Ash <i>Fraxinus excelsior</i> <i>Group of 5 Ash trees on side of embankment. Ash die back</i>	Semi-mature	16		270			9	9	9	9	Poor	10 to 20 yrs	C	Retained	
275733.82 721874.09	G1380	Ash <i>Fraxinus excelsior</i>	Young	5	1	100			4	4	4	4	Fair	10 to 20 yrs	C	Retained	
275733.34 721877.93	1381	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	14	2	340	280		5	5	5	5	Fair	20 to 40 yrs	B	Retained	
275736.94 721871.57	1382	Goat Willow <i>Salix caprea</i> <i>Fallen stem</i>	Semi-mature	4	0	200			0	4	7	2	Fair	10 to 20 yrs	C	Retained	
275747.45 721871.71	1383	Myrobalan Plum <i>Prunus cerasifera</i>	Mature	12	0	320	270	160	6	6	6	6	Fair	20 to 40 yrs	B	Retained	
275752.73 721876.03	G1384	Sycamore <i>Acer pseudoplatanus</i>	Young	5	1	100			4	4	4	4	Fair	10 to 20 yrs	C	Retained	
275764.25 721868.35	G1385	Alder <i>Alnus glutinosa</i> <i>3 trees</i>	Semi-mature	7	0	150			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
275772.89 721854.91	1386	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	13	3	260	240	140	5	5	5	5	Poor	<10 yrs	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275793.05 721846.27	G1387	Birch <i>Betula pendula</i> <i>Stems leaning northwest into river</i>	Mature	13	0	250	170		6	7	5	3	Fair	20 to 40 yrs	B	Retained	
275795.93 721843.39	1388	Ash <i>Fraxinus excelsior</i> <i>Stems leaning northwest into river. Ash die back</i>	Mature	16	3	200	180	140	7	8	4	4	Fair	10 to 20 yrs	C	Retained	
275800.52 721838.82	G1389	Alder <i>Alnus glutinosa</i> <i>Approximately 3 coppice stools re grown</i>	Mature	16	3	180	170	70	9	8	7	7	Fair	20 to 40 yrs	B	Retained	
275809.16 721834.98	1390	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	4	270	250		5	5	7	7	Poor	10 to 20 yrs	C	Retained	
275811.32 721832.94	1391	Oak <i>Quercus robur</i>	Semi-mature	13	4	200			1	6	6	2	Fair	20 to 40 yrs	B	Retained	
275816.6 721831.26	1392	Hazel <i>Corylus avellana</i>	Semi-mature	5	1	80	70	70	3	4	8	4	Fair	10 to 20 yrs	C	Retained	
275818.04 721833.18	1393	Birch <i>Betula pendula</i>	Mature	19	>5	560			0	6	12	6	Fair	20 to 40 yrs	B	Retained	
275827.9 721828.26	W1395	A Woodland <i>3 trees on woodland edge overhanging site boundary</i>	Mature	19	3	450			7	15	9	15	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275839.66 721814.34	1396	Oak <i>Quercus robur</i>	Semi-mature	8	2	180	160		4	4	4	4	Fair	20 to 40 yrs	B	Retained	
275853.86 721800.12	1397	Bird Cherry <i>Prunus padus</i>	Semi-mature	8	0	250	100	80	3	3	5	3	Fair	20 to 40 yrs	B	Retained	
275840.28 721773.9	H1397	Beech <i>Fagus sylvatica</i> <i>Beech hedge</i>	Over Mature	2	0	150			1	15	1	15	Fair	20 to 40 yrs	B	Retained	
276223.06 721949.81	1398	Alder <i>Alnus glutinosa</i>	Mature	13	2	470			6	5	6	5	Fair	20 to 40 yrs	B	Retained	
276217.3 721954.85	1399	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	13		270	200	170	7	5	7	4	Fair	20 to 40 yrs	B	Retained	
276213.94 721960.13	1400	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13		240	80	80	7	4	7	5	Poor	<10 yrs	U	Retained	
276245.51 721937.54	W1401	Alder <i>Alnus glutinosa</i> <i>Approximately 35 trees</i>	Semi-mature	9	2	150			15	15	15	15	Fair	10 to 20 yrs	C	Retained	
276232.55 721972.58	1402	Pine <i>Pinus sylvestris</i>	Semi-mature	11	2	290			0	4	6	2	Poor	<10 yrs	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276233.75 721976.12	1403	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	6	150	100	100	7	7	6	6	Fair	10 to 20 yrs	C	Retained	
276231.83 721976.6	1404	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	6	100			6	2	3	3	Fair	10 to 20 yrs	C	Retained	
276229.67 721972.52	1405	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15	2	260	160	90	4	5	5	5	Fair	20 to 40 yrs	B	Retained	
276227.51 721973	1406	Beech <i>Fagus sylvatica</i>	Semi-mature	15	5	190			7	5	4	4	Fair	20 to 40 yrs	B	Retained	
276224.63 721973.96	1407	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	18	5	350	320		8	6	5	6	Fair	10 to 20 yrs	C	Retained	
276222.71 721974.44	1408	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	16	5	270	240		9	4	5	6	Fair	10 to 20 yrs	C	Retained	
276215.99 721975.64	1409	Beech <i>Fagus sylvatica</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	17	1	320	240		8	7	7	6	Fair	10 to 20 yrs	C	Retained	
276206.36 721979.82	1410	Beech <i>Fagus sylvatica</i>	Semi-mature	14		290			7	6	6	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276211.64 721973.82	1411	Beech <i>Fagus sylvatica</i>	Semi-mature	16	2	270			5	5	6	5	Fair	20 to 40 yrs	B	Retained	
276216.2 721969.98	1412	Beech <i>Fagus sylvatica</i>	Semi-mature	16	1	350			5	5	6	5	Fair	20 to 40 yrs	B	Retained	
276222.44 721970.22	1413	Beech <i>Fagus sylvatica</i>	Semi-mature	14	1	340			1	4	7	7	Fair	20 to 40 yrs	B	Retained	
276224.6 721969.74	1414	Beech <i>Fagus sylvatica</i>	Semi-mature	13	1	350			2	7	7	3	Fair	20 to 40 yrs	B	Retained	
276228.2 721965.66	1415	Prunus <i>Prunus padus</i>	Semi-mature	13	2	400			5	7	7	3	Fair	20 to 40 yrs	B	Retained	
276231.88 721968.21	1416	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	9	1	200			1	4	4	1	Fair	20 to 40 yrs	B	Retained	
276218.68 721974.69	G1417	Beech <i>Fagus sylvatica</i> <i>Shelter belt group. Beech dominant with Sycamore present; Rowan in understorey</i>	Semi-mature	16	2	200			7	15	7	15	Fair	20 to 40 yrs	B	Retained	
276225.16 721961.97	1418	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	8	1	140	160		3	3	3	3	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276228.76 721959.81	S1419	Prunus <i>Prunus padus</i> <i>Blackthorn scrub</i>	Semi-mature	4	0	75			5	4	7	6	Fair	10 to 20 yrs	C	Retained	
276211.72 721962.93	1419	Alder <i>Alnus glutinosa</i>	Semi-mature	8	1	140		50	5	2	4	3	Fair	20 to 40 yrs	B	Retained	
276210.52 721965.09	1420	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Young	7	2	100			0	4	5	0	Poor	10 to 20 yrs	C	Retained	
276238.84 721946.13	1421	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	10	2	220	230	140	3	4	5	4	Fair	20 to 40 yrs	B	Retained	
276208.13 721969.17	1422	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16	3	330			5	5	6	5	Fair	20 to 40 yrs	B	Retained	
276207.17 721970.85	1423	Alder <i>Alnus glutinosa</i> <i>Dead stems</i>	Mature	7	2	140	300	220	0	3	4	4	Poor	<10 yrs	U	Retained	
276204.77 721973.49	1424	Alder <i>Alnus glutinosa</i>	Mature	13	6	360	360		1	3	3	1	Poor	<10 yrs	U	Retained	
276200.38 721976.19	1425	Alder <i>Alnus glutinosa</i>	Semi-mature	9	2	180			1	2	4	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276195.58 721977.87	G1426	Alder <i>Alnus glutinosa</i>	Semi-mature	11	1	150			4	7	5	7	Fair	20 to 40 yrs	B	Retained	
276190.29 721979.56	1427	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	14	3	370	160	80	5	5	9	5	Poor	10 to 20 yrs	C	Retained	
276183.81 721978.6	G1428	Ash <i>Fraxinus excelsior</i> <i>Hazel & Ash, Ash die back</i>	Semi-mature	7	0	150			5	7	7	7	Poor	10 to 20 yrs	C	Retained	
276179.49 721977.16	1429	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	2	250	170	170	5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276170.85 721973.56	1430	Oak <i>Quercus robur</i>	Semi-mature	14	3	340			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
276165.26 721971.25	1431	Oak <i>Quercus robur</i>	Semi-mature	8	3	250			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276151.82 721964.77	1432	Oak <i>Quercus robur</i>	Mature	16	2	480			8	8	8	6	Fair	20 to 40 yrs	B	Retained	
276149.42 721962.61	1433	Oak <i>Quercus robur</i>	Semi-mature	13	>5	450			7	5	7	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276153.02 721960.69	1434	Alder <i>Alnus glutinosa</i>	Semi-mature	8	3	210			0	4	5	0	Fair	20 to 40 yrs	B	Retained	
276148.7 721958.29	1435	Birch <i>Betula pendula</i>	Semi-mature	16	5	190			2	4	6	4	Fair	20 to 40 yrs	B	Retained	
276150.38 721963.81	1436	Holly <i>Ilex aquifolium</i>	Semi-mature	5		140	130		4	4	4	4	Fair	10 to 20 yrs	C	Retained	
276163.58 721970.53	G1437	Hazel <i>Corylus avellana</i>	Semi-mature	4	0	150			7	20	9	20	Fair	10 to 20 yrs	C	Retained	
276140.78 721959.01	1438	Oak <i>Quercus robur</i>	Semi-mature	13	1	440			8	7	6	7	Fair	20 to 40 yrs	B	Retained	
276131.2 721953.19	1439	Oak <i>Quercus robur</i>	Mature	17	4	460			10	10	10	10	Fair	20 to 40 yrs	B	Retained	
276132.16 721945.27	1440	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	0	460	280		5	8	10	8	Fair	20 to 40 yrs	B	Retained	
276135.76 721948.15	1441	Alder <i>Alnus glutinosa</i> <i>Stems submerged</i>	Mature	13	3	160	170	170	2	5	7	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276129.76 721944.07	1442	Alder <i>Alnus glutinosa</i>	Mature	14	3	320	260	100	5	5	7	7	Fair	20 to 40 yrs	B	Retained	
276137.2 721953.43	G1443	Oak <i>Quercus robur</i> 3 trees	Semi-mature	10	2	160			10	6	0	6	Fair	20 to 40 yrs	B	Retained	
276142.24 721957.51	G1444	Hazel <i>Corylus avellana</i> Understorey group. Hazel & young Birch	Semi-mature	5	1	160			7	18	7	18	Fair	10 to 20 yrs	C	Retained	
276122.1 721939.5	1445	Oak <i>Quercus robur</i>	Mature	16	1	350	150		4	7	9	6	Fair	20 to 40 yrs	B	Retained	
276114.5 721935.5	1446	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	20	3	630			8	8	12	8	Fair	20 to 40 yrs	B	Retained	
276106.5 721937.5	1447	Oak <i>Quercus robur</i> Ivy clad bole	Semi-mature	15	>5	480			7	7	8	7	Fair	20 to 40 yrs	B	Retained	
276100.9 721933.5	1448	Oak <i>Quercus robur</i>	Dead	17	>5	540			9	9	9	9	Fair	20 to 40 yrs	B	Retained	
276097.96 721926.07	1449	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	3	890	660		6	8	10	8	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276093.16 721923.27	G1450	Hazel <i>Corylus avellana</i> <i>Understorey group. Holly & Hazel</i>	Semi-mature	7	0	140			5	10	5	10	Fair	10 to 20 yrs	C	Retained	
276089.95 721919.6	1451	Oak <i>Quercus robur</i>	Semi-mature	10	4	210			6	5	6	5	Fair	20 to 40 yrs	B	Retained	
276086.75 721917.2	G1452	Oak <i>Quercus robur</i> <i>4 trees</i>	Semi-mature	13	2	170			9	7	8	5	Fair	20 to 40 yrs	B	Retained	
276083.95 721914.7	G1453	Ash <i>Fraxinus excelsior</i> <i>2 larger Ash with ash die back. Small Sycamore understorey</i>	Semi-mature	16	3	200			7	7	8	7	Poor	10 to 20 yrs	C	Retained	
276077.75 721916.1	1454	Oak <i>Quercus robur</i>	Semi-mature	16	2	360			8	7	7	7	Fair	20 to 40 yrs	B	Retained	
276080.75 721911.9	1455	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	18	4	370			3	6	8	6	Fair	10 to 20 yrs	C	Retained	
276068.55 721910.1	1456	Oak <i>Quercus robur</i>	Semi-mature	5	2	140			5	5	1	1	Fair	10 to 20 yrs	C	Retained	
276069.55 721905.7	1457	Oak <i>Quercus robur</i> <i>Topped stem</i>	Semi-mature	6	3	480			4	1	1	1	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276066.75 721902.3	1458	Oak <i>Quercus robur</i> <i>Crown reduction</i>	Mature	9	2	290	200	140	6	4	6	6	Fair	20 to 40 yrs	B	Retained	
276808.33 721873.34	1459	Horse Chestnut <i>Aesculus hippocastanum</i>	Semi-mature	11	2	360			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276859.53 721824.54	1460	A Group <i>Group along field edge. Birch, Willow, Sycamore</i>	Young	7	1	90			16	5	16	5	Fair	10 to 20 yrs	C	Retained	
276887.66 721803.93	1462	Oak <i>Quercus robur</i>	Mature	12	3	920			9	9	8	9	Poor	20 to 40 yrs	B	Retained	
276890.01 721795.11	1461	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	2	590			7	8	8	9	Fair	20 to 40 yrs	B	Retained	
276892.33 721787.13	1463	Horse Chestnut <i>Aesculus hippocastanum</i> <i>Decay/defect in bole & scaffold limbs</i>	Mature	16	2	780			8	9	8	9	Poor	10 to 20 yrs	C	Retained	
276895.1 721777.61	1464	Oak <i>Quercus robur</i>	Mature	17	3	980			9	13	9	13	Fair	20 to 40 yrs	B	Retained	
276901.48 721757.55	1465	Sycamore <i>Acer pseudoplatanus</i> <i>Decay defect in major scaffold limb</i>	Mature	18	3	1200			12	12	12	12	Poor	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276899.18 721760.75	1466	Oak <i>Quercus robur</i> <i>Somewhat sparse crown</i>	Mature	15	3	680			7	8	2	8	Poor	20 to 40 yrs	B	Retained	
276897.58 721766.75	1467	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	2	470			4	6	5	6	Fair	20 to 40 yrs	B	Retained	
276895.58 721772.75	1468	Oak <i>Quercus robur</i> <i>Significant specimin with some large deadwood</i>	Mature	25	2	1220			8	14	10	14	Fair	20 to 40 yrs	A	Retained	
276891.98 721779.55	1469	Oak <i>Quercus robur</i> <i>Tree has shed major part of scaffold to East</i>	Mature	16	2	780			5	3	8	9	Poor	20 to 40 yrs	B	Retained	
276878.78 721736.95	1470	Sycamore <i>Acer pseudoplatanus</i>	Young	4	1	120			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276875.58 721730.55	1471	Ash <i>Fraxinus excelsior</i>	Young	5	1	200			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276868.38 721727.35	1472	Sycamore <i>Acer pseudoplatanus</i>	Young	5	2	200			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276863.98 721721.57	1473	Ash <i>Fraxinus excelsior</i>	Young	6	2	150			3	3	3	3	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276855.98 721714.37	1474	Sorbus <i>Sorbus aucuparia</i>	Young	6	2	220			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276851.18 721707.97	1475	Prunus <i>Prunus padus</i>	Semi-mature	7	2	260			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276843.98 721703.97	1476	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	6	2	200			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276838.38 721699.97	1477	Sorbus <i>Sorbus aucuparia</i>	Young	5	2	170			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
276832.78 721692.77	1478	Sorbus <i>Sorbus aucuparia</i>	Young	5	2	60	60	60	2	2	2	2	Poor	10 to 20 yrs	C	Retained	
276825.58 721688.77	1479	Norway Maple <i>Acer platanoides</i> <i>Twin co dominant stems with compression forks and included bark</i>	Young	7	1	180	190		3	3	3	3	Poor	10 to 20 yrs	C	Retained	
276818.08 721679.65	1480	Sorbus <i>Sorbus aucuparia</i>	Young	4	2	120	130		2	2	2	2	Poor	10 to 20 yrs	C	Retained	
276794.08 721658.85	1481	Beech <i>Fagus sylvatica</i>	Semi-mature	11	1	370			8	3	8	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276797.28 721645.25	1482	Birch <i>Betula pendula</i>	Mature	19	1	270			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276790.88 721638.05	1483	Birch <i>Betula pendula</i>	Mature	19	2	260			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276761.56 721810.66	1484	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	15	3	630			6	6	6	6	Fair	10 to 20 yrs	C	Retained	
276760.76 721806.86	1485	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	3	230			5	2	5	6		20 to 40 yrs	B	Retained	
276765.16 721808.06	1486	Prunus <i>Prunus padus</i>	Mature	16	4	580			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276773.56 721799.26	1487	Goat Willow <i>Salix caprea</i>	Mature	17	1	770			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
276717.43 721810.09	1488	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	7	3	170			2	3	3	3	Fair	20 to 40 yrs	B	Retained	
276723.23 721802.59	G1488	Holly <i>Ilex aquifolium</i> <i>8 trees</i>	Semi-mature	15	2	190	190		5	9	5	9	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276731.63 721796.59	1489	Hemlock <i>Tsuga mertensiana</i>	Semi-mature	20	0	370			4	3	3	5	Fair	20 to 40 yrs	B	Retained	
276729.93 721795.86	1490	Hemlock <i>Tsuga mertensiana</i>	Mature	20	4	700			3	4	6	4	Fair	20 to 40 yrs	B	Retained	
276732.93 721793.66	1491	Hemlock <i>Tsuga mertensiana</i> <i>Topped</i>	Mature	7	3	590			4	4	4	4	Fair	10 to 20 yrs	C	Retained	
276745.93 721798.26	1492	Noble Fir <i>Abies procera</i>	Mature	20	2	740			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
276744.93 721780.26	1493	Noble Fir <i>Abies procera</i>	Mature	19	3	810			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
276747.93 721781.26	1494	Holly <i>Ilex aquifolium</i>	Semi-mature	15	5	320	280		4	5	5	5	Fair	20 to 40 yrs	B	Retained	
276754.81 721752.16	1495	Beech <i>Fagus sylvatica</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	17	2	520			8	8	6	8	Fair	10 to 20 yrs	C	Retained	
276765.89 721745.34	1496	Beech <i>Fagus sylvatica</i>	Mature	17	0	820			6	7	4	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276762.09 721740.14	1497	Beech <i>Fagus sylvatica</i> <i>Co-dominant stems with compression forks and included bark</i>	Mature	20	3	650	620		8	8	8	8	Fair	10 to 20 yrs	C	Retained	
276766.49 721735.54	1498	Beech <i>Fagus sylvatica</i> <i>Co dominant stems with compression forks and included bark</i>	Semi-mature	18	2	230	230		7	5	7	1	Fair	10 to 20 yrs	C	Retained	
276767.49 721728.74	1499	Oriental Spruce <i>Picea orientalis</i>	Semi-mature	16	3	360			4	4	4	4	Poor	10 to 20 yrs	C	Retained	
276771.09 721725.34	1500	Norway Spruce <i>Picea abies</i>	Semi-mature	15	3	360			4	4	4	4	Poor	10 to 20 yrs	C	Retained	
276765.31 721740.89	1501	Larch <i>Larix decidua</i>	Mature	22	>5	410			5	5	4	5	Fair	20 to 40 yrs	B	Retained	
276648.96 721748.99	1502	Beech <i>Fagus sylvatica</i>	Semi-mature	16	3	320			8	6	6	8	Fair	20 to 40 yrs	B	Retained	
276644.56 721742.19	1503	Norway Maple <i>Acer platanoides</i>	Semi-mature	17	5	360			7	6	7	5	Fair	20 to 40 yrs	B	Retained	
276652.16 721740.99	1504	Norway Maple <i>Acer platanoides</i>	Mature	20	2	620			9	9	9	9	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276657.36 721739.79	1505	Norway Maple <i>Acer platanoides</i>	Mature	20	4	600			8	7	7	6	Fair	20 to 40 yrs	B	Retained	
276662.56 721738.99	1506	Beech <i>Fagus sylvatica</i>	Mature	22	2	560			8	8	8	8	Fair	20 to 40 yrs	B	Retained	
276665.76 721732.99	1507	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	19	2	320			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276668.96 721730.99	S473	Wild Cherry <i>Prunus avium</i>	Semi-mature	16	5	210			7	3	1	3	Poor	10 to 20 yrs	C	Retained	
276668.56 721725.79	S477	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	5	470			8	8	8	8	Fair	20 to 40 yrs	B	Retained	
276671.17 721725.85	S478	Prunus <i>Prunus padus</i>	Mature	19	5	300			7	0	0	7	Fair	20 to 40 yrs	B	Retained	
276671.97 721728.25	S479	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Mature	19	0	710	630		8	6	3	6	Fair	20 to 40 yrs	B	Retained	
276674.97 721708.25	S480	Copper Beech <i>Fagus sylvatica 'Purpurea'</i> <i>Significant specimen</i>	Mature	22	2	1030			9	9	9	9	Fair	20 to 40 yrs	A	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276702.49 721702.38	1512	Red Oak <i>Quercus rubra</i>	Mature	17	3	820			9	8	8	9	Poor	<10 yrs	U	Retained	
276707.69 721697.78	1513	Leyland Cypress <i>Leylandii</i>	Mature	19	0	660	480		4	4	4	44	Fair	20 to 40 yrs	B	Retained	
276728.49 721682.82	G1514	A Group <i>Western Red Cedar, 2x Leyland Cypress, Norway Maple, Hawthorn</i>	Semi-mature	18	0	470			8	16	16	8	Fair	20 to 40 yrs	B	Retained	
276713.09 721670.82	1515	Tulip Tree <i>Liriodendron tulipifera</i>	Mature	18	2	710			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276689.89 721690.12	1516	Noble Fir <i>Abies procera</i> <i>Significant specimen</i>	Mature	23	0	980			7	7	7	7	Fair	20 to 40 yrs	A	Retained	
276715.83 721590.96	G1517	Beech <i>Fagus sylvatica</i> <i>Group of 8 Beech</i>	Mature	17	1	690			20	20	20	20	Fair	20 to 40 yrs	B	Retained	
276725.83 721598.16	1518	Larch <i>Larix decidua</i>	Semi-mature	22	>5	420			10	7	1	7	Fair	20 to 40 yrs	B	Retained	
276730.23 721603.36	1519	Silver Fir <i>Abies alba</i>	Mature	19	1	790			6	6	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276735.03 721620.56	1520	Western Hemlock <i>Tsuga heterophylla</i> <i>Significant specimen</i>	Mature	28	1	1310			9	9	9	9	Fair	20 to 40 yrs	A	Retained	
276737.83 721604.96	G1521	Birch <i>Betula pendula</i> <i>2 trees</i>	Mature	20	4	350			7	9	6	9	Fair	20 to 40 yrs	B	Retained	
276749.43 721617.76	G1522	Beech <i>Fagus sylvatica</i> <i>3 Beech trees</i>	Mature	20	0	710			10	10	10	10	Fair	20 to 40 yrs	B	Retained	
276752.63 721622.96	1523	Beech <i>Fagus sylvatica</i>	Semi-mature	14	2	350	320		3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276746.63 721613.36	1524	Poplar <i>Populus canadensis</i>	Mature	23	>5	670			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276759.43 721625.76	1525	Poplar <i>Populus canadensis</i>	Mature	30	5	980			7	9	8	7	Poor	10 to 20 yrs	C	Retained	
276755.92 721627.03	1527	Beech <i>Fagus sylvatica</i>	Mature	20	1	610			8	9	8	7	Fair	20 to 40 yrs	B	Retained	
276763.52 721630.23	1526	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	25	1	780			11	8	8	11	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276767.12 721629.43	1528	Lime <i>Tilia europaea</i>	Mature	22	0	370	360	280	6	6	6	6	Fair	20 to 40 yrs	B	Retained	
276756.72 721642.23	1529	Norway Maple <i>Acer platanoides</i>	Mature	17	2	400	410	420	8	8	8	8	Fair	20 to 40 yrs	B	Retained	
276781.12 721630.23	1530	Ash <i>Fraxinus excelsior</i>	Mature	18	3	320			6	6	6	6	Poor	10 to 20 yrs	C	Retained	
276703.45 721606.61	1531	Beech <i>Fagus sylvatica</i>	Mature	17	2	520	230		4	8	7	7	Fair	20 to 40 yrs	B	Retained	
276701.05 721610.61	1532	Beech <i>Fagus sylvatica</i>	Mature	20	3	790			7	9	7	9	Fair	20 to 40 yrs	B	Retained	
276699.05 721614.21	1533	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	2	580			6	6	6	1	Fair	20 to 40 yrs	B	Retained	
276696.48 721618.01	1534	Lime <i>Tilia europaea</i>	Mature	22	1	460	320	220	5	8	6	8	Fair	20 to 40 yrs	B	Retained	
276694.08 721622.01	1535	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Mature	21	1	660			9	9	6	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276690.48 721624.81	1536	Lime <i>Tilia europaea</i>	Mature	19	1	580	470		7	7	5	6	Fair	20 to 40 yrs	B	Retained	
276795.37 721942.85	1537	Prunus <i>Prunus padus</i>	Semi-mature	10	2	200	230		5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276772.97 721958.05	1538	Goat Willow <i>Salix caprea</i>	Semi-mature	15	2	240	250	200	7	7	7	7	Fair	20 to 40 yrs	B	Retained	
276767.77 721984.45	G1539	Birch <i>Betula pendula</i> <i>Birch & Sycamore</i>	Semi-mature	9	1	170			7	9	6	8	Fair	10 to 20 yrs	C	Retained	
276776.88 721995.72	1540	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	2	290			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
276786.88 721988.52	1541	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Mature	22	2	620			9	9	9	9	Fair	20 to 40 yrs	B	Retained	
276786.48 721997.72	1542	Hemlock <i>Tsuga heterophylla</i>	Semi-mature	20	2	310			4	4	6	6	Fair	20 to 40 yrs	B	Retained	
276790.48 721997.72	G1543	Lime <i>Tilia europaea</i> <i>3 trees</i>	Mature	22	1	580			6	14	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276791.28 721993.72	1544	Spruce <i>Picea</i>	Mature	22	0	750			9	4	5	5	Fair	20 to 40 yrs	B	Retained	
276795.88 721993.02	1545	Lime <i>Tilia europaea</i>	Mature	19	5	480			4	7	4	4	Fair	20 to 40 yrs	B	Retained	
276794.68 721995.02	1546	Leyland Cypress <i>Leylandii</i>	Semi-mature	8	0	200			3	7	3	0	Fair	10 to 20 yrs	C	Retained	
276795.88 721991.62	1547	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature		2	240			3	7	3	0	Fair	20 to 40 yrs	C	Retained	
276796.28 721988.02	1548	Lime <i>Tilia europaea</i>	Mature	23	0	440	370		5	9	5	5	Fair	20 to 40 yrs	B	Retained	
276788.28 721984.82	1549	Lime <i>Tilia europaea</i>	Mature	22	0	760			5	7	5	6	Fair	20 to 40 yrs	B	Retained	
276789.88 721982.22	1550	Beech <i>Fagus sylvatica</i>	Mature	22	2	740			6	8	6	6	Fair	20 to 40 yrs	B	Retained	
276790.48 721978.02	1551	Lime <i>Tilia europaea</i>	Mature	22	0	790			5	5	5	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276798.68 721981.62	1552	Lime <i>Tilia europaea</i>	Mature	22	0	690			7	8	7	7	Fair	20 to 40 yrs	B	Retained	
276824.46 721927.42	1553	Swamp Cypress <i>Metasequoia glyptostroboides</i>	Mature	20	4	810			6	6	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
276059.6 721892.1	1554	Common Ash <i>Fraxinus excelsior</i>	Mature	17	4	350	320		8	9	9	8	20 to 40 yrs	Fair	B	Retained	
276056 721889.3	1555	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	4	610			8	6	8	8	20 to 40 yrs	Fair	B	Retained	
276052 721884.5	1556	Willow <i>Salix caprea</i>	Mature	5	0	720			3	5	3	2	10 to 20 yrs	Poor	C	Retained	
276055.6 721876.1	G1557	Ash <i>Fraxinus excelsior</i> 4 trees Ash die back	Young	11	2	80			4	5	6	5	10 to 20 yrs	Poor	C	Retained	
276048 721874.9	1558	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	2	550			7	7	8	7	20 to 40 yrs	Fair	B	Retained	
276042.4 721866.1	1559	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	19	>5	570	250		9	10	9	6	<10 yrs	Poor	U	Retained	
276038.4 721862.9	1560	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	19	>5	560			8	7	8	7	10 to 20 yrs	Fair	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
276035.3 721859.9	1561	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	19	3	410	290		9	7	9	8	20 to 40 yrs	Fair	B	Retained	
276026.5 721856.3	1562	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	21	2	710			10	8	10	9	10 to 20 yrs	Fair	C	Retained	
275985.2 721836.2	1563	Oak <i>Quercus robur</i>	Mature	16	4	640			9	9	7	7	20 to 40 yrs	Fair	B	Retained	
275985.2 721833	1564	Alder <i>Alnus glutinosa</i>	Mature	12	1	200	190		2	5	6	2	20 to 40 yrs	Fair	B	Retained	
275976.4 721833.4	1565	Oak <i>Quercus robur</i>	Mature	16	1	520	600		8	6	9	8	20 to 40 yrs	Fair	B	Retained	
275976.8 721828.6	1566	Common Alder <i>Alnus glutinosa</i>	Dead	5	0	230	160		0	2	3	2	n/a	Dead	U	Retained	
275972.8 721828.2	1567	Beech <i>Fagus sylvatica</i>	Semi-mature	8	0	140			1	2	5	2	10 to 20 yrs	Poor	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275967.9 721827.6	1568	Beech <i>Fagus sylvatica</i>	Semi-mature	16	0	340			5	4	6	5	20 to 40 yrs	Fair	B	Retained	
275963.5 721831.2	G1569	Oak <i>Quercus robur</i> <i>Coppice group re grown</i>	Mature	16	3	420	300	140	8	7	10	6	20 to 40 yrs	Fair	B	Retained	
275959.1 721830	1570	Common Beech <i>Fagus sylvatica</i>	Mature	17	1	430	310	270	9	8	9	8	20 to 40 yrs	Fair	B	Retained	
275965.9 721823.6	G1571	Alder <i>Alnus glutinosa</i> <i>Alder & Sycamore</i>	Semi-mature	13	3	240	240	170	3	6	6	6	20 to 40 yrs	Fair	B	Retained	
275961.9 721824.4	1572	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	5	170	160		1	2	8	4	10 to 20 yrs	Poor	C	Retained	
275958.3 721826	1573	Alder <i>Alnus glutinosa</i>	Mature	14	2	370	260		1	2	7	5	10 to 20 yrs	Poor	C	Retained	
275953.5 721826	1574	Birch <i>Betula pendula</i>	Semi-mature	14	5	220			3	4	4	4	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275947.1 721828.8	G1575	Alder <i>Alnus glutinosa</i> <i>3x Alder, Birch, Rowan</i>	Semi-mature	9	0	220		170	3	8	7	8	10 to 20 yrs	Poor	C	Retained	
275941.1 721828.4	1576	Oak <i>Quercus robur</i>	Semi-mature	12	2	260			5	5	6	3	20 to 40 yrs	Fair	B	Retained	
275935.9 721829.2	1577	Alder <i>Alnus glutinosa</i>	Semi-mature	12	0	190	170	90	4	3	5	3	20 to 40 yrs	Fair	B	Retained	
275933.9 721829.6	1578	Oak <i>Quercus robur</i>	Young	4	0	120	100		0	2	6	3	10 to 20 yrs	Fair	C	Retained	
275933.9 721830	1579	Ash <i>Fraxinus excelsior</i>	Young	5	0	100			0	1	4	1	<10 yrs	Poor	U	Retained	
275932.7 721832	G1580	Oak <i>Quercus robur</i> <i>Coppice re grown</i>	Mature	16	2	250	250	220	6	7	7	7	20 to 40 yrs	Fair	B	Retained	
275932.1 721829.7	1581	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	9	2	200	180	160	1	3	6	3	10 to 20 yrs	Poor	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275930.1 721831.7	1582	Oak <i>Quercus robur</i>	Semi-mature	12	4	190	150		2	2	7	5	20 to 40 yrs	Fair	B	Retained	
275927.3 721832.1	1583	Alder <i>Alnus glutinosa</i>	Semi-mature	12		190	140	90	2	3	5	4	10 to 20 yrs	Poor	C	Retained	
275924.7 721831.9	1584	Alder <i>Alnus glutinosa</i>	Semi-mature	7	4	190			1	2	4	2	10 to 20 yrs	Poor	C	Retained	
275924.1 721835.3	1585	Oak <i>Quercus robur</i>	Semi-mature	10	3	250			1	2	7	5	20 to 40 yrs	Fair	B	Retained	
275910.7 721837.1	G1586	Oak <i>Quercus robur</i> <i>Riverside group consisting mainly of Oak with occasional Rowan & Alder. Structurally poor trees suppressed under canopy of Pines to North.</i> Approximately 18 trees	Semi-mature	7	0	180			5	10	6	10	10 to 20 yrs	Fair	C	Retained	
275941.3 721837.5	1587	Scots Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Semi-mature	20	3	330			3	5	7	5	20 to 40 yrs	Fair	B	Retained	
275940.9 721839.9	1588	Pine <i>Pinus sylvestris</i>	Semi-mature	20	3	420			3	4	3	2	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275937.9 721839.9	1589	Silver Fir <i>Abies alba</i> <i>Tree on woodland edge</i>	Semi-mature	20	2	300			4	4	4	4	20 to 40 yrs	Fair	B	Retained	
275934.3 721840.5	1590	Larch <i>Larix decidua</i> <i>Tree on woodland edge</i>	Semi-mature	20	3	350			4	4	5	4	20 to 40 yrs	Fair	B	Retained	
275931.1 721839.9	1591	Larch <i>Larix decidua</i> <i>Tree on woodland edge</i>	Semi-mature	20	4	360			5	5	7	5	20 to 40 yrs	Fair	B	Retained	
275928.7 721841.3	1592	Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Semi-mature	20	5	370			3	5	7	4	20 to 40 yrs	Fair	B	Retained	
275924.5 721840.3	1593	Pine <i>Pinus sylvestris</i>	Semi-mature	18	2	340			2	5	8	3	20 to 40 yrs	Fair	B	Retained	
275923.7 721842.3	1594	Pine <i>Pinus sylvestris</i>	Semi-mature	20	5	370			4	4	4	4	20 to 40 yrs	Fair	B	Retained	
275919.5 721842.3	1595	Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Semi-mature	20	5	380			3	4	9	4	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275915.7 721844.5	1596	Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Semi-mature	20	3	300			4	3	4	3	20 to 40 yrs	Fair	B	Retained	
275911.1 721842.7	1597	Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Semi-mature	20	4	400			2	5	9	5	20 to 40 yrs	Fair	B	Retained	
275904.6 721848.4	1598	Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Mature	21	5	600			5	6	8	5	20 to 40 yrs	Fair	B	Retained	
275902.2 721854.4	1599	Larch <i>Larix decidua</i>	Semi-mature	20	4	620			5	6	9	5	20 to 40 yrs	Fair	B	Retained	
275897.4 721849.6	1600	Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Semi-mature	17	5	310			3	5	7	4	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277577.2 722014.5	2001	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Mature	16	1	365			3	1	2	3	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277579.4 722015.6	2002	Whitebeam <i>Sorbus aria</i>	Semi-mature	12	4	165			3	3	4	3	Good	20 to 40 yrs	B	Removed	Removed as part of land remediation
277579.7 722017.3	2003	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Semi-mature	14	4	260			3	2	2	3	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277571.3 722026.4	2004	Silver Birch <i>Betula pendula</i>	Mature	25	10	340			4	6	5	5	Good	20 to 40 yrs	B	Removed	Removed as part of land remediation
277572.8 722025.8	2005	Silver Birch <i>Betula pendula</i>	Mature	25	8	365			6	6	5	4	Good	20 to 40 yrs	B	Removed	Removed as part of land remediation
277571.3 722020	2006	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Semi-mature	12	2	200			3	2	2	2	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277568.7 722024.9	2007	Silver Birch <i>Betula pendula</i>	Mature	23	6	300			4	4	4	5	Good	20 to 40 yrs	B	Removed	Removed as part of land remediation

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277577 722029.2	2008	Mountain Ash <i>Sorbus aucuparia</i>	Mature	8	2	168	165	140	7	2	3	3	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277579.1 722022.6	2009	Silver Birch <i>Betula pendula</i>	Mature	23	8	350			3	4	4	5	Fair		B	Removed	Removed as part of land remediation
277579.5 722024.7	2010	Silver Birch <i>Betula pendula</i>	Mature	13	6	370			3	3	3	5	Poor	10 to 20 yrs	C	Removed	Removed as part of land remediation
277583.3 722024.7	2011	Silver Birch <i>Betula pendula</i>	Mature	23	7	500			6	4	4	4	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277586.4 722026	2012	Silver Birch <i>Betula pendula</i>	Mature	22	10	330			5	5	6	5	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277586.9 722028.2	2013	Silver Birch <i>Betula pendula</i>	Mature	24	14	300			6	5	4	4	Good	20 to 40 yrs	B	Removed	Removed as part of land remediation
277589.5 722024.5	2014	Silver Birch <i>Betula pendula</i>	Semi-mature	7		200			2	2	2	2	Dead	n/a	U	Removed	Removed as part of land remediation

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
277591.2 722026.5	2015	Silver Birch <i>Betula pendula</i>	Mature	24	10	300			5	5	4	4	Good	20 to 40 yrs	B	Removed	Removed as part of land remediation
277593.8 722024.6	2016	Silver Birch <i>Betula pendula</i>	Mature	23	10	340			5	5	4	4	Fair		B	Removed	Removed as part of land remediation
277591.3 722030.5	2017	Silver Birch <i>Betula pendula</i>	Mature	24	12	330			6	4	5	4	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277594.1 722033.3	2018	Western Hemlock <i>Tsuga heterophylla</i>	Semi-mature	19	2	330			4	4	4	4	Good	20 to 40 yrs	B	Removed	Removed as part of land remediation
277588.9 722032.4	2019	Bhutan Pine <i>Pinus wallichiana</i>	Semi-mature	18	2	280			3	1	1	3	Good	20 to 40 yrs	B	Removed	Removed as part of land remediation
277588.3 722041.4	2020	Silver Birch <i>Betula pendula</i>	Semi-mature	17	12	160			3	3	3	3	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277586.8 722045.3	2021	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Semi-mature	6	2	140			2	2	2	2	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277587.2 722048.4	2022	Silver Birch <i>Betula pendula</i>	Semi-mature	15	2	190			3	3	3	3	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277582.5 722052.7	2023	Silver Birch <i>Betula pendula</i>	Mature	21	5	275			5	4	4	4	Good	20 to 40 yrs	B	Removed	Removed as part of land remediation
277589.4 722054.6	2024	Silver Birch <i>Betula pendula</i>	Semi-mature	22	6	210			4	3	4	5	Good	20 to 40 yrs	B	Removed	Removed as part of land remediation
277591.8 722051.3	2025	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15	7	210			3	3	1	4	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277597 722051.5	2026	Norway Spruce <i>Picea abies</i>	Mature	25	8	600			5	5	5	5	Good	20 to 40 yrs	B	Removed	Removed as part of land remediation
277593.2 722059.2	2027	Silver Birch <i>Betula pendula</i>	Semi-mature	20	10	200			4	4	2	1	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277590.6 722058.7	2028	Western Hemlock <i>Tsuga heterophylla</i>	Semi-mature	20	8	240			1	4	4	2	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277585.8 722059.2	2029	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	18	7	220			3	3	3	3	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277577.9 722059.5	2030	Silver Birch <i>Betula pendula</i>	Semi-mature	19	8	200			4	4	3	4	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277573.9 722058.3	2031	Silver Birch <i>Betula pendula</i>	Semi-mature	19	7	200			3	2	2	2	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277578.1 722066.3	2032	Lawson Cypress <i>Chamaecyparis lawsoniana</i> 2 trees in close proximity	Semi-mature	11	1	190			3	3	3	3	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277594.1 722072.9	2033	Silver Birch <i>Betula pendula</i> Failed stems due to <i>piptoporous betulinus</i>	Mature	18	6	330	300	275	3	3	3	3	Poor	<10 yrs	U	Removed	Removed as part of land remediation
277590.5 722094.1	2034	Leyland Cypress 'Hagg <i>X Cupressocyparis leylandii 'Haggerston Grey'</i>	Semi-mature	5	2	200			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
277595.3 722100	2035	Wellingtonia <i>Sequoiadendron giganteum</i> BS5837 Survey V111 with Photo12.jpg	Young	15	1	250			3	3	3	3	Good	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277591.2 722131.8	2036	Red Snakebark Maple <i>Acer capillipes</i>	Semi-mature	4	1	80	80	80	3	1	3	3	Good	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277564.6 722156.7	2037	Holly 'Golden King' <i>Ilex x altaclarensis 'Golden King'</i>	Mature	7	2	200	160	130	4	4	2	3	Good	20 to 40 yrs	B	Retained	
277574.2 722167.3	2038	Holly 'Golden King' <i>Ilex x altaclarensis 'Golden King'</i>	Mature	7	3	265			3	3	2	3	Good	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277578.4 722170.4	2039	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Mature	9	1	550			3	2	3	3	Good	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277582.3 722172.8	2040	Common Holly <i>Ilex aquifolium</i>	Mature	7	1	240	210		3	3	3	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
275996.8 721800.8	2041	Common Oak <i>Quercus robur</i>	Mature	23	8	550			6	5	7	8	Good	20 to 40 yrs	B	Retained	
275989.5 721801.8	2042	Common Oak <i>Quercus robur</i>	Mature	24	7	600			7	6	6	6	Good	20 to 40 yrs	B	Retained	

275984.3 721801.8	2043	Common Beech <i>Fagus sylvatica</i>	Mature	23	2	600			6	5	6	6	Fair	20 to 40 yrs	B	Retained
275988.9 721796	2044	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	22	6	320			3	3	4	3	Fair	10 to 20 yrs	C	Retained
275978.9 721790	G2046	Common Beech <i>Fagus sylvatica</i>	Young	17	2	150	150	150	1	6	1	6	Fair	10 to 20 yrs	C	Retained
275973 721793.5	2047	Common Oak <i>Quercus robur</i>	Semi-mature	23	8	330			6	6	6	5	Good	20 to 40 yrs	B	Retained
275969.8 721791.8	2048	Common Oak <i>Quercus robur</i>	Mature	23	6	530			6	6	7	6	Fair	20 to 40 yrs	B	Retained
275967.4 721795.3	2049	Sycamore <i>Acer pseudoplatanus</i>	Mature	24		450			6	6	7	6	Good	20 to 40 yrs	B	Retained
275970.1 721803.4	2050	Common Beech <i>Fagus sylvatica</i>	Mature	24	2	430	400		6	6	7	6	Fair	20 to 40 yrs	B	Retained

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
275959.2 721795.2	2051	Sycamore <i>Acer pseudoplatanus</i>	Mature	23	9	410			6	4	7	6	Good	20 to 40 yrs	B	Retained	
275953.2 721799.8	2052	Common Ash <i>Fraxinus excelsior</i>	Mature	23	7	560			7	5	5	4	Fair	20 to 40 yrs	B	Retained	
275946.5 721800.9	2053	Common Ash <i>Fraxinus excelsior</i>	Mature	21	5	575			7	4	5	6	Fair	20 to 40 yrs	B	Retained	
275937.8 721789.6	2054	Common Holly <i>Ilex aquifolium</i>	Mature	6	2	200	300		4	4	2	3	Fair	10 to 20 yrs	C	Retained	
275930.1 721807.9	G2055	Common Alder <i>Alnus glutinosa</i> <i>Group of semi mature alders</i>	Mature	12	1	250	250	270	3	6	3	6	Fair	10 to 20 yrs	C	Retained	
275909.8 721819.1	G2056	Common Alder <i>Alnus glutinosa</i> <i>Group of alders and single ash riverside</i>	Semi-mature	15	2	250	250	250	4	6	4	6	Fair	10 to 20 yrs	C	Retained	
275880.1 721804.2	2057	Common Oak <i>Quercus robur</i>	Semi-mature	16	3	175	175		6	4	4	4	Good	20 to 40 yrs	B	Retained	

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275895.6 721833.2	G2058	Common Ash <i>Fraxinus excelsior</i> <i>Group of young ash with a goat Willow with die back</i>	Young	10	1	140	130	140	3	4	4	4	Poor	10 to 20 yrs	C	Retained	
275889.8 721838	G2059	Common Ash <i>Fraxinus excelsior</i> <i>Group of semi mature alders with rowan and ash</i>	Semi-mature	15	2	175	175	175	5	5	6	6	Fair	10 to 20 yrs	C	Retained	
275887.4 721839.6	2060	Common Ash <i>Fraxinus excelsior</i> <i>Ash dieback</i>	Semi-mature	15	4	200			4	1	3	4	Poor	10 to 20 yrs	C	Retained	
275885.9 721840.8	2061	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	3	220	200	165	4	5	5	5	Poor		C	Retained	
275861.7 721843.4	2062	Silver Birch <i>Betula pendula</i>	Semi-mature	19	7	275			4	4	4	2	Good	20 to 40 yrs	B	Retained	
275860.1 721842.7	2063	European Larch <i>Larix decidua</i>	Mature	25	8	600			5	5	6	2	Fair	20 to 40 yrs	B	Retained	
275858.7 721842.5	2064	European Larch <i>Larix decidua</i>	Mature	26	1	600			5	2	4	4	Good	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
275863.3 721838.3	2065	Silver Birch <i>Betula pendula</i>	Mature	15	5	275			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
275843.3 721841.3	2066	Common Oak <i>Quercus robur</i>	Mature	20	2	400	375		5	5	7	7	Fair	20 to 40 yrs	B	Retained	
275843.3 721841.3	2067	Silver Birch <i>Betula pendula</i>	Mature	17	3	310			4	4	5	4	Fair	10 to 20 yrs	C	Retained	
275838 721840.6	2068	Common Oak <i>Quercus robur</i>	Mature	20	5	300	300	350	5	4	5	5	Good	20 to 40 yrs	B	Retained	
275839.4 721849.4	2069	Common Oak <i>Quercus robur</i>	Mature	21	5	600			5	5	5	5	Good	20 to 40 yrs	B	Retained	
275835.2 721849	2070	Common Oak <i>Quercus robur</i>	Mature	20	4	400			5	6	5	4	Good	20 to 40 yrs	B	Retained	
275835.8 721843.9	2071	Common Oak <i>Quercus robur</i>	Semi-mature	12	4	275	260		4	4	3	3	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
275831.8 721835.2	2072	Common Oak <i>Quercus robur</i>	Mature	23	5	500			5	5	4	5	Good	20 to 40 yrs	B	Retained	
275828.9 721829.9	2073	Common Oak <i>Quercus robur</i>	Semi-mature	21	2	320			4	5	4	4	Good	20 to 40 yrs	B	Retained	
275828.7 721827.9	2074	Common Oak <i>Quercus robur</i>	Semi-mature	20	1	330			7	4	1	4	Fair	20 to 40 yrs	B	Retained	
275828.9 721826.1	2075	Common Oak <i>Quercus robur</i>	Semi-mature	20	2	340			5	4	5	4	Good	20 to 40 yrs	B	Retained	
275832.5 721827.4	2076	Common Oak <i>Quercus robur</i>	Mature	18	2	638	250		7	6	6	2	Good	20 to 40 yrs	B	Retained	
275831.4 721821.8	2077	Silver Birch <i>Betula pendula</i> <i>Piptoporous betulinus fungus</i>	Mature	25	7	330	325		3	3	3	3	Poor	<10 yrs	U	Retained	
275824.3 721826.5	2078	Common Oak <i>Quercus robur</i>	Semi-mature	19	4	250	275	260	4	4	5	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
275881.2 721793.3	2079	Silver Birch <i>Betula pendula</i>	Semi-mature	11	3	140	90		3	3	3	3	Fair	10 to 20 yrs	C	Retained	
275887.8 721794.3	2080	Common Oak <i>Quercus robur</i>	Semi-mature	6	1	165			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
275892.4 721788.2	2081	Common Oak <i>Quercus robur</i>	Semi-mature	13	2	175	140	140	4	5	5	5	Good	20 to 40 yrs	B	Retained	
275896.2 721785.9	2082	Common Oak <i>Quercus robur</i>	Semi-mature	13	1	265			4	4	4	4	Good	20 to 40 yrs	B	Retained	
275867.9 721799.8	2083	Silver Birch <i>Betula pendula</i>	Semi-mature	13	1	150			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
275873.3 721803.4	2084	Silver Birch <i>Betula pendula</i>	Semi-mature	12	3	150	165	90	4	4	4	4	Fair	10 to 20 yrs	C	Retained	
275869.1 721791.5	2085	Silver Birch <i>Betula pendula</i>	Semi-mature	19	5	220			3	3	3	3	Good	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
275874.3 721787.8	2086	Common Alder <i>Alnus glutinosa</i>	Semi-mature	17	5	160	170	165	4	4	4	4	Fair	10 to 20 yrs	C	Retained	
275884.8 721777	2087	Common Alder <i>Alnus glutinosa</i>	Mature	19	6	280	290	250	5	5	5	5	Fair	20 to 40 yrs	B	Retained	
275913.4 721770.6	2088	Mespil <i>Amelanchier lamarckii</i>	Semi mature	5	1	100	100	90	1	2	2	2	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
275938.2 721790.8	2104	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	3	670			8	8	6	8	Fair	20 to 40 yrs	B	Retained	
275939.7 721794.4	2105	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	5	250	240		9	7	3	5	Fair	20 to 40 yrs	B	Retained	
275936.1 721781.5	2106	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	18	5	320			7	6	7	7	Fair	10 to 20 yrs	C	Retained	
275927.4 721785.1	H2107	Common Beech <i>Fagus sylvatica</i> <i>Garden hedge</i>	Semi-mature	3	0	110			1	5	1	8	Fair	20 to 40 yrs	B	Retained	
275912.3 721770.7	H2109	Common Beech <i>Garden hedge</i>	Semi-mature	2		100			0	6	6	0	Fair	20 to 40 yrs	B	Retained	
275924.5 721808.1	2108	Silver Birch <i>Betula pendula</i>	Mature	19	2	290	270		8	8	7	7	Fair	20 to 40 yrs	B	Retained	
275921.7 721816.8	2110	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	2	270	210	190	5	6	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
275925.9 721817	G2111	Common Alder <i>Alnus glutinosa</i>	Semi-mature	12	1	150	150	150	7	6	4	4	Fair	20 to 40 yrs	B	Retained	
275923.4 721819.6	2112	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	14	2	140	140	80	5	4	4	4	Fair	10 to 20 yrs	C	Retained	
275919.8 721822.4	2113	Common Alder <i>Alnus glutinosa</i>	Semi-mature	12	2	140	100	90	7	3	1	3	Fair	20 to 40 yrs	B	Retained	
275886.7 721817.6	2114	Silver Birch <i>Betula pendula</i>	Semi-mature	15	2	240			5	4	4	5	Fair	20 to 40 yrs	B	Retained	
275875.2 721813.3	2115	Wild Cherry <i>Prunus avium</i>	Semi-mature	7	1	130	70		4	4	3	3	Fair	20 to 40 yrs	B	Retained	
275867.2 721816.9	2116	Common Oak <i>Quercus robur</i>	Semi-mature	12	2	410			8	8	6	7	Fair	20 to 40 yrs	B	Retained	
275878 721822.6	2117	Silver Birch <i>Betula pendula</i>	Semi-mature	16	2	250			4	5	4	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
275877.6 721828.8	2118	Silver Birch <i>Betula pendula</i>	Mature	15	2	310			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
275884.4 721840.7	2119	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	17	2	260	230		8	6	5	7	Poor	<10 yrs	U	Retained	
275875.4 721846.5	2120	Common Ash <i>Fraxinus excelsior</i> <i>Erosion within rooting area</i>	Semi-mature	17	1	290	170		8	7	6	3	Poor	<10 yrs	U	Retained	
275871.8 721849	2121	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	17	4	260	260		8	5	8	8	Fair	10 to 20 yrs	C	Retained	
275867.9 721852.2	2122	Common Alder <i>Alnus glutinosa</i>	Semi-mature	12	2	150	140		6	4	6	1	Fair	20 to 40 yrs	B	Retained	
275863.9 721852.2	G2123	Common Alder <i>Alnus glutinosa</i>	Semi-mature	6	2	120			7	6	3	3	Fair	10 to 20 yrs	C	Retained	
275863.9 721850.8	2124	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	18	4	260			8	6	7	6	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
275861.1 721852.7	2125	Silver Birch <i>Betula pendula</i>	Semi-mature	15	2	170	160	80	7	5	2	1	Fair	20 to 40 yrs	B	Retained	
275856.6 721852.2	2126	Silver Birch <i>Betula pendula</i>	Semi-mature	7	1	170	75		4	4	4	2	Fair	10 to 20 yrs	C	Retained	
275855 721852.5	2127	Silver Birch <i>Betula pendula</i>	Semi-mature	12	2	210			5	4	4	5	Fair	20 to 40 yrs	B	Retained	
275849.4 721852.4	2128	Common Oak <i>Quercus robur</i>	Semi-mature	11	2	250			8	6	4	5	Fair	20 to 40 yrs	B	Retained	
275844.5 721853	2129	Silver Birch <i>Betula pendula</i>	Semi-mature	16	2	240			8	5	3	5	Good	20 to 40 yrs	B	Retained	
275829 721844.1	2130	Common Oak <i>Quercus robur</i>	Mature	24	5	710			12	12	12	12	Good	20 to 40 yrs	B	Retained	
275820.8 721841.6	2131	Common Alder <i>Alnus glutinosa</i>	Semi-mature	13	5	180			6	1	4	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
275812.8 721839.8	2132	Common Alder <i>Alnus glutinosa</i>	Mature	15	>5	300	260		8	7	1	5	Poor	10 to 20 yrs	C	Retained	<i>Erosion within rooting area</i>
275816.1 721837.6	2133	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15	>5	240			6	4	3	5	Fair	20 to 40 yrs	B	Retained	
275817 721837.8	2134	Common Ash <i>Fraxinus excelsior</i>	Young	12	5	120			4	2	1	2	Poor	10 to 20 yrs	C	Retained	<i>Ash die back</i>
275818.4 721835.8	2135	Common Alder <i>Alnus glutinosa</i>	Semi-mature	14	1	210			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
275821.3 721834.5	2136	Common Alder <i>Alnus glutinosa</i>	Mature	15	>5	290			5	4	4	4	Fair	20 to 40 yrs	B	Retained	
275821.5 721836.3	2137	Silver Birch <i>Betula pendula</i>	Mature	16	5	310			7	2	0	7	Fair	20 to 40 yrs	B	Retained	
275821.9 721832.4	2138	Common Ash <i>Fraxinus excelsior</i>	Mature	23	5	470	350	340	9	9	8	8	Fair	10 to 20 yrs	C	Retained	<i>Ash die back</i>

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
275870.1 721797	1239	Silver Birch <i>Betula pendula</i>	Semi-mature	10	4	180			4	4	2	4	Fair	10 to 20 yrs	C	Retained	
275870.5 721801.3	G2140	Silver Birch <i>Betula pendula</i>	Semi-mature	9	1	130	130		5	6	4	5	Fair	10 to 20 yrs	C	Retained	
275877.3 721798.4	G2141	Silver Birch <i>Betula pendula</i>	Semi-mature	11	3	140			7	6	6	6	Fair	10 to 20 yrs	C	Retained	
275878.7 721793.7	2142	Common Beech <i>Fagus sylvatica</i>	Semi-mature	17	0	310			5	5	6	6	Good	20 to 40 yrs	B	Retained	
275871.2 721785.8	2143	Silver Birch <i>Betula pendula</i>	Mature	17	6	270			8	4	3	5	Good	20 to 40 yrs	B	Retained	
275872.6 721783.3	2144	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15	3	140			2	4	3	1	Fair	10 to 20 yrs	C	Retained	
275874.1 721781.5	2145	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15	2	130	120	90	3	3	3	3	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
275877.7 721781.8	2146	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15	6	190			3	3	3	3	Poor	10 to 20 yrs	C	Retained	
275879.8 721783.6	2147	Silver Birch <i>Betula pendula</i>	Semi-mature	13	3	120			1	3	5	2	Fair	10 to 20 yrs	C	Retained	
275899.8 721770	2148	Common Beech <i>Fagus sylvatica</i>	Semi-mature	16	3	180	130	150	6	5	6	6	Fair	20 to 40 yrs	B	Retained	
275899.8 721772.5	2149	Silver Birch <i>Betula pendula</i>	Mature	23	>5	350			5	5	5	5	Good	20 to 40 yrs	B	Retained	
275902.7 721772.5	2150	Silver Birch <i>Betula pendula</i> <i>Topped</i>	Semi-mature	7	2	260			3	3	3	3		10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275934.7 721860.2	W3001	Large group plantatio <i>A Woodland</i> <i>Mixed conifer plantation. Pine, Larch, Spruce. Stem diameters vary <70 - >600mm</i>	Semi-mature	20	3	350			30	30	15	30	20 to 40 yrs	Fair	B	Retained	
275889.5 721858.4	3002	Pine <i>Pinus sylvestris</i>	Semi-mature	20	4	650			7	7	8	4	20 to 40 yrs	Fair	B	Retained	
275883.1 721860.4	3003	Pine <i>Pinus sylvestris</i>	Mature	20	2	630			6	5	7	6	20 to 40 yrs	Fair	B	Retained	
275877.5 721858.8	3004	Birch <i>Betula pendula</i>	Semi-mature	13	5	300			4	4	7	4	20 to 40 yrs	Fair	B	Retained	
275878.7 721855.2	3005	Birch <i>Betula pendula</i> <i>Ivy clad bole</i>	Semi-mature	13	>5	230			0	2	6	4	20 to 40 yrs	Fair	B	Retained	
275873.1 721854.4	3006	Alder <i>Alnus glutinosa</i>	Semi-mature	5	2	180	70		0	3	6	2	10 to 20 yrs	Fair	C	Retained	
275867.9 721855.2	3007	Oak <i>Quercus robur</i>	Semi-mature	14	1	240	180	70	0	7	8	6	20 to 40 yrs	Fair	B	Retained	
275868.3 721863.2	3008	Silver Birch <i>Betula pendula</i>	Mature	17	>5	280			4	4	5	4	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275863.9 721856	G3009	Common Alder <i>Alnus glutinosa</i> <i>Riverside group 2 trees</i>	Semi-mature	12	1	210			1	3	8	3	20 to 40 yrs	Fair	B	Retained	
275858.7 721856.8	3010	Birch <i>Betula pendula</i>	Mature	13	5	280	210		0	3	8	3	20 to 40 yrs	Fair	B	Retained	
275854.7 721856.8	G3011	Alder <i>Alnus glutinosa</i> <i>Birch & Alder, stems adjacent</i>	Semi-mature	9	3	180			0	1	7	4	20 to 40 yrs	Fair	B	Retained	
275872.3 721873.2	3013	Spruce <i>Picea abies</i>	Semi-mature	19	2	420			4	4	4	4	20 to 40 yrs	Fair	B	Retained	
275874.7 721867.6	3012	Oak <i>Quercus robur</i>	Semi-mature	14	1	380			0	6	8	3	20 to 40 yrs	Fair	B	Retained	
275877.5 721868.8	3014	Birch <i>Betula pendula</i>	Mature	17	>5	300			3	5	7	5	20 to 40 yrs	Fair	B	Retained	
275883.5 721868.4	3015	Birch <i>Betula pendula</i> <i>Decay / defect in bole</i>	Mature	14	>5	310			0	1	7	4	10 to 20 yrs	Poor	C	Retained	
275887.9 721866	3016	Oak <i>Quercus robur</i>	Semi-mature	15	5	310			4	3	6	3	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275899.2 721862.5	3017	Oak <i>Quercus robur</i>	Semi-mature	13	>5	140	110	70	0	4	8	4	20 to 40 yrs	Fair	B	Retained	
275877.5 721865	G3018	Alder <i>Alnus glutinosa</i> <i>Riverside group 2 trees</i>	Semi-mature	12	3	100			1	3	6	3	20 to 40 yrs	Fair	B	Retained	
275873.3 721869	3019	Oak <i>Quercus robur</i>	Mature	16	>5	310			4	4	6	4	20 to 40 yrs	Fair	B	Retained	
275876.9 721873.4	3020	Spruce <i>Picea abies</i>	Semi-mature	19	3	250			2	2	3	3	20 to 40 yrs	Fair	B	Retained	
275881.7 721875.6	3021	Spruce <i>Picea abies</i>	Semi-mature	20	1	450			3	4	3	4	20 to 40 yrs	Fair	B	Retained	
275888.1 721870.2	G3022	A Group <i>Birch, Oak, Goat Willow</i>	Semi-mature	13	2	150			6	6	6	6	10 to 20 yrs	Fair	C	Retained	
275880.7 721869.2	G3023	A Group <i>Birch, Alder, Goat Willow</i>	Semi-mature	12	4	140			5	5	5	5	10 to 20 yrs	Fair	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275873.9 721870.8	G3024	Spruce <i>Picea abies</i> <i>Spruce & Birch</i>	Young	9	4	120			4	4	4	4	10 to 20 yrs	Fair	C	Retained	
275863.3 721877	3025	Spruce <i>Picea abies</i>	Semi-mature	19	3	370			5	4	3	4	20 to 40 yrs	Fair	B	Retained	
275859.7 721877.6	3026	Spruce <i>Picea abies</i>	Semi-mature	20	3	450			5	5	5	5	20 to 40 yrs	Fair	B	Retained	
275856.1 721871.6	3027	Spruce <i>Picea abies</i>	Semi-mature	20	1	370			4	4	6	4	20 to 40 yrs	Fair	B	Retained	
275857.3 721868.3	3028	Oak <i>Quercus robur</i>	Semi-mature	13	5	350			5	5	8	5	20 to 40 yrs	Fair	B	Retained	
275860.1 721868.7	3029	Oak <i>Quercus robur</i>	Semi-mature	5	2	140			0	3	9	3	10 to 20 yrs	Fair	C	Retained	
275861.7 721866.3	G3030	Alder <i>Alnus glutinosa</i> <i>Riverside group Birch & Alder</i>	Semi-mature	10	2	130	130		1	5	6	5	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275864.3 721870.2	3031	Oak <i>Quercus robur</i>	Semi-mature	14	>5	310			0	4	8	4	20 to 40 yrs	Fair	B	Retained	
275865.3 721869.8	3032	Birch <i>Betula pendula</i>	Mature	18	>5	270			1	4	6	4	20 to 40 yrs	Fair	B	Retained	
275864.3 721873.4	G3033	Spruce <i>Picea abies</i> 6 trees	Semi-mature	13	2	230			5	5	5	5	20 to 40 yrs	Fair	B	Retained	
275852.5 721873	3034	Spruce <i>Picea abies</i>	Semi-mature	19	2	360			4	4	4	4	20 to 40 yrs	Fair	B	Retained	
275849.9 721875.8	3035	Spruce <i>Picea abies</i>	Semi-mature	20	1	380			4	3	3	3	20 to 40 yrs	Fair	B	Retained	
275845.2 721876.5	3037	Spruce <i>Picea abies</i>	Semi-mature	20		440			4	3	3	3	20 to 40 yrs	Fair	B	Retained	
275847 721876.5	3036	Spruce <i>Picea abies</i>	Semi-mature			330			4	3	3	3	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275848.4 721872.5	3038	Oak <i>Quercus robur</i> <i>Suppressed crown</i>	Semi-mature	14	2	330			3	4	7	4	10 to 20 yrs	Poor	C	Retained	
275848 721867.4	3039	Oak <i>Quercus robur</i>	Semi-mature	13	5	310			0	5	7	3	20 to 40 yrs	Fair	B	Retained	
275853.4 721869.2	3040	Oak <i>Quercus robur</i>	Semi-mature	11	3	230			0	4	7	2	20 to 40 yrs	Fair	B	Retained	
275851.4 721870	3041	Birch <i>Betula pendula</i>	Mature	16		200			3	4	6	4	20 to 40 yrs	Fair	B	Retained	
275855.2 721868.4	3042	Oak <i>Quercus robur</i>	Semi-mature	10	1	260	160		0	7	8	3	20 to 40 yrs	Fair	B	Retained	
275851.7 721866.4	G3043	Oak <i>Quercus robur</i> <i>Riverside group. Oak, Alder, Birch</i>	Semi-mature	7	0	150			3	8	8	9	10 to 20 yrs	Fair	C	Retained	
275849.5 721872.1	G3044	Spruce <i>Picea abies</i> <i>4 trees</i>	Semi-mature	19	0	230			5	5	5	5	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275837 721876.1	3045	Spruce <i>Picea abies</i>	Semi-mature	20	>5	340			4	4	4	4	20 to 40 yrs	Fair	B	Retained	
275828.6 721875.3	3046	Spruce <i>Picea abies</i>	Semi-mature	20		440			5	4	4	5	20 to 40 yrs	Fair	B	Retained	
275823.8 721872.9	3047	Spruce <i>Picea abies</i>	Semi-mature	20	3	360			5	4	4	5	20 to 40 yrs	Fair	B	Retained	
275818.2 721870.9	3048	Birch <i>Betula pendula</i>	Semi-mature	15	>5	160			4	3	4	2	20 to 40 yrs	Fair	B	Retained	
275813.8 721870.5	3049	Spruce <i>Picea abies</i>	Semi-mature	20	1	330			5	4	5	1	20 to 40 yrs	Fair	B	Retained	
275809.4 721872.1	3050	Pine <i>Pinus sylvestris</i> <i>Root plate failing</i>	Semi-mature	20	>5	390			6	7	1	1	<10 yrs	Poor	U	Retained	
275805 721874.9	3051	Spruce <i>Picea abies</i>	Mature	20	1	390			5	4	5	2	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275805 721874.9	3052	Spruce <i>Picea abies</i>	Semi-mature	20	4	430			4	2	5	4	20 to 40 yrs	Fair	B	Retained	
275803.6 721866.3	G3053	Oak <i>Quercus robur</i> <i>Riverside group. 3 trees</i>	Semi-mature	18	5	340	140		4	6	8	5	20 to 40 yrs	Fair	B	Retained	
275807.7 721862.8	3054	Birch <i>Betula pendula</i>	Mature	19	2	420	190		2	5	10	5	20 to 40 yrs	Fair	C	Retained	
275812.3 721862.1	3055	Birch <i>Betula pendula</i>	Mature	18	5	380			0	4	9	4	20 to 40 yrs	Fair	B	Retained	
275812.3 721862.1	3056	Birch <i>Betula pendula</i>	Mature	18	3	290			1	6	9	2	20 to 40 yrs	Fair	B	Retained	
275812.9 721866.1	3057	Spruce <i>Picea abies</i>	Semi-mature	20	1	410			2	4	4	1	20 to 40 yrs	Fair	B	Retained	
275813.1 721868.9	3058	Spruce <i>Picea abies</i>	Semi-mature	20	2	390			2	4	2	3	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275820.3 721867.9	3059	Spruce <i>Picea abies</i>	Semi-mature	20	2	460			3	4	5	4	20 to 40 yrs	Fair	B	Retained	
275825.3 721868.4	3060	Oak <i>Quercus robur</i>	Semi-mature	16	3	320			4	5	9	5	20 to 40 yrs	Fair	B	Retained	
275821.4 721864.4	G3061	Alder <i>Alnus glutinosa</i> 3 trees	Semi-mature	9	2	160			1	4	8	2	10 to 20 yrs	Fair	C	Retained	
275823.9 721864.3	G3062	Oak <i>Quercus robur</i> Riverside group. Oak & Birch	Semi-mature	11	1	230			1	8	8	6	20 to 40 yrs	Fair	B	Retained	
275834.1 721869.2	3063	Birch <i>Betula pendula</i>	Dead	13	4	280			1	3	5	3	n/a	Dead	U	Retained	
275835.9 721868.5	3064	Birch <i>Betula pendula</i>	Mature	16	3	250			4	4	7	2	20 to 40 yrs	Fair	B	Retained	
275841.3 721867.5	3065	Oak <i>Quercus robur</i>	Semi-mature	13	3	190	150	140	4	4	8	4	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275839.9 721868.5	3066	Spruce <i>Picea abies</i>	Semi-mature	20	1	460			3	3	5	3	20 to 40 yrs	Fair	B	Retained	
275840.3 721871.1	3067	Larch <i>Larix decidua</i>	Semi-mature	19	>5	330			2	4	3	1	20 to 40 yrs	Fair	B	Retained	
275831.7 721870.5	3068	Larch <i>Larix decidua</i>	Mature	19	>5	400			2	3	5	2	20 to 40 yrs	Fair	B	Retained	
275829.5 721873.3	3069	Spruce <i>Picea abies</i>	Semi-mature	20	4	410			3	4	4	3	20 to 40 yrs	Fair	B	Retained	
275827.9 721871.7	W3070	Spruce <i>Picea abies</i> <i>Semi mature stand of Spruce with occasional Larch & Birch</i>	Semi-mature	18	3	260			5	16	5	16	20 to 40 yrs	Fair	B	Retained	
275792.7 721879.8	3073	Birch <i>Betula pendula</i>	Mature	18	3	330			1	4	6	4	20 to 40 yrs	Fair	B	Retained	
275789.9 721871.2	G3074	Alder <i>Alnus glutinosa</i> <i>2 trees</i>	Semi-mature	9		180	150		1	4	6	4	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275787.7 721880.9	3075	Spruce <i>Picea abies</i> <i>Tree on woodland edge. Crown suppressed</i>	Semi-mature	11	1	290			4	3	4	3	10 to 20 yrs	Fair	C	Retained	
275785.3 721882.5	G3076	Oak <i>Quercus robur</i> <i>2 trees, adjacent stems</i>	Semi-mature	15	3	200			3	3	7	3	20 to 40 yrs	Fair	B	Retained	
275780.1 721881.7	3077	Oak <i>Quercus robur</i>	Semi-mature	18	3	340			2	7	9	4	20 to 40 yrs	Fair	B	Retained	
275778.5 721884.5	3078	Oak <i>Quercus robur</i>	Semi-mature	9	5	210			4	1	1	4	20 to 40 yrs	Fair	B	Retained	
275775.7 721880.9	3079	Birch <i>Betula pendula</i>	Semi-mature	17	3	220			2	3	5	3	20 to 40 yrs	Fair	B	Retained	
275777.3 721878.5	3080	Alder <i>Alnus glutinosa</i>	Mature	16	2	300	250		0	5	8	2	20 to 40 yrs	Fair	B	Retained	
275773.8 721882.7	G3081	Birch <i>Betula pendula</i> <i>2 adjacent stems</i>	Semi-mature	15	5	220			4	5	7	2	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275772.5 721890.1	3082	Spruce <i>Picea abies</i>	Semi-mature	20	5	510			5	4	5	4	20 to 40 yrs	Fair	B	Retained	
275766.9 721886.1	3083	Spruce <i>Picea abies</i>	Semi-mature	7	0	270			1	4	9	4	20 to 40 yrs	Fair	B	Retained	
275766.1 721889.2	3084	Birch <i>Betula pendula</i>	Mature	21	5	470	200		5	7	9	5	20 to 40 yrs	Fair	B	Retained	
275765.3 721888	3085	Alder <i>Alnus glutinosa</i>	Semi-mature	10	2	190	160		0	4	5	1	20 to 40 yrs	Fair	B	Retained	
275760 721889.2	G3086	Birch <i>Betula pendula</i> 2 trees	Semi-mature	5	2	100			0	3	4	3	10 to 20 yrs	Fair	C	Retained	
275758.8 721894.8	3087	Oak <i>Quercus robur</i>	Semi-mature	13		130	150		1	3	8	4	20 to 40 yrs	Fair	B	Retained	
275756 721896.8	3088	Birch <i>Betula pendula</i>	Mature	16	5	310			3	2	7	5	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275751.6 721897.2	G3089	Oak <i>Quercus robur</i> 4 trees	Semi-mature	18	0	290			5	7	10	7	20 to 40 yrs	Fair	B	Retained	
275741.1 721914.7	3090	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	15	2	310			5	4	4	6	10 to 20 yrs	Poor	C	Retained	
275745.5 721905.9	3091	Sycamore <i>acer psuedoplatanus</i>	Semi-mature	8	2	180			2	1	3	5	10 to 20 yrs	Fair	C	Retained	
275749.5 721906.3	3092	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	20	1	430			3	4	5	5	20 to 40 yrs	Fair	B	Retained	
275746.1 721902.8	G3093	Alder <i>Alnus glutinosa</i>	Mature	14	3	170	170	160	5	8	8	8	20 to 40 yrs	Fair	B	Retained	
275748.5 721900	3094	Birch <i>Betula pendula</i>	Mature	17	2	180	150		3	3	7	3	20 to 40 yrs	Fair	B	Retained	
275751.7 721903	3095	Birch <i>Betula pendula</i> Target canker on stem	Mature	20		380	140		7	8	9	8	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275769.3 721895.7	3096	Larch <i>Larix decidua</i> <i>Tree on woodland edge</i>	Semi-mature	20		350			3	4	5	4	20 to 40 yrs	Fair	B	Retained	
275765.7 721896.9	3097	Larch <i>Larix decidua</i>	Semi-mature	20	5	280			4	4	4	4	20 to 40 yrs	Fair	B	Retained	
275771.1 721906.1	W3098	Larch <i>Larix decidua</i> <i>Stand of Larch with occasional Birch & Spruce, extending to North</i>	Semi-mature	20	5	230			10	10	10	10	20 to 40 yrs	Fair	B	Retained	
275788.9 721893	W3099	Spruce <i>Picea abies</i> <i>Stand of Spruce with occasional Pine & Larch, extending to north</i>	Semi-mature	20	5	270			10	20	7	20	20 to 40 yrs	Fair	B	Retained	
275750.1 721913.2	3101	Birch <i>Betula pendula</i>	Mature	17	4	240			5	3	3	5	20 to 40 yrs	Fair	B	Retained	
275754.1 721910.2	G3102	Birch <i>Betula pendula</i> <i>Birch & Alder. 5 trees</i>	Semi-mature	16	4	170			5	7	4	5	20 to 40 yrs	Fair	B	Retained	
275759.3 721916.2	3103	Birch <i>Betula pendula</i>	Mature	19	>5	330			5	5	5	5	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275754.3 721919.6	G3104	Birch <i>Betula pendula</i> 5 trees	Semi-mature	17	1	260			6	6	6	6	20 to 40 yrs	Fair	B	Retained	
275742.9 721913.8	3105	Alder <i>Alnus glutinosa</i>	Mature	14	4	270	240		8	5	4	8	20 to 40 yrs	Fair	B	Retained	
275741.9 721912.4	3106	Alder <i>Alnus glutinosa</i>	Semi-mature	7	1	160			1	3	5	5	10 to 20 yrs	Fair	C	Retained	
275743.3 721917.4	3107	Ash <i>Fraxinus excelsior</i>	Dead	6	3	75			2	2	2	2	n/a	Dead	U	Retained	
275736.7 721916.2	3108	Alder <i>Alnus glutinosa</i>	Semi-mature	5	0	190	140	50	5	3	4	6	20 to 40 yrs	Fair	B	Retained	
275739.5 721922	3109	Hazel <i>Corylus avellana</i> Coppice re grown	Semi-mature	7	0	140			1	4	5	5	20 to 40 yrs	Fair	B	Retained	
275740.7 721924.2	3110	Birch <i>Betula pendula</i> Tree on woodland edge	Mature	22	3	520			3	5	7	5	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275741.7 721925	3111	Norway Spruce <i>Picea abies</i> <i>Tree within woodland group</i>	Semi-mature	18	3				4	4	2	2	20 to 40 yrs	Fair	B	Retained	
275752.1 721926.2	3112	Norway Spruce <i>Picea abies</i> <i>Tree within woodland group</i>	Mature	22	1	710			5	5	5	5	20 to 40 yrs	Fair	B	Retained	
275749.1 721928.4	3113	Norway Spruce <i>Picea abies</i> <i>Tree within woodland group</i>	Mature	22	>5	700			5	5	4	4	20 to 40 yrs	Fair	B	Retained	
275732.9 721928.4	3114	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	15	3	200	170	180	5	6	8	8	20 to 40 yrs	Fair	B	Retained	
275736.5 721934.8	3115	Sitka Spruce <i>Picea sitchensis</i> <i>Tree within woodland group</i>	Mature	22	>5	890			6	5	5	6	20 to 40 yrs	Fair	B	Retained	
275731.3 721933.5	3116	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	17	3	420			4	1	5	6	20 to 40 yrs	Fair	B	Retained	
275724.5 721932.9	3117	Sitka Spruce <i>Picea sitchensis</i> <i>Suppressed crown</i>	Semi-mature	9	0	260			3	2	4	5	10 to 20 yrs	Fair	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275740.9 721927.2	G3118	Sitka Spruce <i>Picea sitchensis</i> <i>Spruce with occasional Birch. Part of plantation stand extending to north</i>	Semi-mature	18	2	220			7	13	7	13	20 to 40 yrs	Fair	B	Retained	
275720.1 721934.8	3119	Alder <i>Alnus glutinosa</i>	Young	5	2	60	60	60	2	3	3	3	10 to 20 yrs	Poor	C	Retained	
275714.9 721937.6	3120	Alder <i>Alnus glutinosa</i>	Semi-mature	14	2	230	130		5	4	4	6	20 to 40 yrs	Fair	B	Retained	
275722.5 721943.6	3121	Sitka Spruce <i>Picea sitchensis</i> <i>Tree within woodland group</i>	Semi-mature	21	1	470			3	4	4	4	20 to 40 yrs	Fair	B	Retained	
275723.7 721946.8	3122	Sitka Spruce <i>Picea sitchensis</i>	Mature	22	3	880			6	5	5	5	20 to 40 yrs	Fair	B	Retained	
275718.5 721948.8	3123	Spruce <i>Picea sitchensis</i>	Mature	22	3	780			4	3	3	4	20 to 40 yrs	Fair	B	Retained	
275718.1 721946	3124	Oak <i>Quercus robur</i>	Semi-mature	18	>5	320			0	4	8	4	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275713.7 721947.2	3125	Alder <i>Alnus glutinosa</i>	Semi-mature	14	>5	230			4	0	4	7	20 to 40 yrs	Fair	B	Retained	
275709.9 721955.5	3126	Birch <i>Betula pendula</i>	Mature	20	>5	370	360		7	1	5	13	20 to 40 yrs	Fair	B	Retained	
275713.1 721954.1	3127	Sitka Spruce <i>Picea sitchensis</i>	Mature	22	1	750			4	4	6	5	20 to 40 yrs	Fair	B	Retained	
275716.7 721952.9	3128	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	21	>5	410			5	2	5	2	20 to 40 yrs	Fair	B	Retained	
275720.9 721952.9	3129	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	21	5	580			1	4	7	4	20 to 40 yrs	Fair	B	Retained	
275723.9 721959.3	G3130	Birch <i>Betula pendula</i> <i>Birch, Fir & Spruce. Crowns suppressed under larger trees within woodland plantation extending to east</i>	Semi-mature	16		240			6	6	4	5	10 to 20 yrs	Fair	C	Retained	
275723.5 721953.9	3131	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	21	>5	430			6	3	3	2	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275705.7 721962.7	3132	Birch <i>Betula pendula</i>	Mature	15	5	430			6	6	6	6	20 to 40 yrs	Fair	B	Retained	
275706.3 721971.8	3133	Copper Beech <i>Fagus sylvatica 'Purpurea'</i> <i>Compression forks and included bark</i>	Semi-mature	10	3	320			6	6	6	6	20 to 40 yrs	Fair	B	Retained	
275717.5 721970.6	3134	Sitka Spruce <i>Picea sitchensis</i> <i>Tree on woodland edge</i>	Mature	22	3	730			7	4	6	6	20 to 40 yrs	Fair	B	Retained	
275719.1 721968.2	3135	Sitka Spruce <i>Picea sitchensis</i> <i>Tree on woodland edge</i>	Semi-mature	20	5	500			5	2	4	6	20 to 40 yrs	Fair	B	Retained	
275721.1 721964.2	3136	Birch <i>Betula pendula</i>	Mature	20		270			4	4	4	4	20 to 40 yrs	Fair	B	Retained	
275716.3 721963.8	3137	Birch <i>Betula pendula</i>	Mature	16	3	280	170		5	4	5	7	20 to 40 yrs	Fair	B	Retained	
275723.3 721972.5	3138	Silver Fir <i>Abies alba</i>	Semi-mature	22	2	350			7	4	3	4	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275720.1 721972.5	3139	Silver Fir <i>Abies alba</i>	Semi-mature	18	2	310			4	2	1	2	20 to 40 yrs	Fair	B	Retained	
275720.1 721968.9	3140	Spruce <i>Picea sitchensis</i>	Semi-mature	20	2	340			3	3	3	2	20 to 40 yrs	Fair	B	Retained	
275726.9 721968.1	3141	Spruce <i>Picea sitchensis</i>	Semi-mature	21	2	360			4	4	4	4	20 to 40 yrs	Fair	B	Retained	
275728.5 721968.9	3142	Larch <i>Larix decidua</i>	Semi-mature	22	>5	460			8	6	6	5	20 to 40 yrs	Fair	B	Retained	
275727.3 721971.7	3143	Birch <i>Betula pendula</i> <i>Suppressed crown</i>	Semi-mature	12	5	160			7	3	0	2	10 to 20 yrs	Fair	C	Retained	
275729.9 721968.1	3144	Birch <i>Betula pendula</i>	Semi-mature	13	>5	210			3	3	4	3	20 to 40 yrs	Fair	B	Retained	
275735.2 721968.4	3145	Larch <i>Larix decidua</i>	Semi-mature	22	>5	310			5	2	5	5	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275737.2 721968.4	3146	Birch <i>Betula pendula</i>	Semi-mature	13	>5	290			5	5	5	2	20 to 40 yrs	Fair	B	Retained	
275736.2 721980.8	3147	Silver Fir <i>Abies alba</i>	Mature	22	6	660			8	3	7	7	20 to 40 yrs	Fair	B	Retained	
275739.6 721981.4	3148	Silver Fir <i>Abies alba</i>	Mature	22	3	490			8	6	5	2	20 to 40 yrs	Fair	B	Retained	
275744.4 721986.8	3149	Oak <i>Quercus robur</i>	Semi-mature	12	0	260			6	5	4	5	20 to 40 yrs	Fair	B	Retained	
275754.4 721986.1	3150	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Mature	17	3	340			6	6	4	6	20 to 40 yrs	Fair	B	Retained	
275763.8 721981.2	3151	Larch <i>Larix decidua</i> <i>Tree on woodland edge</i>	Semi-mature	22	4	530			7	6	6	6	20 to 40 yrs	Fair	B	Retained	
275769.8 721986.8	3152	Fir <i>Abies alba</i> <i>Tree on woodland edge</i>	Semi-mature	22	2	580			6	5	6	8	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275752.2 721976.4	3153	Larch <i>Larix decidua</i> <i>Tree within woodland group</i>	Semi-mature	18	>5	350			7	7	2	2	20 to 40 yrs	Fair	B	Retained	
275755.4 721975.2	3154	Larch <i>Larix decidua</i> <i>Tree within woodland group</i>	Semi-mature	20	>5	360			7	6	4	4	20 to 40 yrs	Fair	B	Retained	
275758.2 721973.2	W3155	A Woodland <i>Mixed conifer plantation. Spruce, Fir & Larch with intermittent Birch extending up hillside to East</i>	Semi-mature	20	5	210			10	30	10	10	20 to 40 yrs	Fair	B	Retained	
275765 721992.8	3156	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Mature	18	>5	360			8	4	6	8	20 to 40 yrs	Fair	B	Retained	
275764.6 721996.8	3157	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Mature	13	0	310			6	4	5	7	20 to 40 yrs	Fair	B	Retained	
275759.4 722004.8	3158	Rowan <i>Sorbus aucuparia</i>	Mature	8	2	180	90	80	4	4	4	4	20 to 40 yrs	Fair	B	Retained	
275757.8 722000.4	3159	Goat Willow <i>Salix caprea</i>	Semi-mature	5	0	160			6	1	0	4	10 to 20 yrs	Fair	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275772.6 722014.4	W3160	A Woodland <i>Mixed conifer plantation. Spruce, Fir, Larch with intermittent Birch & Oak. Extending up hillside to East.</i>	Semi-mature	20	5	250			20	20	20	20	20 to 40 yrs	Fair	B	Retained	
275755 722011.9	G3161	Alder <i>Alnus glutinosa</i>	Young	5	1	80			2	8	2	8	10 to 20 yrs	Fair	C	Retained	
275757.6 722007.7	G3162	Birch <i>Betula pendula</i>	Semi-mature	12	2	150			4	4	4	6	20 to 40 yrs	Fair	B	Retained	
275759.2 722010.5	3163	Oak <i>Quercus robur</i>	Semi-mature	14	1	330			4	5	5	5	20 to 40 yrs	Fair	B	Retained	
275760 722019.3	3164	Oak <i>Quercus robur</i>	Semi-mature	16	1	550			8	8	8	8	20 to 40 yrs	Fair	B	Retained	
275752 722018.7	G3165	Leyland Cypress <i>Lelandii</i> 2 trees	Semi-mature	4	0	230			4	4	4	4	10 to 20 yrs	Fair	C	Retained	
275753 722020.9	3165	Birch <i>Betula pendula</i>	Semi-mature	10	2	130			2	2	2	2	10 to 20 yrs	Fair	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275755.1 722024.5	3166	Silver Fir <i>Abies alba</i>	Semi-mature	8	0	160			3	3	3	3	20 to 40 yrs	Fair	B	Retained	
275762.9 722028.9	3167	Birch <i>Betula pendula</i>	Mature	20	5	480			5	5	5	5	20 to 40 yrs	Fair	B	Retained	
275766.9 722029.7	3168	Sorbus <i>Sorbus aucuparia</i> <i>Tree within woodland group</i>	Mature	9	2	180	140		4	4	4	4	20 to 40 yrs	Fair	B	Retained	
275773.1 722034.3	3169	Oak <i>Quercus robur</i>	Semi-mature	15	2	320	270		3	4	8	7	20 to 40 yrs	Fair	B	Retained	
275776.1 722037.3	G3170	Oak <i>Quercus robur</i> <i>3 stems</i>	Semi-mature	12	3	190			4	3	4	6	20 to 40 yrs	Fair	B	Retained	
275771.3 722030.1	3171	Birch <i>Betula pendula</i>	Semi-mature	15		170			2	2	4	4	20 to 40 yrs	Fair	B	Retained	
275773.7 722030.9	3172	Birch <i>Betula pendula</i>	Semi-mature	17	>5	200			3	3	3	3	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275773.7 722027.7	3173	Birch <i>Betula pendula</i> <i>Tree within woodland group</i>	Mature	20	>5	310			3	4	5	5	20 to 40 yrs	Fair	B	Retained	
275768 722043.6	G3174	Birch <i>Betula pendula</i> <i>Linear group 6 trees</i>	Mature	18	5	240			8	4	8	4	20 to 40 yrs	Fair	B	Retained	
275755.1 722034.7	3175	Pine <i>Pinus sylvestris</i>	Mature	21	3	720			9	7	4	7	20 to 40 yrs	Fair	B	Retained	
275752.7 722032.5	3176	Pine <i>Pinus sylvestris</i>	Mature	21	1	580			4	6	4	6	20 to 40 yrs	Fair	B	Retained	
275748.9 722030	3177	Pine <i>Pinus sylvestris</i>	Semi-mature	21	4	360			4	5	4	5	20 to 40 yrs	Fair	B	Retained	
275745.5 722026.4	3178	Pine <i>Pinus sylvestris</i>	Mature	21	3	630	270		3	6	6	6	20 to 40 yrs	Fair	B	Retained	
275742.3 722023.8	3179	Japanese Maple <i>Acer palmatum</i>	Semi-mature	4	0	100			2	2	2	2	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275734.5 722021.8	3180	Common Laburnum <i>Laburnum anagyroides</i>	Semi-mature			80	80	80	3	3	3	3	20 to 40 yrs	Fair	B	Retained	
275724.7 722019.7	H3181	Beech <i>fagus sylvatica</i> ' <i>Garden hedge</i>	Semi-mature	2	0	80			1	7	1	7	10 to 20 yrs	Fair	C	Retained	
275726.3 722027.7	3182	Alder <i>Alnus glutinosa</i> <i>Stems topped out below power lines</i>	Mature	13	1	300	260	90	1	4	6	4	10 to 20 yrs	Fair	B	Retained	
275728.7 722029.7	3183	Alder <i>Alnus glutinosa</i> <i>Crown previously reduced</i>	Mature	8	1	270	180		4	4	2	3	20 to 40 yrs	Fair	B	Retained	
275735.9 722030.5	3184	Laburnum <i>Laburnum anagyroides</i>	Semi-mature	5	1	80	40	40	2	2	2	2	20 to 40 yrs	Fair	B	Retained	
275739.9 722031.7	3185	Cheal's Weeping Che <i>Prunus Cheals Weeping'</i>	Semi-mature	3	0	130			2	2	2	2	20 to 40 yrs	Fair	B	Retained	
275741.1 722040.9	G3186	Willow <i>salix caprea</i> <i>Stems gnawed by beavers</i>	Young	4	0	140			6	4	6	4	10 to 20 yrs	Poor	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275744.3 722047.7	G3187	Alder <i>Alnus glutinosa</i>	Semi-mature	9	1	160	80		6	4	6	6	10 to 20 yrs	Fair	C	Retained	
275746.6 722051.9	3188	Alder <i>Alnus glutinosa</i>	Mature	9	0	250	100		5	4	5	6	20 to 40 yrs	Fair	B	Retained	
275753.2 722047.3	3189	White Poplar <i>Populus alba</i>	Mature	16	3	360			4	5	5	6	<10 yrs	Poor	C	Retained	
275775.4 722054.4	3190	Goat Willow <i>Salix caprea</i>	Mature	12	3	290	200	190	6	3	7	7	20 to 40 yrs	Fair	B	Retained	
275759.4 722063	3191	Ash <i>Fraxinus excelsior</i>	Mature	19	5	310			4	6	4	6	20 to 40 yrs	Fair	B	Retained	
275758 722063.2	3192	Holly <i>Ilex aquifolium</i>	Mature	10	5	250			3	1	2	3	20 to 40 yrs	Fair	B	Retained	
275766.5 722058.9	G3193	Norway Spruce <i>Picea abies</i> 11 trees	Semi-mature	20	5	240			4	8	4	8	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275760.7 722060.9	3194	Spruce <i>Picea abies</i> <i>Tree within group</i>	Mature	24	1	660			4	6	7	6	20 to 40 yrs	Fair	B	Retained	
275762.9 722059.1	3195	Spruce <i>Picea abies</i> <i>Tree within group</i>	Semi-mature	22	2	580			5	3	5	3	20 to 40 yrs	Fair	B	Retained	
275766.7 722056.7	3196	Spruce <i>Picea abies</i> <i>Tree within group</i>	Semi-mature	22	1	580			2	4	6	4	20 to 40 yrs	Fair	B	Retained	
275771.3 722055.3	3197	Spruce <i>Picea abies</i> <i>Tree within group</i>	Semi-mature	20	1	660			3	3	6	6	20 to 40 yrs	Fair	B	Retained	
275772.5 722053.9	3198	Spruce <i>Picea abies</i> <i>Tree within group</i>	Semi-mature	20		630			5	7	7	2	20 to 40 yrs	Fair	B	Retained	
275757.7 722055.9	3199	Larch <i>Larix decidua</i>	Mature	19	2	620			7	7	7	7	20 to 40 yrs	Fair	B	Retained	
275756.7 722059.3	3200	Birch <i>Betula pendula</i>	Mature	20	>5	360			5	6	6	7	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275753.1 722056.1	3201	Birch <i>Betula pendula</i>	Mature	20	2	400			6	6	6	6	20 to 40 yrs	Fair	B	Retained	
275755.5 722062.5	3202	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	23	>5	540			8	8	8	8	20 to 40 yrs	Fair	B	Retained	
275752.9 722060.9	3203	Grey Alder <i>Alnus incana</i>	Mature	15	3	280			4	3	4	6	20 to 40 yrs	Fair	B	Retained	
275754.9 722058.7	G3204	Holly <i>Ilex aquifolium</i> <i>Understorey group. Holly, Hazel, Rowan</i>	Young	7	1	80	80		7	6	7	6	10 to 20 yrs	Fair	C	Retained	
275748 722066.3	3205	Common Alder <i>Alnus glutinosa</i>	Semi-mature	5	2	130			3	1	1	3	10 to 20 yrs	Fair	C	Retained	
275749.8 722065.2	3206	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	1	130	140	100	5	4	4	3	20 to 40 yrs	Fair	B	Retained	
275745.1 722059.7	G3207	Alder <i>Alnus glutinosa</i>	Mature	15	2	300			5	2	5	5	10 to 20 yrs	Poor	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275746.3 722059.1	3208	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	18	2	280	180	160	6	6	7	4	10 to 20 yrs	Poor	C	Retained	
275734.6 722046	3209	Ash <i>Fraxinus excelsior</i>	Semi-mature	5	2	200			3	0	1	5	<10 yrs	Poor	U	Retained	
275736 722047	3210	Alder <i>Alnus glutinosa</i>	Mature	16	5	320	260		8	7	4	7	20 to 40 yrs	Fair	B	Retained	
275734 722044.2	3211	Alder <i>Alnus glutinosa</i>	Mature	17	2	280	230	230	3	7	7	6	10 to 20 yrs	Poor	C	Retained	
275728 722038	3212	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	12	2	230	230	200	7	7	7	7	20 to 40 yrs	Fair	B	Retained	
275720.3 722026	3213	Alder <i>Alnus glutinosa</i>	Mature	10	2	170	170	100	4	4	4	4	<10 yrs	Poor	U	Retained	
275704.6 722008.4	3214	Alder <i>Alnus glutinosa</i>	Mature	13	2	260	240	160	8	7	6	6	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275701.6 722003.9	3215	Alder <i>Alnus glutinosa</i>	Mature	13	4	370			5	5	1	3	<10 yrs	Poor	U	Retained	
275700.2 722002.1	3216	Alder <i>Alnus glutinosa</i>	Mature	16	2	350	270		6	7	7	8	10 to 20 yrs	Poor	C	Retained	
275692 721985.7	3217	Alder <i>Alnus glutinosa</i>	Mature	16	2	340			5	6	6	7	20 to 40 yrs	Fair	B	Retained	
275692 721977.1	3218	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	17	2	330	280	260	7	7	7	7	<10 yrs	Poor	U	Retained	
275692 721963.1	3219	Alder <i>Alnus glutinosa</i>	Mature	15	2	250	250		4	4	4	5	<10 yrs	Poor	U	Retained	
275693.2 721959.1	3220	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	16	3	300	190	120	5	5	6	9	<10 yrs	Poor	U	Retained	
275696 721953.9	3221	Alder <i>Alnus glutinosa</i>	Mature	17	2	470	370		8	8	9	8	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275699.2 721950.7	3222	Alder <i>Alnus glutinosa</i>	Mature	16	>5	250	190		7	8	7	3	20 to 40 yrs	Fair	B	Retained	
275695.2 721949.5	3223	Alder <i>Alnus glutinosa</i>	Mature	17	3	240	240		2	1	6	8	20 to 40 yrs	Fair	B	Retained	
275698.8 721943.5	3224	Alder <i>Alnus glutinosa</i>	Dead	17	5	300	280		7	6	3	6	n/a	Dead	U	Retained	
275702.8 721937.9	G3225	Alder <i>Alnus glutinosa</i>	Mature	17	5	320			8	7	6	9	20 to 40 yrs	Fair	B	Retained	
275705.6 721935.5	3226	Alder <i>Alnus glutinosa</i>	Mature	17	3	350	330		6	7	7	7	<10 yrs	Poor	U	Retained	
275707.2 721935.9	3227	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	16	>5	270	170	180	5	7	7	5	<10 yrs	Poor	U	Retained	
275708 721933.1	3228	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	14	3	150	160		0	7	9	1	10 to 20 yrs	Poor	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275712.8 721931.7	3229	Alder <i>Alnus glutinosa</i>	Mature	17	4	310	290		6	7	6	6	20 to 40 yrs	Fair	B	Retained	
275717.2 721928.5	3230	Alder <i>Alnus glutinosa</i>	Dead	14	>5	200			6	0	0	5	n/a	Dead	U	Retained	
275718 721926.9	3231	Alder <i>Alnus glutinosa</i> <i>Woodpecker holes</i>	Mature	16	5	320			7	5	3	6	20 to 40 yrs	Fair	B	Retained	
275724.4 721920	G3232	Alder <i>Alnus glutinosa</i>	Mature	17	2	330	320	300	7	8	7	9	20 to 40 yrs	Fair	B	Retained	
275727.4 721917.6	3233	Alder <i>Alnus glutinosa</i>	Dead	13	2	350			0	2	5	2	n/a	Dead	U	Retained	
275730.2 721915.4	3234	Alder <i>Alnus glutinosa</i> <i>Woodpecker holes</i>	Mature	13	2	350	190		4	6	5	4	10 to 20 yrs	Poor	C	Retained	
275738.3 721905.1	3235	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	4	440	140		8	7	7	6	10 to 20 yrs	Poor	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275739.3 721903.7	3236	Alder <i>Alnus glutinosa</i>	Semi-mature	6	0	140	100		0	6	5	2	20 to 40 yrs	Fair	B	Retained	
275627 721991.3	3237	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with compression forks and included bark</i>	Mature	15	2	280	240	170	7	7	5	5	10 to 20 yrs	Fair	C	Retained	
275631 721979.3	3238	Elm <i>Ulmus glabra</i>	Semi-mature	17	1	330	240		8	8	5	3	20 to 40 yrs	Fair	B	Retained	
275638.2 721963.3	3239	Alder <i>Alnus glutinosa</i>	Mature	15	0	230	250	200	7	7	5	3	20 to 40 yrs	Fair	B	Retained	
275637.1 721964.4	3240	Alder <i>Alnus glutinosa</i>	Semi-mature	15	2	240	50		7	4	1	4	20 to 40 yrs	Fair	B	Retained	
275639.3 721961.8	3241	Birch <i>Betula pendula</i>	Mature	21	2	380			8	8	5	8	20 to 40 yrs	Fair	B	Retained	
275640.1 721960	3242	Birch <i>Betula pendula</i>	Mature	21	3	400			7	8	7	6	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275638.7 721957.8	3243	Birch <i>Betula pendula</i>	Mature	19	>5	240			4	4	6	6	20 to 40 yrs	Fair	B	Retained	
275645.3 721953.6	3244	Alder <i>Alnus glutinosa</i> <i>Tree on group edge</i>	Semi-mature	13	1	150	120		5	4	3	5	20 to 40 yrs	Fair	B	Retained	
275648.1 721954.6	3245	Alder <i>Alnus glutinosa</i> <i>Root plate failing</i>	Semi-mature	11	0	230	180	140	1	8	6	1	<10 yrs	Poor	U	Retained	
275645.5 721959	G3246	Birch <i>Betula pendula</i> <i>Fallen stems, root plate failure</i>	Semi-mature	3	0	230	240	120	4	14	5	0	<10 yrs	Poor	U	Retained	
275648.3 721951.8	3247	Alder <i>Alnus glutinosa</i>	Semi-mature	7	2	140	90		4	4	3	4	20 to 40 yrs	Fair	C	Retained	
275651.1 721951.8	3248	Birch <i>Betula pendula</i> <i>Multi stemmed tree with compression forks and included bark</i>	Semi-mature	17		190	130	150	4	6	6	4	10 to 20 yrs	Fair	C	Retained	
275652.3 721950.2	3249	Alder <i>Alnus glutinosa</i>	Mature	8	0	220			4	7	5	5	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/Retained	Comments
275652.3 721949	3250	Alder <i>Alnus glutinosa</i>	Semi-mature	10	1	140			3	4	3	3	20 to 40 yrs	Fair	B	Retained	
275655.7 721946.1	3251	Ash <i>Fraxinus excelsior</i>	Semi-mature	7	0	190			2	5	3	0	10 to 20 yrs	Poor	C	Retained	
275657.1 721947.3	3252	Birch <i>Betula pendula</i> <i>Lesser stem pinched by crossing stem of adjacent Ash</i>	Semi-mature	19	<5	280	160		5	6	5	7	10 to 20 yrs	Fair	C	Retained	
275659.5 721944.3	3253	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	7	0	200	150		3	5	3	1	<10 yrs	Poor	U	Retained	
275658.3 721943.3	3254	Alder <i>Alnus glutinosa</i>	Semi-mature	10	3	75	60	60	2	4	3	2	10 to 20 yrs	Fair	C	Retained	
275661.5 721937.3	3255	Birch <i>Betula pendula</i>	Mature	22	>5	380			7	8	7	8	20 to 40 yrs	Fair	B	Retained	
275660.1 721938.3	G3256	Birch <i>Betula pendula</i> <i>5 trees. Birch Alder</i>	Semi-mature	17	3	150			8	5	8	6	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275661.3 721941.3	3257	Alder <i>Alnus glutinosa</i>	Mature	14	4	230	190	140	5	7	5	1	20 to 40 yrs	Fair	B	Retained	
275663.3 721939.5	3258	Alder <i>Alnus glutinosa</i>	Mature	9	3	280			1	4	3	0	10 to 20 yrs	Poor	C	Retained	
275664.9 721935.5	3259	Alder <i>Alnus glutinosa</i>	Mature	14	0	140	170	140	3	8	3	4	20 to 40 yrs	Fair	B	Retained	
275667.5 721932.5	G3260	Birch <i>Betula pendula</i> 2 trees	Mature	22	5	360			9	7	8	7	20 to 40 yrs	Fair	B	Retained	
275669.7 721931.1	3261	Birch <i>Betula pendula</i> Twin co dominant stems with compression forks and included bark	Mature	22	>5	150	150		8	7	8	7	10 to 20 yrs	Fair	C	Retained	
275672.1 721926.9	G3262	Birch <i>Betula pendula</i> 2 trees Birch Alder	Mature	20	5	230	160		7	7	7	7	20 to 40 yrs	Fair	B	Retained	
275669.9 721936.5	3263	Alder <i>Alnus glutinosa</i> Bark exhudation	Semi-mature	7	2	200			3	6	5	0	10 to 20 yrs	Poor	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275671.3 721934.5	3264	Alder <i>Alnus glutinosa</i> <i>Stem leaning south</i>	Mature	14	1	350			2	6	7	2	10 to 20 yrs	Fair	C	Retained	
275672.9 721933.3	3265	Alder <i>Alnus glutinosa</i>	Mature	17	1	360	330	300	9	8	9	7	20 to 40 yrs	Fair	B	Retained	
275685 721920.4	3266	Alder <i>Alnus glutinosa</i>	Mature	16	3	270	120		7	7	6	5	20 to 40 yrs	Fair	B	Retained	
275689.8 721915.8	3267	Alder <i>Alnus glutinosa</i> <i>Stem leaning southeast</i>	Semi-mature	13	2	180			1	4	7	4	10 to 20 yrs	Fair	C	Retained	
275690.2 721915.4	3268	Alder <i>Alnus glutinosa</i> <i>Stems leaning southeast</i>	Semi-mature	5	1	140	160		1	4	8	2	10 to 20 yrs	Fair	C	Retained	
275692 721913.4	3269	Birch <i>Betula pendula</i> <i>Bark wound</i>	Semi-mature	17	1	260	130		6	4	4	4	10 to 20 yrs	Fair	C	Retained	
275700.1 721906.4	G3270	Alder <i>Alnus glutinosa</i> <i>2 adjacent trees</i>	Mature	17	2	370	370		9	9	9	8	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275696.3 721907	3271	Alder <i>Alnus glutinosa</i> <i>Stem leaning southeast</i>	Semi-mature	12	2	160			3	3	6	3	10 to 20 yrs	Fair	C	Retained	
275703.9 721899.4	3272	Alder <i>Alnus glutinosa</i> <i>Stem leaning southeast. Root plate failure foreseeable</i>	Mature	16	1	440			0	9	16	5	10 to 20 yrs	Fair	C	Retained	
275735.3 721902.7	3273	Ash <i>Fraxinus excelsior</i>	Semi-mature	7	3	140			3	0	3	3	<10 yrs	Poor	U	Retained	
275732.7 721902.7	3274	Alder <i>Alnus glutinosa</i>	Mature	13	1	260	130	80	4	5	7	5	10 to 20 yrs	Poor	C	Retained	
275726.1 721902.1	G3275	Alder <i>Alnus glutinosa</i> <i>Stems submerged. Somewhat sparse crowns</i>	Mature	14	1	340		190	4	6	9	6	10 to 20 yrs	Fair	C	Retained	
275717.1 721898.7	3276	Alder <i>Alnus glutinosa</i>	Young	4	0	100			2	2	2	2	10 to 20 yrs	Fair	C	Retained	
275701.8 721886	3277	Willow <i>Salix caprea</i> <i>Stem gnawed by beavers</i>	Semi-mature	9	1	180			4	5	4	3	10 to 20 yrs	Fair	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275692 721881.4	G3278	Alder <i>Alnus glutinosa</i>	Mature	16	2	350	290	200	4	5	6	5	<10 yrs	Poor	U	Retained	
275693.2 721883.8	3279	Alder <i>Alnus glutinosa</i>	Semi-mature	9	3	110	110	70	4	7	1	1	10 to 20 yrs	Fair	C	Retained	
275695.8 721882	3280	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	5	160	110		5	5	3	3	<10 yrs	Poor	U	Retained	
275693.8 721886.2	3281	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Young	9	3	100			3	3	1	3	<10 yrs	Poor	U	Retained	
275685.6 721894.6	3282	Alder <i>Alnus glutinosa</i>	Mature	18	2	420	410		9	8	9	9	20 to 40 yrs	Fair	B	Retained	
275688.6 721888.8	3283	Hawthorn <i>crataegus monogyna</i>	Mature	7	0	220	170		3	3	3	3	20 to 40 yrs	Fair	B	Retained	
275679.2 721881.8	3284	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Erosion within rooting area</i>	Mature			300	270	140	4	4	7	9	<10 yrs	Poor	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275676.8 721882.2	3285	Alder <i>Alnus glutinosa</i>	Mature	5	0	240	190		0	4	7	4	20 to 40 yrs	Fair	B	Retained	
275677.8 721883.6	3286	Alder <i>Alnus glutinosa</i> <i>Basal decay</i>	Mature	15	4	340	330	270	7	6	5	6	10 to 20 yrs	Poor	C	Retained	
275674.6 721884.4	3287	Alder <i>Alnus glutinosa</i>	Semi-mature	9	0	120			3	1	3	4	20 to 40 yrs	Fair	B	Retained	
275672.6 721885	3288	Alder <i>Alnus glutinosa</i> <i>Erosion within rooting area</i>	Mature	16	4	280			0	5	5	3	<10 yrs	Poor	U	Retained	
275670.6 721886.2	3289	Alder <i>Alnus glutinosa</i> <i>Somewhat sparse crown. Erosion within rooting area</i>	Mature	17	4	250	200	130	7	5	7	5	10 to 20 yrs	Poor	C	Retained	
275669.4 721887	3290	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	13	3	160	100	110	5	3	6	3	<10 yrs	Poor	U	Retained	
275664.8 721891.4	3291	Alder <i>Alnus glutinosa</i>	Mature	14	1	780			9	8	9	7	10 to 20 yrs	Poor	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275654.9 721895.8	3292	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	18	3	310	300	250	9	7	9	6	10 to 20 yrs	Poor	C	Retained	
275652.5 721897	3293	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	14	<5	320	280	230	9	5	9	5	<10 yrs	Poor	U	Retained	
275650.9 721900	3294	Alder <i>Alnus glutinosa</i>	Mature	13	2	180	140	130	5	4	7	3	20 to 40 yrs	Fair	B	Retained	
275648.3 721901.8	3295	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	17	5	320	280	260	9	7	9	8	<10 yrs	Poor	U	Retained	
275647.7 721902.8	3296	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	16	<5	290	270		9	0	6	9	10 to 20 yrs	Fair	C	Retained	
275645.5 721905.2	3297	Alder <i>Alnus glutinosa</i>	Semi-mature	6	1	200			6	3	4	4	20 to 40 yrs	Fair	B	Retained	
275644.3 721906.4	3298	Alder <i>Alnus glutinosa</i> <i>Somewhat sparse crown</i>	Mature	15	3	210	190	170	5	3	8	4	10 to 20 yrs	Poor	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275642.1 721909	3299	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	13	1	340	220		9	5	9	7	10 to 20 yrs	Poor	C	Retained	
275641.3 721909.8	3300	Alder <i>Alnus glutinosa</i>	Semi-mature	13	5	200			4	6	7	6	20 to 40 yrs	Fair	B	Retained	
275638.1 721913.6	3301	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	13	4	280	220	200	8	6	5	7	10 to 20 yrs	Fair	C	Retained	
275637.1 721918.1	3302	Alder <i>Alnus glutinosa</i>	Mature	14	1	320	280		2	6	9	6	20 to 40 yrs	Fair	B	Retained	
275625.3 721931.1	3303	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	16	2	320	200	190	9	8	5	6	<10 yrs	Poor	U	Retained	
275623.7 721930.9	3304	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Stem submerged</i>	Semi-mature	9	1	240			0	6	5	0	<10 yrs	Poor	U	Retained	
275622.3 721934.9	3305	Alder <i>Alnus glutinosa</i>	Mature	15	2	300	160	150	7	7	7	5	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275620.9 721936.9	3306	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	16	2	250	170	160	5	8	6	3	<10 yrs	Poor	U	Retained	
275617.7 721940.3	3307	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	18	>5	380			8	8	9	7	10 to 20 yrs	Poor	C	Retained	
275618.1 721939.1	3308	Alder <i>Alnus glutinosa</i>	Semi-mature	8	2	190	90	100	4	4	5	1	10 to 20 yrs	Poor	C	Retained	
275617.1 721941.9	3309	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	1	360	280		1	7	9	6	10 to 20 yrs	Poor	C	Retained	
275639.5 721941.7	3310	Alder <i>Alnus glutinosa</i>	Dead	15	>5	310			5	1	1	1	n/a	Dead	U	Retained	
275616.9 721944.5	3311	Alder <i>Alnus glutinosa</i>	Mature	10	2	260			9	5	2	5	20 to 40 yrs	Fair	B	Retained	
275613.3 721945.9	3312	Alder <i>Alnus glutinosa</i>	Mature	4	0	150	100		0	2	3	2	<10 yrs <i>Decay</i>	Poor	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275602.2 721958.3	3313	Alder <i>Alnus glutinosa</i> <i>Somewhat sparse crown. Rooting area eroded</i>	Semi-mature	9	2	180	160		4	6	6	2	10 to 20 yrs	Poor	C	Retained	
275600.6 721959.1	3314	Alder <i>Alnus glutinosa</i>	Mature	15	1	440			8	7	7	7	20 to 40 yrs	Fair	B	Retained	
275598.2 721961.1	3315	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>		14	2	220	160	180	8	6	3	6	<10 yrs	Poor	U	Retained	
275593 721965.9	3316	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	6	2	180	120		6	3	3	4	<10 yrs	Poor	U	Retained	
275588.2 721970.7	3317	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	8	2	280	180	170	7	6	5	7	<10 yrs	Poor	U	Retained	
275551 722008.8	3318	Alder <i>Alnus glutinosa</i> <i>Rooting area eroded</i>	Semi-mature	5	1	160	140		6	3	4	2	10 to 20 yrs	Fair	C	Retained	
275553.4 722004	3319	Alder <i>Alnus glutinosa</i> <i>Rooting area eroded</i>	Mature	15	2	290	170		7	8	6	2	10 to 20 yrs	Fair	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275557.4 721999.6	3320	Alder <i>Alnus glutinosa</i>	Dead	16	5	320	300		5	5	4	4	n/a	Dead	U	Retained	
275560.6 721995.6	3321	Alder <i>Alnus glutinosa</i> <i>Rooting area eroded</i>	Semi-mature	12	2	190	170		5	5	5	0	10 to 20 yrs	Poor	C	Retained	
275568.6 721988	G3322	Alder <i>Alnus glutinosa</i> <i>Fallen stems</i>	Mature	5	0	260			7	10	6	10	<10 yrs	Poor	U	Retained	
275589.8 722008.8	3223	Oak <i>Quercus robur</i>	Semi-mature	13	2	370			9	4	7	9	20 to 40 yrs	Fair	B	Retained	
275591.8 722006.4	3224	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	18	3	380	370	360	9	9	9	9	10 to 20 yrs	Fair	C	Retained	
275592.2 722001.6	3225	Oak <i>Quercus robur</i>	Mature	16	2	460	380		6	7	9	9	20 to 40 yrs	Fair	B	Retained	
275593 721998.8	3226	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	2	280			0	3	13	6	10 to 20 yrs	Fair	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275592.6 722006	3227	Crab Apple <i>Malus sylvestris</i>	Semi-mature	5		100			3	3	3	3	10 to 20 yrs	Fair	C	Retained	
275597.7 721995.9	3327	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	1	300			5	5	6	6	20 to 40 yrs	Fair	B	Retained	
275605.1 721988.1	3328	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14		270	170	170	6	6	6	6	20 to 40 yrs	Fair	B	Retained	
275612.3 721990	G3329	Alder <i>Alnus glutinosa</i>	Young	11	3	100			10	8	10	8	10 to 20 yrs	Fair	C	Retained	
275605.3 721985	3330	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	3	200	180		5	6	6	5	20 to 40 yrs	Fair	B	Retained	
275597.6 722013.1	G3331	Alder <i>Alnus glutinosa</i>	Young	9	2	120			8	5	8	5	10 to 20 yrs	Fair	C	Retained	
275602.4 722024.9	3332	Birch <i>Betula pendula</i> <i>Tree on group edge</i>	Mature	22	4	400			12	12	5	8	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275601.4 722023.7	3333	Birch <i>Betula pendula</i> <i>Tree on group edge</i>	Mature	17	2	320			9	3	3	11	20 to 40 yrs	Fair	B	Retained	
275605.6 722018.1	3334	Birch <i>Betula pendula</i> <i>Tree within group</i>	Mature	20	4	370			8	4	9	12	20 to 40 yrs	Fair	B	Retained	
275608.8 722012.1	3335	Birch <i>Betula pendula</i> <i>Tree on group edge</i>	Mature	14	2	250	200		4	7	7	7	20 to 40 yrs	Fair	B	Retained	
275605.4 722019.5	G3336	Birch <i>Betula pendula</i> <i>Group of approximately 10 Birch trees growing in a line along embankment edge</i>	Mature	20	3	350			12	9	12	9	20 to 40 yrs	Fair	B	Retained	
275617.3 721995.8	3337	Oak <i>Quercus robur</i> <i>Tree may be retained following removal of middle stem which has failed at compression fork</i>	Mature	19	0	450	440	300	10	15	9	14	20 to 40 yrs	Fair	B	Retained	
275621.7 721989.6	3338	Elm <i>Ulmus glabra</i> <i>Multi stemmed tree with one or more dead stems</i>	Semi-mature	12	2	260			6	6	5	5	<10 yrs	Poor	U	Retained	
275627.3 721979.9	3339	Sorbus <i>Sorbus aucuparia</i>	Mature	9	3	270			4	4	1	1	<10 yrs	Poor	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275628.9 721977.7	G3340	Elm <i>Ulmus glabra</i> <i>2 trees, stems adjacent</i>	Semi-mature	19	0	300	180		8	9	9	4	20 to 40 yrs	Fair	B	Retained	
275612.5 721983.6	3341	Alder <i>Alnus glutinosa</i>	Mature	17	3	480			7	9	9	9	20 to 40 yrs	Fair	B	Retained	
275607.8 721984.5	3342	Willow <i>Salix caprea</i> <i>Cracked stems layering</i>	Mature	5	0	310	200	260	9	9	9	9	10 to 20 yrs	Poor	C	Retained	
275622.8 721975.4	3343	Ash <i>Fraxinus excelsior</i> <i>Basal decay</i>	Mature	22	3	460	350	330	14	9	9	14	<10 yrs	Poor	U	Retained	
275624.6 721972.2	3344	Ash <i>Fraxinus excelsior</i> <i>Basal defect. Ash die back</i>	Mature	18	2	510			8	12	12	14	10 to 20 yrs	Fair	C	Retained	
275627.2 721972.2	3345	Alder <i>Alnus glutinosa</i>	Mature	15	1	410			5	5	5	5	20 to 40 yrs	Fair	B	Retained	
275638.5 721954.8	3346	Alder <i>Alnus glutinosa</i>	Semi-mature	7	2	200			6	5	3	2	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275635.9 721953.4	3347	Alder <i>Alnus glutinosa</i>	Mature	16	1	250	240	240	7	7	7	7	20 to 40 yrs	Fair	B	Retained	
275639.1 721948.8	G3348	Alder <i>Alnus glutinosa</i> <i>3 coppice stools. Multi stemmed tree with one or more dead stems</i>	Mature	16	2	240	230	200	8	9	8	8	10 to 20 yrs	Poor	C	Retained	
275646.7 721938.8	3349	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	17	4	250	250	230	8	8	8	8	<10 yrs	Poor	U	Retained	
275647.3 721937	3350	Alder <i>Alnus glutinosa</i>	Mature	17	1	330	300	250	7	8	8	9	20 to 40 yrs	Fair	B	Retained	
275654.2 721927.7	3351	Alder <i>Alnus glutinosa</i> <i>2 trees. Multi stemmed tree with one or more dead stems</i>	Mature	16	1	180	160		9	6	9	8	<10 yrs	Poor	U	Retained	
275657 721917.5	3352	Hawthorn <i>crataegus monogyna</i>	Mature	5	0	200	100		3	1	5	5	10 to 20 yrs	Fair	C	Retained	
275665 721917.5	3353	Alder <i>Alnus glutinosa</i>	Mature	17	1	330	330		6	7	8	8	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275693.1 721897.7	G3354	Alder <i>Alnus glutinosa</i> <i>Linear group growing along top of embankment, southwest edge. 6 trees</i>	Semi-mature	15	2	200			8	8	8	8	20 to 40 yrs	Fair	B	Retained	
275700.1 721899.9	3355	Alder <i>Alnus glutinosa</i> <i>Linear group growing along top of embankment, northeast edge. 6 trees</i>	Semi-mature	15	2	200			8	8	8	8	20 to 40 yrs	Fair	B	Retained	
275692.3 721908.7	3356	Birch <i>Betula pendula</i> <i>Fallen tree root plate failure</i>	Semi-mature	6	3	190			1	9	6	0	<10 yrs	Poor	U	Retained	
275688.7 721902.3	3357	Birch <i>Betula pendula</i>	Mature	20	>5	360			4	11	7	2	20 to 40 yrs	Fair	B	Retained	
275688.3 721901.5	3358	Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	180	170		3	2	6	6	20 to 40 yrs	Fair	B	Retained	
275686.1 721903.7	3359	Alder <i>Alnus glutinosa</i>	Semi-mature	14	4	150	140	130	5	4	5	5	20 to 40 yrs	Fair	B	Retained	
275683.9 721907.7	3360	Birch <i>Betula pendula</i>	Semi-mature	16		190			3	6	0	2	10 to 20 yrs	Fair	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275680.3 721910.9	3361	Birch <i>Betula pendula</i>	Dead	14	2	360			5	5	5	5	n/a	Dead	U	Retained	
275691.1 721905.5	3362	Birch <i>Betula pendula</i>	Semi-mature	17	>5	220			5	8	5	0	20 to 40 yrs	Fair	B	Retained	
275692.1 721906.3	3363	Alder <i>Alnus glutinosa</i>	Semi-mature	14	4	180	120		4	7	5	1	20 to 40 yrs	Fair	B	Retained	
275686.3 721912.1	3364	Birch <i>Betula pendula</i>	Mature	21	>5	270			7	7	7	7	20 to 40 yrs	Fair	B	Retained	
275682.9 721915.3	G3365	Alder <i>Alnus glutinosa</i> 5 trees	Mature	16					8	8	8	8	20 to 40 yrs	Fair	B	Retained	
275675.9 721911.5	3366	Alder <i>Alnus glutinosa</i> Multi stemmed tree with one or more dead stems	Mature	16	0	370			7	7	7	7	<10 yrs	Poor	U	Retained	
275679.5 721915.3	3367	Birch <i>Betula pendula</i> 3 trees	Semi-mature	19	>5	200			9	9	9	9	20 to 40 yrs	Fair	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/ Retained	Comments
275679.5 721917.3	3368	Alder <i>Alnus glutinosa</i>	Semi-mature	16		240	180	100	9	9	6	6	20 to 40 yrs	Fair	B	Retained	
275677.5 721919.3	3369	Birch <i>Betula pendula</i>	Mature	17	1	300			8	8	7	7	20 to 40 yrs	Fair	B	Retained	
275672.1 721919.5	3370	Alder <i>Alnus glutinosa</i>	Mature	17	2	340			8	8	8	8	20 to 40 yrs	Fair	B	Retained	
275660.1 721930.7	G3371	Alder <i>Alnus glutinosa</i> <i>Linear group growing along top of embankment southwest edge approximately 7 trees</i>	Semi-mature	15	0	250			15	6	15	9	20 to 40 yrs	Fair	B	Retained	
275676.5 721922.5	3372	Alder <i>Alnus glutinosa</i>	Semi-mature	13		170	170		6	7	4	4	20 to 40 yrs	Fair	B	Retained	
275660.9 721924.3	3373	Alder <i>Alnus glutinosa</i>	Mature	17	0	310			8	1	4	11	20 to 40 yrs	Fair	B	Retained	
275656.3 721936.1	3374	Birch <i>Betula pendula</i>	Semi-mature	14	>5	110			0	2	6	6	10 to 20 yrs	Fair	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Cond. Class	Category	Removed/Retained	Comments
275648.6 721942.5	3375	Alder <i>Alnus glutinosa</i>	Semi-mature	9	3	120			4	4	4	4	10 to 20 yrs	Fair	C	Retained	
275649.2 721940.7	3376	Alder <i>Alnus glutinosa</i>	Semi-mature	16	2	250			5	5	5	5	20 to 40 yrs	Fair	B	Retained	
275644 721949.3	3377	Alder <i>Alnus glutinosa</i>	Young	5	1	100	90		2	2	2	2	10 to 20 yrs	Fair	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277327.2 721440.8	3378	Common Lime <i>Tilia europaea</i> <i>Significant tree in landscape. Epicormic growth on base/stem</i>	Mature	23	2	710			8	7	8	6		20 to 40 yrs	A	Removed	Removed to accommodate embankment and working area
277320.1 721435.3	3379	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	20	9	670			9	6	7	6	Poor	10 to 20 yrs	C	Removed	Removed to accommodate embankment and working area
277319.4 721427.1	3380	Sycamore <i>Acer pseudoplatanus</i> <i>Significant tree in landscape. Ivy clad bole into lower crown</i>	Mature	22	5	980			10	10	10	7	Fair	20 to 40 yrs	A	Removed	Removed to accommodate embankment and working area
277314.3 721427.2	3381	Sycamore <i>Acer pseudoplatanus</i> <i>Significant tree in landscape. Ivy clad bole into lower crown</i>		25	5	640			9	9	8	9	Fair	20 to 40 yrs	A	Retain if possible	Less than 10% of root zone within the working area
277308 721418.1	3382	Lime <i>Tilia europaea</i> <i>Significant tree in landscape. Ivy clad bole into lower crown. Basal swelling with epicormic growth</i>	Mature	25	5	920			9	8	9	9	Fair	20 to 40 yrs	B	Retained	
277296 721416.6	3383	Sycamore <i>Acer pseudoplatanus</i> <i>Significant tree in landscape. Ivy clad bole into lower crown</i>	Mature	17		590			9	8	8	9	Fair	20 to 40 yrs	A	Retained	
277298.1 721408.3	3384	Red Oak <i>Quercus rubra</i> <i>Significant tree in landscape with some deadwood/die back in crown. Ivy clad bole into lower crown</i>	Mature	24	>5	770			9	10	10	9	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277280.4 721394.5	3385	Lime <i>Tilia europaea</i> <i>Ivy clad bole into lower crown</i>	Mature	22	2	880			7	7	7	7	Poor	10 to 20 yrs	C	Retained	
277270 721396.2	3386	Lime <i>Tilia europaea</i> <i>Significant tree in landscape</i>	Mature	25	2	940			9	8	6	7	Fair	20 to 40 yrs	A	Retained	
277268.6 721386.9	3387	Lime <i>Tilia europaea</i> <i>Significant tree in landscape. Significant specimen. Crown raised above driveway</i>	Mature	30	2	1100			8	9	9	9	Fair	20 to 40 yrs	A	Retained	
277260.2 721396.5	3388	Common Silver Fir <i>Abies alba</i> <i>Significant tree in landscape</i>	Mature	32	2	950			9	7	8	7	Fair	20 to 40 yrs	A	Retained	
277254.9 721396.4	3389	Common Silver Fir <i>Abies alba</i> <i>Significant tree in landscape</i>	Mature	34	4	890			9	6	7	6	Fair	20 to 40 yrs	A	Retained	
277250.5 721396.3	3390	Common Silver Fir <i>Abies alba</i> <i>Significant tree in landscape</i>	Mature	34	2	910			9	7	8	7	Fair	20 to 40 yrs	A	Retained	
277245.7 721396.2	3391	Common Silver Fir <i>Abies alba</i> <i>Significant tree in landscape</i>	Mature	34	9	690			8	7	8	7	Fair	20 to 40 yrs	A	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277246.9 721389.2	3392	Common Silver Fir <i>Abies alba</i> <i>Significant tree in landscape</i>	Mature	34	5	1120			7	8	9	8		20 to 40 yrs	A	Retained	
277238.1 721393.6	3393	Common Silver Fir <i>Abies alba</i> <i>Significant tree in landscape. Some deadwood</i>	Mature	34	5	1130			10	8	8	11	Fair	20 to 40 yrs	A	Retained	
277237.3 721387.6	3394	Lime <i>Tilia europaea</i>	Mature	18	1	490			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
277230.9 721388.8	3395	Common Silver Fir <i>Abies alba</i> <i>Significant specimin. Significant tree in landscape</i>	Mature	34	2	1150			9	9	9	9	Fair	20 to 40 yrs	A	Retained	
277220.7 721391.8	3396	Copper Beech <i>Fagus sylvatica 'Purpurea'</i> <i>Significant tree in landscape</i>	Mature	20		790			8	8	8	8	Fair	20 to 40 yrs	A	Retained	
277226.3 721385.4	3397	Beech <i>Fagus sylvatica</i> <i>Crown suppressed under adjacent Fir</i>	Mature	17	2	760			4	4	7	6	Fair	20 to 40 yrs	B	Retained	
277220.7 721391.8	3398	Holly <i>Ilex aquifolium</i>	Semi-mature	4		140	120		2	2	2	2	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277208.3 721387.4	G3399	Birch <i>Betula pendula</i> 2 trees	Young	6	2	120			2	4	2	4	Fair	10 to 20 yrs	C	Retained	
277189.3 721382	H3400	Beech <i>Fagus sylvatica</i> Garden hedge	Semi-mature	2	0	100			1	15	1	15	Fair	20 to 40 yrs	B	Retained	
277174.3 721361.7	G3401	Sycamore <i>Acer psuedoplatanus</i> 4 trees	Semi-mature	12	2	150	200		5	6	6	6	Fair	10 to 20 yrs	C	Retained	
277171.5 721367.3	G3402	Sycamore <i>Acer psuedoplatanus</i> 3 trees	Semi-mature	12	2	3400			6	5	5	5	Fair	20 to 40 yrs	B	Retained	
277167.9 721365.7	G3403	Sycamore <i>Acer psuedoplatanus</i> Approximately 5 trees	Semi-mature	12	2	230			6	6	5	5	Fair	20 to 40 yrs	B	Retained	
277169.5 721359.3	3404	Elder <i>Sambucus nigra</i>	Mature	5	2	290			1	5	4	1	Fair	10 to 20 yrs	C	Retained	
277166.3 721360.9	3405	Common Silver Fir <i>Abies alba</i>	Mature	22	2	670			5	5	5	5	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277150.3 721351.7	3406	Grand Fir <i>Abies grandis</i> <i>Significant tree in landscape</i>	Mature	30	1	990			8	5	8	7	Fair	20 to 40 yrs	A	Retained	
277158.7 721356.1	G3407	Ash <i>Fraxinus excelsior</i> <i>Understorey group. Ash, Elder, Hazel, Sycamore</i>	Semi-mature	9	1	240			6	8	7	8	Fair	10 to 20 yrs	C	Retained	
277143.9 721348.2	3408	Oak <i>Quercus robur</i> <i>Mature tree is retrenching. Epicormic growth & die back in upper crown</i>	Mature	19	3	1100			9	9	9	9	Fair	10 to 20 yrs	A	Retained	
277147.9 721345.8	3409	Sweet Chestnut <i>Castanea sativa</i> <i>Significant specimen</i>	Mature	22	2	1240			11	11	11	11	Fair	20 to 40 yrs	A	Retained	
277142.3 721347.9	3410	Common Beech <i>Fagus sylvatica</i>	Mature	18	3	610	310		9	6	6	8	Fair	20 to 40 yrs	B	Retained	
277142.1 721350.5	3411	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	3	320			7	7	0	2	Fair	20 to 40 yrs	B	Retained	
277145.7 721353.1	3412	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	2				5	5	2	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277142.9 721347.1	3413	Beech <i>Fagus sylvatica</i>	Semi-mature	14	3	220			2	1	5	5	Fair	20 to 40 yrs	B	Retained	
277144.1 721345.5	3414	Beech <i>Fagus sylvatica</i>	Semi-mature	16	3	420			5	5	5	8	Fair	20 to 40 yrs	B	Retained	
277146.5 721344.3	3415	Common Silver Fir <i>Abies alba</i>	Semi-mature	13	>5	350			5	4	4	5	Fair	20 to 40 yrs	B	Retained	
277145.1 721344.1	3416	Beech <i>Fagus sylvatica</i> <i>Suppressed crown</i>	Semi-mature	5	1	260			3	2	3	5	Fair	10 to 20 yrs	C	Retained	
277149.9 721341.9	3417	Lime <i>Tilia europaea</i>	Mature	28	2	1020			3	8	8	6	Fair	20 to 40 yrs	B	Retained	
277148.1 721340.1	3418	Fir <i>Abies alba</i>	Mature	31	3	620			6	5	7	8	Fair	20 to 40 yrs	B	Retained	
277146.5 721338.7	3419	Fir <i>Abies alba</i>	Mature	20	3	510			5	3	6	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277147.3 721336.7	3420	Fir <i>Abies alba</i> <i>Crown suppressed under adjacent trees</i>	Mature	12	4	730			7	5	5	9	Fair	20 to 40 yrs	B	Retained	
277148.3 721335.3	3421	Fir <i>Abies alba</i>	Mature	15	5	660			4	7	6	8	Fair	20 to 40 yrs	B	Retained	
277150.7 721332.5	3422	Fir <i>Abies alba</i> <i>Decay base/bole</i>	Mature	12	2	720			6	6	9	9	Poor	<10 yrs	U	Retained	
277151.9 721330.9	3423	Fir <i>Abies alba</i> <i>Ivy clad bole into lower crown</i>	Mature	20	>5	880			8	9	8	9	Fair	20 to 40 yrs	B	Retained	
277154.1 721328.7	G3424	Elder <i>Sambucus nigra</i> <i>2 trees. Ivy clad</i>	Mature	6	1	150	120		5	5	5	2	Fair	10 to 20 yrs	C	Retained	
277156.1 721326.1	3425	Fir <i>Abies alba</i> <i>Ivy clad bole into lower crown</i>	Mature	17	1	740			7	8	8	8	Fair	20 to 40 yrs	B	Retained	
277170.7 721344.7	G3426	Cherry <i>Prunus avium</i> <i>6 Cherry & 1 Pear tree in garden</i>	Young	6	1	120			9	9	9	9	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277190.1 721342.1	3427	Irish Yew <i>Taxus baccata 'Fastigiata'</i>	Semi-mature	6	0	500			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
277184.9 721329.7	H3428	Beech <i>Fagus sylvatica</i> <i>Garden hedge</i>	Semi-mature	4	0	130			1	15	1	15	Fair	20 to 40 yrs	B	Retained	
277169 721308.2	3428	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	2	320	280	270	7	7	7	7	Fair	20 to 40 yrs	B	Retained	
277170.8 721311.6	3429	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16	2	260	130		5	4	2	2	Fair	20 to 40 yrs	B	Retained	
277169.2 721313.2	3430	Elder <i>Sambucus nigra</i>	Semi-mature	6	1	220			5	2	0	2	Fair	10 to 20 yrs	C	Retained	
277171.6 721309.2	G3431	Lawson Cypress/Char <i>3 trees</i>	Mature	20	0	810			9	9	9	9	Fair	20 to 40 yrs	B	Retained	
277192.3 721315.7	3433	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	6	1	210	200	150	3	3	3	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277192.9 721314.5	H3434	Common Box <i>Buxus sempervirens</i> <i>Hedgerow outgrown consisting of Box with Cherry Plumb, Privet & self-set Sycamores</i>	Semi-mature	5	0	100			2	10	2	10	Fair	10 to 20 yrs	C	Retained	
277203.3 721325.1	3435	Swamp cypress <i>Metasequoia glyptostrobdes.</i> <i>Somewhat sparse crown</i>	Semi-mature	17	3	650			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
277201.4 721333	3436	Swamp cypress <i>Metasequoia glyptostrobdes.</i> <i>Tree shrub multi stemmed</i>	Semi-mature	9	3	180	180	180	5	5	5	5	Fair	20 to 40 yrs	B	Retained	
277206 721320.4	3437	Apple <i>Malus hupehensis</i> <i>Suppressed crown</i>	Semi-mature	5	2	100	120		3	2	3	2	Fair	10 to 20 yrs	C	Retained	
277209.2 721320.4	3438	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	7	1	230	230		4	4	4	4	Poor	10 to 20 yrs	C	Retained	
277212.2 721327.2	3439	Cherry <i>Prunus avium</i> <i>2 trees</i>	Semi-mature	7	2	230	180		6	4	6	4	Fair	20 to 40 yrs	B	Retained	
277216.8 721324	G3440	Sycamore <i>Acer psuedoplatanus</i> <i>9 stems</i>	Semi-mature	18	2	320	170		9	9	9	9	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277227.8 721325.9	3441	European Larch <i>Larix decidua</i>	Mature	20	3	770			10	9	9	5	Fair	20 to 40 yrs	B	Retained	
277224.7 721327.6	3442	Larch <i>Larix decidua</i>	Mature	20	2	780			10	6	6	8	Fair	20 to 40 yrs	B	Retained	
277223.9 721323.8	3443	Larch <i>Larix decidua</i> <i>Stems leaning south</i>	Mature	19	3	800			5	7	10	8	Fair	20 to 40 yrs	B	Retained	
277209.4 721341.2	3444	Hawthorn <i>Crataegus monogyna</i>	Semi-mature	6	1	100	100	100	2	2	2	2	Fair	20 to 40 yrs	B	Retained	
277222 721343	3445	Hupeh Crab <i>Malus hupehensis</i>	Semi-mature	5	2	250			2	3	4	3	Fair	20 to 40 yrs	B	Retained	
277258.3 721348.7	3446	Larch <i>Larix decidua</i>	Mature	22	2	520			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
277246.3 721334.9	H3447	Box <i>Buxus sempervirens</i> <i>Garden hedge</i>	Semi-mature	3	0	100			1	10	1	10	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277247.1 721369.7	3448	Horse Chestnut <i>Aesculis hippocastanum</i>	Mature	25	3	1330			12	10	12	11	Fair	20 to 40 yrs	B	Retained	
277254.3 721367.9	G3449	<i>2 trees topped/re-grown</i>	Mature	7	0	480			6	7	6	7	Fair	20 to 40 yrs	B	Retained	
277255.7 721366.5	3450	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	15	2	240	210	180	3	4	6	4	Fair	20 to 40 yrs	B	Retained	
277257.5 721374.5	3451	Grand Fir <i>Abies grandis</i>	Semi-mature	13	2	350			4	4	4	2	Fair	20 to 40 yrs	B	Retained	
277254.9 721372.7	3452	Ash <i>Fraxinus excelsior</i>	Semi-mature	13	2	90	90		3	3	3	3	Fair	10 to 20 yrs	C	Retained	
277268.9 721377.9	H3453	Beech <i>Fagus sylvatica</i> <i>Garden hedge with occasional outgrown trees</i>	Semi-mature	7	0	180			2	9	2	9	Fair	20 to 40 yrs	B	Retained	
277291.3 721416	H3453a	Beech <i>Fagus sylvatica</i> <i>Garden hedge</i>	Semi-mature	2	0	140			1	20	1	20	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277301.3 721407.2	H3454	Beech <i>Fagus sylvatica</i> <i>Garden hedge</i>	Semi-mature	2	0	140			1	20	1	20	Fair	20 to 40 yrs	B	Retained	
277373.7 721458.7	3455	Copper Beech <i>Fagus sylvatica 'Purpurea'</i> <i>Significant specimen</i>	Mature	23	6	1210			9	9	9	9	Fair	20 to 40 yrs	A	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location along a residential garden boundary . Root zones are likely to be concentrated to the east of the existing embankment therefore it may be possible to construct the proposed embankment without the requirement to remove this tree.
277366.9 721459.2	3456	Tibetan Cherry <i>Prunus serrula</i>	Young	4	2	100			2	2	1	1	Fair	10 to 20 yrs	C	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location along a residential garden boundary . Root zones are likely to be concentrated to the east of the existing embankment therefore it may be possible to construct the proposed embankment without the requirement to remove this tree.

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277370.7 721460.6	3457	Prunus <i>Prunus avium</i>	Young	4	2	100			2	2	1	1	Fair	10 to 20 yrs	C	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location along a residential garden boundary . Root zones are likely to be concentrated to the east of the existing embankment therefore it may be possible to construct the proposed embankment without the requirement to remove this tree.
277371.3 721440.7	H3458	Beech <i>Fagus sylvatica</i> Garden hedge	Semi-mature	2	0	109			10	1	10	1	Fair	20 to 40 yrs	B	Removed	Removed to accommodate embankment and working area
277378.5 721441.5	H3459	Beech <i>Fagus sylvatica</i> Garden hedge	Semi-mature	2	0	120			10	1	10	1	Fair	20 to 40 yrs	B	Retained	
277376.1 721418.7	3460	Weeping Willow <i>Salix chrysocoma</i>	Semi-mature	5	0	220			1	2	3	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate embankment

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277384.1 721427.1	3461	Weeping Willow <i>Salix chrysocoma</i> <i>Tree on edge of group extending east</i>	Semi-mature	10	2	280			3	3	3	3	Fair	20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location along a residential garden boundary . Root zones are likely to be concentrated to the east of the existing embankment therefore it may be possible to construct the proposed embankment without the requirement to remove this tree.
277387.5 721398	G3462	Portugease Laurel <i>Laurocerasus lucitanica</i> <i>Minor fired damage to foliage of 1 stem</i>	Semi-mature	7	1	260			4	4	4	4	Fair	20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location along a residential garden boundary . Root zones are likely to be concentrated to the east of the existing embankment therefore it may be possible to construct the proposed embankment without the requirement to remove this tree.
277392.3 721384.4	3463	Common Holly <i>Ilex aquifolium</i>	Semi-mature	5	2	270	170		2	2	2	2	Fair	20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location along a residential garden boundary . Root zones are likely to be concentrated to the east of the existing embankment therefore it may be possible to construct the proposed embankment without the requirement to remove this tree.

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277394.7 721376	3464	Common Holly <i>Ilex aquifolium</i>	Semi-mature	5	2	160	160		2	2	2	2	Fair	20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location along a residential garden boundary . Root zones are likely to be concentrated to the east of the existing embankment therefore it may be possible to construct the proposed embankment without the requirement to remove this tree.
277395.5 721359.6	3465	Birch <i>Betula pendula</i>	Mature	21	3	570			7	7	7	7	Fair	20 to 40 yrs	B	Retain if possible	Tree to be retained if possible through careful construction methods due to its sensitive location along a residential garden boundary . Root zones are likely to be concentrated to the east of the existing embankment therefore it may be possible to construct the proposed embankment without the requirement to remove this tree.
277399.5 721360	3466	Birch <i>Betula pendula</i>	Mature	18	3	600			7	7	7	5	Fair	20 to 40 yrs	B	Retained	
277392.3 721346	H3467	Beech <i>Fagus sylvatica</i>	Semi-mature	2	0	120			16	1	16	1	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277391.8 721315.2	3468	Birch <i>Betula pendula</i>	Mature	21	4	440			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
277388.2 721312	3469	Sorbus <i>Sorbus aucuparia</i>	Mature	9	2	130	130	130	3	3	3	3	Fair	20 to 40 yrs	B	Retained if possible	Tree to be retained if possible through careful construction methods due to its sensitive location along a residential garden boundary . Root zones are likely to be concentrated to the east of the existing embankment therefore it may be possible to construct the proposed embankment without the requirement to remove this tree.
277386.2 721297.2	3470	Beech <i>Fagus sylvatica</i>	Semi-mature	21	2	480			8	8	8	8	Fair	20 to 40 yrs	B	Retained if possible	Tree to be retained if possible through careful construction methods due to its sensitive location along a residential garden boundary . Root zones are likely to be concentrated to the east of the existing embankment therefore it may be possible to construct the proposed embankment without the requirement to remove this tree.
277386.6 721299.6	H3471	Beech <i>Fagus sylvatica</i> Garden hedge	Semi-mature	1	0	120			10	1	10	1	Fair	20 to 40 yrs	B	Retained	
277388.2 721287.2	3472	Ash <i>Fraxinus excelsior</i>	Mature	25	4	430			9	7	8	9	Fair	20 to 40 yrs	B	Retained	
277391.8 721286	3473	Larch <i>Larix decidua</i>	Semi-mature	24	3	340			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
277394.2 721290	3474	Birch <i>Betula pendula</i>	Mature	19	3	370			8	5	2	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277393.8 721285.6	3475	Birch <i>Betula pendula</i>	Mature	19	5	350			6	8	6	4	Fair	20 to 40 yrs	B	Retained	
277387.4 721281.6	3476	Whitebeam <i>Sorbus aria</i>	Mature	10	1	360	150	140	5	5	5	5	Fair	20 to 40 yrs	B	Retained	
277386.6 721269.6	3477	Birch <i>Betula pendula</i>	Mature	20	3	370			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
277385.4 721273.2	3478	Elm <i>Ulmus glabra</i> <i>Stem leaning slightly west</i>	Semi-mature	17	2	380			7	4	4	9	Fair	20 to 40 yrs	B	Retained	
277381.8 721273.2	3479	Holly <i>Ilex aquifolium</i>	Semi-mature	5	2	210			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
277380.6 721269.2	3480	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	6	2	130	130		3	1	3	4	Fair	20 to 40 yrs	B	Retained	
277379.4 721266	3481	Elder <i>Sambucus nigra</i>	Semi-mature	8	3	250			3	1	3	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277378.2 721263.1	3482	Holly <i>Ilex aquifolium</i>	Semi-mature	6	0	220			2	2	3	4	Fair	20 to 40 yrs	B	Retained	
277377.8 721259.1	3483	Holly <i>Ilex aquifolium</i>	Mature	8	0	320	240		5	5	5	5	Fair	20 to 40 yrs	B	Retained if possible	Tree to be retained if possible through careful construction methods due to its sensitive location along a residential garden boundary . Root zones are likely to be concentrated to the east of the existing embankment therefore it may be possible to construct the proposed embankment without the requirement to remove this tree.
277375.4 721253.9	3484	Ash <i>Fraxinus excelsior</i> <i>Re grown from fallen stump</i>	Mature	15	5	410	90		5	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate embankment and working area
277378.2 721253.1	G3485	Holly <i>Ilex aquifolium</i> <i>Approximately 6 trees</i>	Semi-mature	8	2	220			6	6	6	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277373.8 721249.9	3486	Ash <i>Fraxinus excelsior</i>	Young	9	3	140			3	0	3	6	Fair	10 to 20 yrs	C	Removed	Removed to accommodate embankment
277373.2 721254.4	3487	Grey Willow <i>Salix cinerea</i>	Semi-mature	5	0	150	160		3	2	3	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277373.6 721247.6	3488	Ash <i>Fraxinus excelsior</i>	Mature	22	4	410	370		8	8	8	8	Fair	20 to 40 yrs	B	Removed	Removed to accommodate embankment and flood wall
277374.4 721248	3489	Holly <i>Ilex aquifolium</i>	Mature	9	0	260	180	120	5	5	4	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate embankment and flood wall

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277379.8 721248.2	G3490	Ash <i>Fraxinus excelsior</i> 2 trees. Ash die back	Semi-mature	18	5	190			7	1	7	6	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277379 721245.8	3491	Mountain Ash <i>Sorbus aucuparia</i>	Semi-mature	9	1	150	80	80	3	1	3	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate embankment and flood wall
277376.6 721237.2	3492	Elder <i>Sambucus nigra</i>	Mature	6	1	160			1	2	4	2	Poor	10 to 20 yrs	C	Removed	Removed to accommodate working area
277375.4 721234.2	3493	Hawthorn <i>Crataegus monogyna</i>	Mature	7	1	140	120		3	2	3	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277376 721233.6	3294	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	5	1	90	90	100	3	3	3	0	Fair	10 to 20 yrs	C	Retained	
277370.8 721223.2	3495	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	12	1	260	240		6	5	2	5	Fair	10 to 20 yrs	C	Retained	
277373.6 721216.6	3496	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	18	2	470			7	8	7	7	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277372.4 721219.2	G3497	Willow <i>Salix cinerea</i>	Semi-mature	4	0	150			3	1	3	4	Fair	10 to 20 yrs	C	Retained	
277370.4 721213.2	3498	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15	3	280	170		5	5	5	5	Fair	20 to 40 yrs	B	Retained	
277370.2 721210.2	3499	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	2	420	280		7	7	7	7	Fair	10 to 20 yrs	C	Retained	
277370.7 721202.4	3500	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Ivy clad bole into lower crown</i>	Semi-mature	17	3	470			7	7	5	7	Fair	10 to 20 yrs	C	Retained	
276688.8 722110.8	3501	Birch <i>Betula pendula</i>	Semi-mature	5	2	230			2	2	3	3	Fair	20 to 40 yrs	B	Retained	
276697.2 722113.1	3502	Birch <i>Betula pendula</i>	Semi-mature	5	2	170	120	120	2	2	2	2	Fair	20 to 40 yrs	B	Retained	
276701.3 722113.1	3503	White Spruce <i>Picea glauca</i>	Semi-mature	5	0	140			2	2	2	2	Fair	20 to 40 yrs	B	Retained	
276674.1 722102.2	3594	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	5	2	70	40	40	2	2	2	2	Fair	20 to 40 yrs	B	Retained	
276674.1 722095.2	3505	Hawthorn <i>Crataegus monogyna</i>	Semi-mature	5	2	120	100	90	3	3	3	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276670.5 722087.2	3506	Birch <i>Betula pendula</i>	Semi-mature	8	2	140			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276674.4 722085.9	3507	Tibetan Cherry <i>Prunus serrula</i>	Semi-mature	6	2	330			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276672.5 722079.2	3508	Norway Maple <i>Acer platanoides</i>	Semi-mature	5	2	110			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
276679.2 722080.8	3509	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	4	2	100			2	2	2	1	Poor	10 to 20 yrs	C	Retained	
276664.8 722077.3	3510	Alder <i>Alnus glutinosa</i>	Semi-mature	10	1	210			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276677.3 722083	H3511	Leyland Cypress <i>Leylandii</i> <i>Garden hedge</i>	Semi-mature	2	0	100			7	1	7	1	Fair	10 to 20 yrs	C	Retained	
276645.7 722095.9	3511	Jacquemont's Birch <i>Betula utilis var.</i>	Semi-mature	7	2	130	80	80	3	4	3	2	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276645.7 722083.4	3512	Birch <i>Betula pendula</i>	Semi-mature	6	3	100	100	60	3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276646 722074.7	3513	Birch <i>Betula pendula</i>	Semi-mature	6	3	90	90	70	3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276639.9 722076.3	3514	Birch <i>Betula pendula</i>	Semi-mature	6	3	80	80		3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276652 722066.9	3515	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	0	310	220	170	4	5	8	6	Poor	10 to 20 yrs	C	Retained	
276651.1 722074.2	3516	Silver Birch <i>Betula pendula</i>	Mature	22	3	350			5	5	6	5	Fair	20 to 40 yrs	B	Retained	
276629.6 722067.8	3517	Crack Willow <i>Salix fragilis</i> <i>Topped & re-grown</i>	Semi-mature	3	1	270			2	2	2	2	Poor	10 to 20 yrs	C	Retained	
276600.4 722082.6	3518	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Semi-mature	13	1	430			7	7	7	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276584.1 722084.5	3519	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Semi-mature	13	1	430			7	7	6	6	Fair	20 to 40 yrs	B	Retained	
276576.1 722087.7	3520	Ash <i>Fraxinus excelsior</i>	Semi-mature	17	3	250			6	5	5	7	Fair	20 to 40 yrs	B	Retained	
276574.5 722080.7	3521	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	18	0	280			4	6	8	6	Fair	10 to 20 yrs	C	Retained	
276584.4 722095.7	3522	Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	230			5	5	3	5	Fair	20 to 40 yrs	B	Retained	
276590.1 722089.7	3523	Willow <i>Salix cinerea</i>	Mature	24	5	510			7	8	8	6	Fair	20 to 40 yrs	B	Retained	
276585.3 722099.9	3524	Bhutan Pine <i>Pinus wallichiana</i>	Semi-mature	10	2	360	240		5	4	5	4	Fair	20 to 40 yrs	B	Retained	
276585.7 722104.1	3525	Ash <i>Fraxinus excelsior</i>	Young	6	2	110			3	3	1	2	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276595.3 722092.9	G3526	Pine <i>Pinus sylvestris</i> 5 trees	Semi-mature	8	2	260			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
276597.5 722090.6	G3527	Birch <i>Betula pendula</i> 3 trees	Semi-mature	10	3	150			4	6	4	6	Fair	20 to 40 yrs	B	Retained	
276601.7 722103.1	3528	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	4	1	120			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
276608.4 722105.3	3529	Katsura <i>Cercidiphyllum japonicum</i>	Semi-mature	7	0	130	130	90	3	4	3	2	Fair	20 to 40 yrs	B	Retained	
276564.5 722097.9	3530	Weeping Willow <i>Salix chrysocoma</i>	Young	4	0	170			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276569.3 722095	3531	Cherry <i>Prunus avium</i>	Semi-mature	6	1	400			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276576.9 722096.6	3532	Crab Apple <i>Malus sylvestris</i>	Semi-mature	5	1	70	60	60	3	2	4	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276577.3 722090.2	H3533	<i>Garden hedges. Beech & Cypress</i>	Semi-mature	3	0	100			8	1	6	8	Fair	10 to 20 yrs	B	Retained	
276568.3 722079.7	3534	Common Laburnum <i>Laburnum anagyroides</i>	Semi-mature	4	0	70	70	70	2	0	2	4	Fair	20 to 40 yrs	B	Retained	
276560.9 722084.8	3535	Apple <i>Malus</i>	Semi-mature	4	1	180	140		3	3	4	3	Poor	10 to 20 yrs	C	Retained	
276559 722089.9	3536	Birch <i>Betula pendula</i>	Semi-mature	4	0	200			2	2	2	2	Fair	20 to 40 yrs	B	Retained	
276557 722086.1	H3537	<i>Garden hedge</i>	Semi-mature	3	0	130			1	6	5	1	Fair	20 to 40 yrs	B	Retained	
276555.9 722094.4	G3538	Chinese Juniper <i>Juniperus chinensis</i> 2 trees	Semi-mature	5	0	140			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
276552.7 722095	3539	Apple <i>Malus</i>	Semi-mature	4	1	160			2	2	2	2	Poor	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276552.7 722091.7	3540	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	12	2	230			5	4	3	4	Poor	10 to 20 yrs	C	Retained	
276554 722084.3	3541	Oak <i>Quercus robur</i>	Semi-mature	13	3	280	320	130	7	7	8	9	Fair	20 to 40 yrs	B	Retained	
276546.9 722087.8	3542	Red Snakebark Maple <i>Acer capillipes</i>	Semi-mature	5	1	120	50		3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276532 722087.2	3543	Norway Maple <i>Acer platanoides</i>	Semi-mature	5	1	160			3	3	2	1	Fair	20 to 40 yrs	B	Retained	
276531.9 722084.9	3544	Norway Maple <i>Acer platanoides</i>	Semi-mature	8	1	170	90	90	4	4	4	4	Fair	10 to 20 yrs	C	Retained	
276525.8 722084.3	3545	Oak <i>Quercus robur</i> <i>Twin co dominant stems with compression forks and included bark</i>	Mature	17	3	390	290		5	7	6	7	Fair	10 to 20 yrs	C	Retained	
276527.4 722091.5	3546	Oak <i>Quercus robur</i>	Semi-mature	15	2	370			7	7	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276517.9 722090.1	3547	Norway Maple <i>Acer platanoides</i>	Semi-mature	17	5	270	240	160	6	6	5	5	Fair	20 to 40 yrs	B	Retained	
276513.9 722085	3548	Oak <i>Quercus robur</i> <i>Multi stemmed tree with failure at bark included union</i>	Semi-mature	16	3	320	190	180	7	7	7	7	Fair	10 to 20 yrs	C	Retained	
276511.2 722078.9	3549	Oak <i>Quercus robur</i>	Semi-mature	16	6	290			2	8	8	5	Fair	20 to 40 yrs	B	Retained	
276506.9 722081.1	3550	Oak <i>Quercus robur</i>	Semi-mature	20	4	400			6	8	8	8	Fair	20 to 40 yrs	B	Retained	
276502.7 722082.7	3551	Oak <i>Quercus robur</i>	Semi-mature	18	5	370	260		9	7	5	7	Fair	20 to 40 yrs	B	Retained	
276507.2 722084.3	3552	Oak <i>Quercus robur</i>	Semi-mature	17	6	260			6	4	5	4	Fair	20 to 40 yrs	B	Retained	
276501.4 722077.9	3553	Alder <i>Alnus glutinosa</i>	Semi-mature	10	2	160	150	120	4	2	4	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276497 722078.5	3554	Norway Maple <i>Acer platanoides</i>	Semi-mature	8	2	140	140		4	3	3	5	Fair	10 to 20 yrs	C	Retained	
276497 722075.9	G3555	Ash <i>Fraxinus excelsior</i> <i>Erosion within rooting area</i>	Semi-mature	6	0	130			2	2	5	3	Poor	<10 yrs	U	Retained	
276493.8 722076.9	3556	Hazel <i>Corylus avellana</i>	Young	4	1	75	50		1	2	3	3	Fair	10 to 20 yrs	C	Retained	
276489 722075.6	3557	Norway Maple <i>Acer platanoides</i>	Semi-mature	12	5	180	170		3	4	4	3	Fair	20 to 40 yrs	B	Retained	
276487 722074.7	3558	Alder <i>Alnus glutinosa</i>	Semi-mature	11	5	150	80	70	3	2	5	3	Fair	20 to 40 yrs	B	Retained	
276484.5 722073.1	3559	Ash <i>Fraxinus excelsior</i> <i>Erosion within rooting area</i>	Semi-mature	9	0	140	70	70	2	3	5	3	Poor	<10 yrs	U	Retained	
276482.2 722071.5	3560	Alder <i>Alnus glutinosa</i>	Semi-mature	10	3	170			4	3	5	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276479.7 722071.1	3561	Alder <i>Alnus glutinosa</i>	Semi-mature	6	0	130	60	40	1	3	5	2	Fair	10 to 20 yrs	C	Retained	
276477.1 722069.9	3562	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Erosion within rooting area</i>	Semi-mature	10	1	140	120	40	1	2	4	4	Poor	10 to 20 yrs	C	Retained	
276468.1 722065.3	3563	Alder <i>Alnus glutinosa</i>	Semi-mature	9	5	140			1	2	2	1	Poor	<10 yrs	U	Retained	
276463 722063	3564	Alder <i>Alnus glutinosa</i>	Semi-mature	12	5	140	140	130	4	6	6	5	Fair	20 to 40 yrs	B	Retained	
276457.9 722061.4	3565	Ash <i>Fraxinus excelsior</i>	Young	7	4	100			1	1	2	1	Poor	<10 yrs	U	Retained	
276455.3 722056.8	3566	Alder <i>Alnus glutinosa</i>	Semi-mature	7	2	110	100	60	0	2	4	2	Fair	20 to 40 yrs	B	Retained	
276449.5 722056.1	3567	Ash <i>Fraxinus excelsior</i>	Young	6	2	70	70		1	2	2	1	Poor	<10 yrs	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276446.5 722053.5	3568	Alder <i>Alnus glutinosa</i>	Semi-mature	9		130	140	40	3	4	5	3	Fair	20 to 40 yrs	B	Retained	
276443.9 722052.5	3569	Ash <i>Fraxinus excelsior</i>	Young	12	5	75			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
276442 722050.3	3570	Alder <i>Alnus glutinosa</i>	Semi-mature	7	1	800	50	30	1	2	4	2	Fair	10 to 20 yrs	C	Retained	
276437.5 722048.7	3571	Alder <i>Alnus glutinosa</i>	Semi-mature	10	3	110	90	90	2	3	4	2	Fair	20 to 40 yrs	B	Retained	
276434 722044.8	3572	Alder <i>Alnus glutinosa</i>	Semi-mature	12	5	100			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276407.4 722024.4	3573	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Twin co dominant stems with compression forks and included bark</i>	Semi-mature	13	2	240	190		7	6	7	7		10 to 20 yrs	C	Retained	
276403.5 722022.1	3574	Beech <i>Fagus sylvatica</i>	Semi-mature	13	1	370			6	6	5	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276401.9 722018.6	3575	Beech <i>Fagus sylvatica</i>	Semi-mature	11	1	250	220		4	4	5	5	Poor	10 to 20 yrs	C	Retained	
276397.5 722016.4	3576	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	8	1	240	60		5	3	4	5	Fair	20 to 40 yrs	B	Retained	
276400.7 722014.4	3577	Poplar <i>Populus x canadensis</i>	Semi-mature	19	5	300			4	5	5	3	Fair	20 to 40 yrs	B	Retained	
276402.3 722011.9	3578	Beech <i>Fagus sylvatica</i>	Semi-mature	12	1	260			5	5	5	4	Fair	20 to 40 yrs	B	Retained	
276399.4 722012.2	3579	Poplar <i>Populus x canadensis</i>	Semi-mature	17	5	240			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276398.1 722007.5	3580	Beech <i>Fagus sylvatica</i>	Semi-mature	12	1	230			4	4	5	4	Fair	20 to 40 yrs	B	Retained	
276393 722004	3581	Poplar <i>Populus x canadensis</i>	Semi-mature	18	>5	390			4	4	5	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276391.7 722000.4	3582	Beech <i>Fagus sylvatica</i>	Semi-mature	12	1	190			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276397.5 722001.1	G3583	Alder <i>Alnus glutinosa</i> <i>Natural regeneration</i>	Young	12	6	100			7	7	7	7	Fair	10 to 20 yrs	C	Retained	
276391.1 722008.1	3584	Scots Pine <i>Pinus sylvestris</i>	Semi-mature	15	1	510			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
276394.7 722008	3585	Poplar <i>Populus x canadensis</i>	Semi-mature	18	>5	200			4	3	3	3	Fair	20 to 40 yrs	B	Retained	
276397.5 722010.9	3586	Poplar <i>Populus x canadensis</i>	Semi-mature	14	>5	170			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276394.7 722014	3587	Poplar <i>Populus x canadensis</i>	Semi-mature	16	>5	320			5	5	4	4	Fair	20 to 40 yrs	B	Retained	
276407.3 722020.4	3588	Sorbus <i>Sorbus aucuparia</i>	Dead	6	1	140	90		2	2	3	3	Dead	n/a	U	Retained	
276408.2 722021	3589	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	8	1	150	70		2	4	4	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277788.3 722012.7	G3590	Holly <i>Ilex aquifolium</i>	Semi-mature	6	0	130			1	2	2	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277790.6 722013.4	3591	Cherry Laurel <i>Prunus laurocerasus</i>	Semi-mature	6	0	110	70	80	2	2	3	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277797.5 722012.3	3592	Birch <i>Betula pendula</i>	Semi-mature	10	3	160			1	1	2	2	Poor	<10 yrs	U	Removed	Removed to accommodate working area
277798.4 722012.1	3593	Wild Cherry <i>Prunus avium</i>	Semi-mature	8	3	100			2	3	4	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277800.4 722013.3	3594	Birch <i>Betula pendula</i>	Semi-mature	9	3	110			1	2	3	1	Fair	10 to 20 yrs	C	Retained	
277803.2 722013.6	3595	Elm <i>Ulmus glabra</i>	Semi-mature	6	3	110	110		1	2	3	2	Poor	<10 yrs	U	Removed	Removed to accommodate working area
277843.8 722020.5	3596	Hawthorn <i>Crataegus mongyna</i>	Dead	4	2	100	120		1	1	1	1	Dead	10 to 20 yrs	U	Removed	Removed to accommodate flood wall and working area
277848.5 722021.5	3597	Leyland Cypress <i>Leylandii</i>	Semi-mature	6	1	130	90	60	2	3	3	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
276097 721953.9	3598	Scots Pine <i>Pinus sylvestris</i>	Semi-mature	16	4	370			4	3	4	5	Fair	20 to 40 yrs	B	Retained	
276091.6 721948.2	3599	Larch <i>Larix decidua</i>	Young	4	1	130			2	2	2	2	Fair	20 to 40 yrs	B	Retained	
276105.3 721955.2	4000	Cherry <i>Prunus avium</i>	Mature	16	4	380			5	4	5	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277368.9 721195.4	3601	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	17	2	380			6	7	7	7	Fair	10 to 20 yrs	C	Retained	
277368.5 721173.8	G3602	Hawthorn <i>Crataegus monogyna</i> <i>Hedgerow remenant</i>	Mature	5	0	130	130	130	5	4	9	4	Fair	20 to 40 yrs	B	Retained	
277367.7 721167.4	3603	Sorbus <i>Sorbus aucuparia</i> <i>Tree within hedgerow remenant group. Decay base/bole</i>	Mature	5	0	280	150	170	4	4	4	4	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277366.1 721161.8	3604	Hawthorn <i>Crataegus monogyna</i> <i>Part of remenant hedgerow group</i>	Mature	7	0	200	140	130	4	4	5	4	Fair	20 to 40 yrs	B	Retained	
277366.1 721154.2	3605	Sorbus <i>Sorbus aucuparia</i> <i>Part of remenant hedgerow group</i>	Mature	6	2	340	130		4	5	4	3	Poor	10 to 20 yrs	C	Retained	
277366.5 721147	G3606	Hawthorn <i>Crataegus monogyna</i> <i>Remenant hedgerow group. Hawthorn & Rowan</i>	Mature	5	0	120	130	120	5	4	5	4	Fair	20 to 40 yrs	B	Retained	
276890.9 721848.5	G3606a	Alder <i>Alnus glutinosa</i> <i>Alder & Sycamore</i>	Semi-mature	10	0	270	180	150	6	5	5	4	Fair	20 to 40 yrs	B	Retained	
276885.7 721852.5	3607	Alder <i>Alnus glutinosa</i>	Mature	18	2	330	300	240	7	7	7	4	Fair	20 to 40 yrs	B	Retained	
276882.1 721854.9	3608	Alder <i>Alnus glutinosa</i>	Mature	17	3	250	180	170	8	5	6	5	Fair	20 to 40 yrs	B	Retained	
276878.1 721860.9	G3609	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	0	150	130	70	9	7	1	2	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276872.1 721866.9	3610	Sycamore <i>Acer pusedoplatanus</i>	Mature	23	5	490	380	370	10	8	7	8	Fair	20 to 40 yrs	B	Retained	
276863.7 721876.1	3611	Goat Willow <i>Salix caprea</i> <i>Suppressed crown</i>	Semi-mature	13	2	210	100		5	2	1	3	Poor	10 to 20 yrs	U	Retained	
276863.7 721879.3	G3612	Ash <i>Fraxinus excelsior</i> <i>Group of approximately 5 trees growing out of river bank. Ash die back</i>	Semi-mature	18	0	240			10	9	1	9	Fair	10 to 20 yrs	C	Retained	
276860.1 721877.3	3613	Hybrid Black Poplar <i>Populus x canadensis</i>	Mature	28	>5	760			8	8	8	5	Fair	20 to 40 yrs	B	Retained	
276858.1 721880.3	3614	Poplar <i>Populus x canadensis</i>	Mature	28	>5	730			8	6	8	6	Fair	20 to 40 yrs	B	Retained	
276857.5 721881.3	3615	Beech <i>Fagus sylvatica</i>	Semi-mature	12	1	150			5	3	2	4	Fair	10 to 20 yrs	C	Retained	
276856.9 721882.9	3616	Poplar <i>Populus x canadensis</i>	Mature	28	>5	620			8	6	8	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276855.1 721884.9	3617	Poplar <i>Populus x canadensis</i>	Mature	28	>5	720			8	5	8	8	Fair	20 to 40 yrs	B	Retained	
276855.1 721887.3	3618	Larch <i>Larix decidua</i> <i>Crown suppressed under adjacent tree</i>	Semi-mature	14	0	270			6	3	0	3	Fair	20 to 40 yrs	B	Retained	
276854.1 721890.5	3619	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature			13			6	3	1	3	Fair	10 to 20 yrs	C	Retained	
276851.3 721890.5	3620	Poplar <i>Populus x canadensis</i>	Mature	28	>5	690			8	6	7	7	Fair	20 to 40 yrs	B	Retained	
276849.9 721892.9	3621	Holly <i>Ilex aquifolium</i>	Semi-mature	7	1	260	210	160	5	5	3	5	Fair	20 to 40 yrs	B	Retained	
276849.5 721894.9	3622	Red Oak <i>Quercus rubra</i>	Semi-mature	17	>5	300			9	6	4	4	Fair	20 to 40 yrs	B	Retained	
276847.3 721896.7	3623	Oak <i>Quercus rubra</i>	Mature	19	5	420			9	6	6	8	Fair	20 to 40 yrs	B	find	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276869.9 721857.2	3624	Birch <i>Betula pendula</i>	Mature	21	7	610			8	1	9	8	Fair	20 to 40 yrs	B	Retained	
276871.1 721855.8	3625	Sycamore <i>Acer pusedoplatanus</i>	Mature	22	3	710	520		9	7	10	7	Fair	20 to 40 yrs	B	Retained	
276871.5 721855	3626	Sycamore <i>Acer pusedoplatanus</i>	Mature	22	3	480			11	9	9	6	Fair	20 to 40 yrs	B	Retained	
276872.1 721853.6	3627	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	22	9	460	300		8	9	7	8		20 to 40 yrs	B	Retained	
276874.1 721847.4	3628	Birch <i>Betula pendula</i> <i>Epicormic growth</i>	Mature	19	6	610			7	6	7	6	Poor	10 to 20 yrs	C	Retained	
276874.6 721844.6	3629	Bird Cherry <i>Prunus padus</i> <i>Stem leaning west</i>	Semi-mature	14	2	310			5	1	5	9	Fair	20 to 40 yrs	B	Retained	
276875.8 721840.2	3630	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	24	>5	480			7	7	7	7	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276875.4 721839	3631	Horse Chestnut <i>Aesculus hippocastanum</i>	Mature	18	1	610			5	7	7	7	Fair	20 to 40 yrs	B	Retained	
276871.6 721838	G3632	Birch <i>Betula pendula</i> 3 trees	Mature	21	3	410			9	8	8	9	Fair	20 to 40 yrs	B	Retained	
276869.4 721832.4	G3633	A Group <i>Holly, Beech, Willow in understorey group</i>	Semi-mature	5	0	160			4	4	4	4	Fair	10 to 20 yrs	C	Retained	
276854.7 721847.7	5634	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	1	260			4	4	5	4	Fair	20 to 40 yrs	B	Retained	
276864.5 721838.7	5635	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	1	270			4	2	4	5	Fair	20 to 40 yrs	B	Retained	
276863.3 721843.9	5636	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	250			4	2	3	4	Fair	20 to 40 yrs	B	Retained	
276861.9 721855	3637	Grey Willow <i>Salix cinerea</i> 2 fallen stems	Mature	12	0	360	260	270	7	2	8	8		10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276860.3 721861	3638	Copper Beech <i>Fagus sylvatica 'Purpurea'</i> <i>Defect in stem</i>	Mature	20	2	380			5	7	7	7	Poor	10 to 20 yrs	C	Retained	
276861.1 721864.2	3639	Beech <i>Fagus excelsior</i>	Mature	21	0	560	310	270	8	7	7	9	Fair	20 to 40 yrs	B	Retained	
276863.3 721865.9	3640	Birch <i>Betula pendula</i>	Mature	19	8	600			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
276853.3 721868.3	3641	Beech <i>Fagus sylvatica</i>	Mature	22	1	540	260	270	9	9	9	9	Fair	20 to 40 yrs	B	Retained	
276844.6 721876.9	3642	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Mature	23	3	570	380		9	7	8	9	Fair	10 to 20 yrs	C	Retained	
276847.2 721883.3	3643	Birch <i>Betula pendula</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	22	4	270	250	250	7	7	6	6	Poor	<10 yrs	U	Retained	
276845.2 721884.5	3644	Birch <i>Betula pendula</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	19	5	200	180	170	7	7	2	4	Poor	<10 yrs	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276838.8 721888.7	3645	Poplar <i>Populus x canadensis</i>	Mature	28	>5	640			8	8	8	8	Fair	20 to 40 yrs	B	Retained	
276831.5 721886.4	3646	Common Beech <i>Fagus sylvatica</i>	Mature	23	3	620	480		9	8	9	7	Fair	20 to 40 yrs	B	Retained	
276824.3 721883.4	3647	Common Beech <i>Fagus sylvatica</i> <i>Compression forks and included bark</i>	Mature	23	4	520			9	6	8	6	Fair	20 to 40 yrs	B	Retained	
276821.9 721882.2	3648	Beech <i>Fagus sylvatica</i> <i>Compression forks and included bark</i>	Mature	23	5	630			8	5	8	8	Fair	20 to 40 yrs	B	Retained	
276825.5 721877.8	3649	Poplar <i>Populus x canadensis</i>	Mature	28	>5	590			8	8	8	6	Fair	20 to 40 yrs	B	Retained	
276821.9 721876.4	3650	Poplar <i>Populus x canadensis</i>	Mature	28	>5	550			8	5	8	5	Fair	20 to 40 yrs	B	Retained	
276819.3 721876	3651	Poplar <i>Populus x canadensis</i> <i>Ivy clad bole</i>	Mature	28	>5	630			8	6	8	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276818.2 721877.6	3653	Poplar <i>Populus x canadensis</i>	Mature	28	>5	480			8	7	7	8	Fair	20 to 40 yrs	B	Retained	
276816.8 721874.8	3654	Poplar <i>Populus x canadensis</i> <i>Crown somewhat suppressed under adjacent trees</i>	Mature	22	>5	310			0	4	8	4	Fair	20 to 40 yrs	B	Retained	
276825.8 721861.8	3655	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Tree on group edge</i>	Semi-mature	14	0	290			6	6	6	6	Fair	10 to 20 yrs	C	Retained	
276838.6 721863.1	3652	Birch <i>Betula pendula</i>	Mature	17	1	320			2	6	7	4	Fair	20 to 40 yrs	B	Retained	
276836.2 721863.5	3656	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Tree on group edge</i>	Semi-mature	14	2	140	160		5	4	5	5	Fair	10 to 20 yrs	C	Retained	
276830.6 721870.5	G3657	Willow <i>Sakix cinerea</i> <i>14 Willow & 1 Birch</i>	Semi-mature	13	1	150			9	9	9	9	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276814.9 721872.6	3658	Poplar <i>Populus x canadensis</i>	Mature	28	>5	340			7	7	6	6	Fair	20 to 40 yrs	B	Retained	
276812.7 721869	3659	Poplar <i>Populus x canadensis</i>	Mature	28	>5	580			8	8	8	6	Fair	20 to 40 yrs	B	Retained	
276811.9 721873.2	3660	Poplar <i>Populus x canadensis</i>	Mature	28	>5	300			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276809.7 721874.6	3661	Poplar <i>Populus x canadensis</i>	Mature	28	>5	450			4	7	4	4	Fair	20 to 40 yrs	B	Retained	
276808.9 721876	3662	Poplar <i>Populus x canadensis</i>	Mature	28	>5	360			7	6	4	4	Fair	20 to 40 yrs	B	Retained	
276805.9 721875.4	3663	Poplar <i>Populus x canadensis</i>	Mature	28	>5	410			3	4	4	3	Fair	20 to 40 yrs	B	Retained	
276802.9 721872.5	G3664	Poplar <i>Populus x canadensis</i> 3 trees	Mature	28	>5	420			5	5	6	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276804.9 721871.9	3665	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Mature	24	2	470	320		6	6	5	5	Fair	20 to 40 yrs	B	Retained	
276802.2 721874.1	G3666	Poplar <i>Populus x canadensis</i> 3 trees	Mature	28	>5	580			9	7	9	7	Fair	20 to 40 yrs	B	Retained	
276805.2 721870.1	3667	Poplar <i>Populus x canadensis</i>	Mature	28	>5	570			4	6	7	8	Fair	20 to 40 yrs	B	Retained	
276808.8 721879.2	G3668	Poplar <i>Populus x canadensis</i> 2 trees	Mature	28	>5	350			8	8	8	8	Fair	20 to 40 yrs	B	Retained	
276809 721880.1	3669	Ash <i>Fraxinus excelsior</i>	Semi-mature	16	>5	15			7	3	1	3	Fair	10 to 20 yrs	C	Retained	
276815.7 721880	G3670	Sycamore <i>Acer pusedoplatanus</i> Mid canopy group. Sycamore, Lime & smaller Leylandii	Semi-mature	13	3	190			6	8	8	7	Fair	20 to 40 yrs	B	Retained	
276812.7 721870.2	3671	Willow <i>Salic cinerea</i> Fallen stems	Semi-mature	8	0	190	150	150	2	2	8	2	Fair	20 to 40 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276811.2 721876.2	3672	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	16	3	190			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276804.3 721873.9	3673	Poplar <i>Populus x canadensis</i>	Mature	28	>5	260			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276794.9 721880.2	3674	Poplar <i>Populus x canadensis</i>	Mature	28	>5	470			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
276795.2 721882.4	3675	Tibetan Cherry <i>Prunus serrula</i>	Semi-mature	16	>5	260			7	4	2	4	Fair	20 to 40 yrs	B	Retained	
276792.8 721881.9	3676	Holly <i>Ilex aquifolium</i>	Semi-mature	11	1	250	150		3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276791.5 721884.2	3677	Common Beech <i>Fagus sylvatica</i>	Mature	22	4	340	270	280	7	6	6	7	Fair	20 to 40 yrs	B	Retained	
276792.2 721883.1	3678	Swamp cypress <i>Metasequoia glyptostrobdes</i> <i>Crown suppressed under adjacent trees</i>	Semi-mature	9	4	160			3	1	2	1	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276796.6 721880	3679	Swamp cypress <i>Metasequoia glyptostrobdes</i> <i>Swamp cypress Metasequoia glyptostrobdes. Crown suppressed under adjacent trees</i>	Semi-mature	12	5	250			4	2	2	2	Fair	10 to 20 yrs	C	Retained	
276797.4 721880.9	3680	Poplar <i>Populus x canadensis</i>	Mature	28	>5	360			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
276802.7 721878.7	3681	Leyland Cypress <i>Leylandii</i>	Semi-mature	24	3	490			6	6	4	3	Fair	20 to 40 yrs	B	Retained	
276802.2 721877.5	3682	Leyland Cypress <i>Leylandii</i>	Semi-mature	24	1	420			3	4	4	2	Fair	20 to 40 yrs	B	Retained	
276799.8 721878.2	3683	Leyland Cypress <i>Leylandii</i> <i>Crown suppressed</i>	Semi-mature	17	1	260			3	1	3	2		10 to 20 yrs	C	Retained	
276797 721878	G3684	Leyland Cypress <i>Leylandii</i> <i>4 trees</i>	Semi-mature	17		210			4	6	4	7	Fair	10 to 20 yrs	C	Retained	
276789.5 721885.8	3685	Ash <i>Fraxinus excelsior</i>	Semi-mature	21	3	340			6	5	8	8	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276791.6 721890.1	3686	Sycamore <i>Acer pseudoplatanus</i> <i>Damaging adjacent wall</i>	Semi-mature	8	2	160	130		4	0	1	5	Fair	<10 yrs	U	Retained	
276793.8 721887.7	3687	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole into lower crown</i>	Semi-mature	18	4	400			8	3	4	6	Fair	20 to 40 yrs	B	Retained	
276795.8 721886.7	3688	Common Beech <i>Fagus sylvatica</i>	Semi-mature	19	4	270	190		8	4	6	4	Fair	20 to 40 yrs	B	Retained	
276797.6 721885.7	3689	Common Beech <i>Fagus sylvatica</i>	Semi-mature	19	3	310	190		8	6	6	4	Fair	20 to 40 yrs	B	Retained	
276804.2 721884.7	G3690	Common Beech <i>Fagus sylvatica</i> <i>3 trees</i>	Semi-mature	18	5	260			5	6	5	6	Fair	20 to 40 yrs	B	Retained	
276808.8 721890.9	3691	Holly <i>Ilex aquifolium</i>	Semi-mature	10	0	280			4	4	3	4	Fair	20 to 40 yrs	B	Retained	
276813.2 721891.9	3692	Birch <i>Betula pendula</i>	Mature	24	>5	470			8	8	8	8	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276817.6 721893.1	3693	Common Beech <i>Fagus sylvatica</i>	Semi-mature	19	1	300			7	6	6	6	Fair	20 to 40 yrs	B	Retained	
276823.2 721895.3	3694	Birch <i>Betula pendula</i>	Mature	22	5	620			8	8	7	7	Fair	20 to 40 yrs	B	Retained	
276826.6 721895.3	3695	Prunus <i>Prunus avium</i> <i>Stems leaning east</i>	Semi-mature	17	>5	250			7	9	5	0	Fair	10 to 20 yrs	C	Retained	
276844.3 721901.2	3696	Cherry <i>Prunus avium</i>	Mature	17	2	360			7	8	3	7	Poor	10 to 20 yrs	C	Retained	
276839.9 721901.7	3697	Prunus <i>Prunus avium</i>	Semi-mature	7	3	180			4	4	3	3	Fair	10 to 20 yrs	C	Retained	
276835.5 721900.5	3698	Prunus <i>Prunus avium</i>	Semi-mature	13	3	160			3	4	3	2	Poor	10 to 20 yrs	C	Retained	
277584.5 721944.6	3931	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	14	6	360	280		5	4	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275919 721899.6	3701	Sitka Spruce <i>Picea sitchensis</i>	Mature	20	1	600			5	4	4	7	Fair	20 to 40 yrs	B	Retained	
275912.9 721899.3	3702	Sitka Spruce <i>Picea sitchensis</i>	Mature	22	1	780			8	4	7	8	Fair	20 to 40 yrs	B	Retained	
275917 721892.8	3703	Sitka Spruce <i>Picea sitchensis</i>	Mature	22	2	570			4	6	5	3	Fair	20 to 40 yrs	B	Retained	
275923.8 721897.2	3704	Norway Spruce <i>Picea abies</i>	Mature	20	0	610			6	6	5	2	Fair	20 to 40 yrs	B	Retained	
275923.4 721885	3705	Lodgepole Pine <i>Pinus contorta var latifolia</i>	Mature	24	>5	720			5	5	5	5	Poor	10 to 20 yrs	C	Retained	
275914.9 721886.3	3706	Sitka Spruce <i>Picea sitchensis</i>	Mature	26	5	730			7	7	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275909.8 721887.7	3707	Sitka Spruce <i>Picea sitchensis</i>	Mature	26		510			6	4	6	5	Fair	20 to 40 yrs	B	Retained	
275907.1 721885.7	3708	Sitka Spruce <i>Picea sitchensis</i>	Mature	24	2	550			7	6	6	6	Fair	20 to 40 yrs	B	Retained	
275912 721874.9	3709	Larch <i>Larix decidua</i>	Mature	24	6	640			7	8	7	5	Fair	20 to 40 yrs	B	Retained	
275903.5 721879.7	3710	Sitka Spruce <i>Picea sitchensis</i>	Mature	25	2	630			4	6	8	7	Fair	20 to 40 yrs	B	Retained	
275901.5 721883.4	3711	Sitka Spruce <i>Picea sitchensis</i>	Mature	24	3	640			4	5	5	4	Fair	20 to 40 yrs	B	Retained	
275900.4 721887.9	3712	Sitka Spruce <i>Picea sitchensis</i>	Mature	25	4	580			8	5	4	5	Fair	20 to 40 yrs	B	Retained	
275897 721886.5	3713	Sitka Spruce <i>Picea sitchensis</i>	Mature	23	3	460			6	4	4	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275888.1 721877.2	3714	Norway Spruce <i>Picea abies</i>	Semi-mature	20	0	440			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
275888.6 721882	3715	Norway Spruce <i>Picea abies</i>	Semi-mature	20		460			5	5	4	4	Fair	20 to 40 yrs	B	Retained	
275886.9 721884	3716	Norway Spruce <i>Picea abies</i>	Semi-mature	21	6	460			4	3	2	3	Fair	20 to 40 yrs	B	Retained	
275878.9 721883	W3717	Norway Spruce <i>Picea abies</i> <i>Plantation group</i>	Semi-mature	21	2	400			9	9	7	15		20 to 40 yrs	B	Retained	
275894.6 721901.4	3717	Birch <i>Betula pendula</i>	Young	8	2	120			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
275900.1 721908.2	3718	Sycamore <i>Acer psuedoplatanus</i>	Young	10	1	140			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
275926.9 721879.8	3719	Pine <i>Pinus sylvestris</i>	Semi-mature	22	>5	210			3	3	3	3	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
275935.1 721888	G3720	Spruce <i>Picea abies</i> <i>Young Spruce among Rhododendron</i>	Young	6	0	75			5	5	5	5	Fair	10 to 20 yrs	C	Retained	
275933 721879.1	3721	Noble Fir <i>Abies procera</i> <i>Significant specimen</i>	Mature	27	6	990			8	9	9	9	Fair	20 to 40 yrs	A	Retained	
275931.7 721882.5	3722	Noble Fir <i>Abies procera</i>	Mature	23	5	660			9	7	5	7	Fair	20 to 40 yrs	B	Retained	
275936.4 721883.9	3723	Larch <i>Larix decidua</i>	Mature	240	3	650			9	7	7	8	Fair	20 to 40 yrs	B	Retained	
275944.6 721881.2	3724	Larch <i>Larix decidua</i>	Mature	21	10	670			11	9	9	8	Fair	20 to 40 yrs	B	Retained	
275948 721884.6	3725	Noble Fir <i>Abies procera</i> <i>Significant specimen</i>	Mature	27	2	740			11	9	8	9	Fair	20 to 40 yrs	A	Retained	
275955.5 721879.1	3726	Larch <i>Larix decidua</i>	Mature	23	0	670			10	9	7	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
275952.8 721873.7	3727	Noble Fir <i>Abies procera</i>	Mature	26	>5	820			8	8	8	8	Fair	20 to 40 yrs	B	Retained	
275956.8 721875.7	3728	Larch <i>Larix decidua</i>	Mature	24	3	450			6	7	6	3	Fair	20 to 40 yrs	B	Retained	
275965.7 721890	3729	Sycamore <i>Acer ssp.</i>	Young	4	1	80			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
275975.2 721879.3	3730	Tibetan Cherry <i>Prunus serrula</i>	Semi-mature	8	1	160	130	150	4	4	4	4	Fair	20 to 40 yrs	B	Retained	
275981.3 721875.2	3731	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	7	2	110	60		2	2	2	2	Poor	<10 yrs	U	Retained	
275963.7 721867.7	3732	Larch <i>Larix decidua</i>	Mature	24	0	660			7	9	8	5	Fair	20 to 40 yrs	B	Retained	
275960.9 721867.7	3733	Sitka Spruce <i>Picea sitchensis</i>	Mature	23	0	480			3	6	6	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275967.1 721858.7	3734	Larch <i>Larix decidua</i>	Mature	24	5	450			7	7	7	5	Fair	20 to 40 yrs	B	Retained	
275968.8 721861.1	3735	Mountain Ash <i>Sorbus aucuparia</i>	Semi-mature	6	0	90	50	50	3	4	3	2	Fair	20 to 40 yrs	C	Retained	
275968.8 721854	3736	Larch <i>Larix decidua</i>	Semi-mature	18	4	280			5	4	0	2	Fair	10 to 20 yrs	C	Retained	
275969.8 721850.9	3737	Noble Fir <i>Abies procera</i>	Semi-mature	23	2	340			5	5	1	1	Fair	20 to 40 yrs	B	Retained	
275965.7 721852.9	3738	Holly <i>Ilex aquifolium</i>	Semi-mature	8	2	160	80		4	3	3	4	Fair	10 to 20 yrs	C	Retained	
275969.8 721848.9	3739	Sitka Spruce <i>Picea sitchensis</i>	Mature	27	2	670			7	4	5	5	Fair	20 to 40 yrs	B	Retained	
275974.5 721847.5	3740	Holly <i>Ilex aquifolium</i>	Semi-mature	7	1	170	150		2	4	4	2	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275972.2 721844.4	3741	Noble Fir <i>Abies procera</i> <i>Topped</i>	Mature	21	>5	740			4	6	6	3	Fair	20 to 40 yrs	B	Retained	
275969.4 721843.4	3742	Noble Fir <i>Abies procera</i> <i>Topped</i>	Mature	21		900			8	5	8	8	Fair	20 to 40 yrs	B	Retained	
275964.3 721841	3743	Noble Fir <i>Abies procera</i> <i>Significant specimen</i>	Mature	28	4	990			7	8	9	9	Fair	20 to 40 yrs	A	Retained	
275919.9 721856.7	3745	Noble Fir <i>Abies procera</i>	Mature	26	3	690			8	7	8	9	Fair	20 to 40 yrs	B	Retained	
275931.8 721848.6	3476	Noble Fir <i>Abies procera</i>	Mature	25	3	810			9	9	8	8	Fair	20 to 40 yrs	B	Retained	
275914.4 721867.3	3747	Pine <i>Pinus sylvestris</i>	Mature	20	8	550			5	6	7	5	Fair	20 to 40 yrs	B	Retained	
275909.7 721869.7	3748	Pine <i>Pinus sylvestris</i>	Mature	21	8	470			5	4	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
275913.4 721880.9	3749	Larch <i>Larix decidua</i>	Mature	22	6	520			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
275958.5 721944	W3750	A Woodland <i>Mixed conifer plantation extending to north. Spruce, Larch, Fir. Beech , Birch, Holly occasional. Stem diameters vary ca. 200-800mm</i>	Semi-mature	20	2	350			80	50	20	30	Fair	20 to 40 yrs	B	Retained	
275976.6 721871.8	G3732	Prunus <i>Prunus avium</i>	Veteran	2	1	150			4	4	4	4	Fair	10 to 20 yrs	B	Retained	
276001.4 721878.3	3751	Mountain Ash <i>Sorbus aucuparia</i>	Semi-mature	7	2	200			3	3	3	3	Fair	20 to 40 yrs	B	Retained	
276009.6 721873.2	3752	Mountain Ash <i>Sorbus aucuparia</i>	Semi-mature	7	2	200			1	3	3	3	Fair	20 to 40 yrs	B	Retained	
276017.4 721883.4	G3753	Jacquemont's Birch <i>Betula utilis var.jacquemontii</i>	Semi-mature	9	2	170			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276015 721902.9	3754	Weeping Willow <i>Salix chrysocoma</i>	Young	5	1	140			2	2	2	2	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
277585 722011	3755	Goat Willow <i>Salix caprea</i>	Semi-mature	13	1	270	130		3	4	5	5	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277583.2 722010.3	3756	Goat Willow <i>Salix caprea</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	14	2	190	170		4	5	5	5	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277583.2 722011.7	3757	Goat Willow <i>Salix caprea</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	13	3	180	180		0	3	5	5	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277583.9 722015.4	3758	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Semi-mature	13	2	240			3	3	3	3	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277591.8 722019.7	3759	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Semi-mature	7	2	190			3	3	3	2	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277588.2 722016.3	3760	Norway Maple <i>Acer platanoides</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	14	3	230	180		5	5	5	5	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277595.2 722015.6	3761	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	3	220			1	4	6	4	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
277598.1 722018.8	3762	Silver Birch <i>Betula pendula</i>	Semi-mature	17	5	180			2	3	3	3	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277601.3 722016.8	3763	Silver Birch <i>Betula pendula</i>	Semi-mature	18	3	340			5	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277602.4 722015.4	3764	Silver Birch <i>Betula pendula</i>	Semi-mature	13	3	230			3	4	3	4	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277604.6 722019.1	3765	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Semi-mature	20	0	570			5	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277606 722023.8	3766	Silver Birch <i>Betula pendula</i>	Mature	22	4	260			4	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277603.9 722026	3767	Silver Birch <i>Betula pendula</i>	Dead	8	3	150			2	2	2	2	Dead	n/a	U	Removed	Removed as part of land remediation
277602.8 722027.6	3768	Silver Birch <i>Betula pendula</i>	Semi-mature	19	5	250			3	3	4	4	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
277602.1 722029.7	3769	Norway Spruce <i>Picea abies</i>	Semi-mature	10	2	240			4	3	3	3	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277604.6 722031.4	3770	Silver Birch <i>Betula pendula</i>	Semi-mature	17	3	190			0	3	5	2	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277604.8 722030.3	3771	Common Beech <i>Fagus sylvatica</i>	Young	9	2	150			3	3	3	3	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277597.4 722022	3772	Goat Willow <i>Salix caprea</i>	Semi-mature	13	3	190	190		3	4	5	4	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277595.1 722022.5	3773	Goat Willow <i>Salix caprea</i>	Semi-mature	12	3	160	70		5	1	5	6	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277597.8 722019.8	3774	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	8	1	160			2	2	4	3	Fair	10 to 20 yrs	C	Removed	Removed as part of land remediation
277601.6 722040	3775	Silver Birch <i>Betula pendula</i>	Mature	24	>5	320			5	5	3	5	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
277597.1 722050.2	3776	European Larch <i>Larix decidua</i>	Semi-mature	24	2	440			7	7	7	7	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277606.1 722049.9	3777	Silver Birch <i>Betula pendula</i>	Mature	20	>5	220			3	3	4	4	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277605.6 722050.9	3778	Silver Birch <i>Betula pendula</i> <i>Ivy clad bole</i>	Mature	24	>5	320			4	5	4	5	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277604.9 722052.4	3779	Silver Birch <i>Betula pendula</i>	Mature	24	>5	350			6	6	3	5	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277605.6 722056.5	3780	Beech	Semi-mature	15	2	210			6	3	5	6	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277604.8 722060.9	G3781	Silver Birch <i>Betula pendula</i> 2 Beech + 2 Birch	Semi-mature	12	2	140			5	4	4	6	Fair	10 to 20 yrs	C	Retain if possible	Less than 10% of the calculated rootzone within the working width
277602.5 722060	3782	Silver Birch <i>Betula pendula</i>	Mature	23	5	250			5	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp.W (m)	Condition Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277599.8 722062	3783	Silver Birch <i>Betula pendula</i>	Semi-mature	18	5	190			4	4	4	4	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277603.4 722068.5	3784	Silver Birch <i>Betula pendula</i>	Mature	24	>5	330			6	6	6	6	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277594.9 722069	3785	Silver Birch <i>Betula pendula</i>	Mature	23	>5	270			6	5	6	5	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277598.4 722069	G3786	Silver Birch <i>Betula pendula</i> <i>Birch group with Fir, Holly understorey</i>	Semi-mature	19	3	140			6	6	6	6	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277592.1 722074.6	3787	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	18	5	480			7	4	7	4	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277597.3 722080.9	3788	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	18	3	430			5	4	6	6	Fair	20 to 40 yrs	B	Removed	Removed as part of land remediation
277588.2 722094.6	3789	Crab Apple <i>Malus sylvestris</i>	Semi-mature	5	1	140	80		3	1	3	4	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp.W (m)	Condition Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277594.8 722102.9	3791	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Semi-mature	4	0	250			2	2	2	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277588.7 722133.3	3790	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Semi-mature	5	0	260			4	4	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277594.2 722129.2	G3792	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Semi-mature	7	0	160	160		4	4	4	4	Fair	20 to 40 yrs	B	Retained	
277585.2 722167.5	3793	Common Holly <i>Ilex aquifolium</i>	Mature	7	0	260	70	70	3	3	4	4	Fair	20 to 40 yrs	B	Retained	
277576.6 722165.3	3794	Crab Apple <i>Malus sylvestris</i>	Semi-mature	5	1	80	80	80	4	4	4	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
275992.2 721806.7	3795	Norway Spruce <i>Picea abies</i>	Mature	27	3	510			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
275986.5 721807.4	3796	Common Oak <i>Quercus robur</i>	Dead	12	>5	380			4	1	1	1	Dead	n/a	U	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality	Removed/Retained	Comments
275994.4 721817.5	3797	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	5	240			8	4	0	4	Fair	10 to 20 yrs	C	Retained	
275962.7 721811	3798	Common Ash <i>Fraxinus excelsior</i> <i>Multi stemmed tree with one or more dead stems</i>	Semi-mature	13	3	220			8	4	3	4	Poor	<10 yrs	U	Retained	
275972.1 721803.8	3799	Common Oak <i>Quercus robur</i>	Dead	10	>5	510			2	2	2	2	Dead	n/a	U	Retained	
275968.5 721802.4	3800	Common Beech <i>Fagus sylvatica</i>	Semi-mature	9	0	140			4	1	2	4	Fair	10 to 20 yrs	C	Retained	
275958.4 721800.9	2101	Silver Birch <i>Betula pendula</i>	Young	7	0	140			4	3	0	2	Fair	10 to 20 yrs	C	Retained	
275962 721785.1	2102	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	5	450	450		5	7	9	6	Fair	20 to 40 yrs	B	Retained	
275949 721788	2103	Pissards Plum <i>Prunus atropurpurea</i>	Young	6	1	75			3	3	3	3	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name Latin Name	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277584.1 721947.5	3932	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	6	140			2	2	2	4	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277587 721949.1	3933	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	13	6	210	100		2	3	3	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277592.8 721947.6	3934	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	14	6	250			3	6	2	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277592.2 721946.6	3935	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	14	5	190			6	6	2	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277592.2 721945.7	3936	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	14	6	140			3	0	1	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277593.1 721945.8	3937	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	14	5	300			5	6	3	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277595.4 721949	3938	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	10	4	250			4	7	4	0	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277592.5 721944.1	3939	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	14	2	380	80		4	6	5	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277591.2 721944.5	G3940	Sycamore <i>Acer pusedoplatanus</i> 4 trees	Semi-mature	14	>5	230			7	3	7	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277591.8 721943.3	3941	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	12	5	110			0	2	2	0	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277589.6 721942.7	3942	Sycamore <i>Acer pusedoplatanus</i> Twin co dominant stems with compression forks and included bark	Mature	14	3	270	230		3	2	5	5	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277591.9 721941.7	3943	Sycamore <i>Acer pusedoplatanus</i> Ivy clad bole	Semi-mature	14	3	260	240		3	5	4	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277590 721942.2	G3944	Holly <i>Ilex aquifolium</i> Understorey group. Holly, Elder, Elm	Young	4	0	100			3	3	2	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277594 721953.9	3945	Elm <i>Ulmus glabra</i>	Semi-mature	14	3	310			5	7	6	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277592.6 721953.1	3946	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	14	5	240			4	5	3	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277592.7 721952.4	3947	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	12	5	100			1	0	3	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277580.7 721951.9	G3948	Holly <i>Ilex aquifolium</i> <i>Understorey group 6 trees</i>	Semi-mature	10	0	220	210		4	5	5	6	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277581.4 721952.2	3949	Common Yew <i>Taxus baccata</i>	Semi-mature	8	1	180			4	2	1	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277573 721947.7	3950	Elm <i>Ulmus glabra</i>	Semi-mature	13	5	220	50		5	5	5	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277573.4 721945.2	3951	Elm <i>Ulmus glabra</i>	Semi-mature	13	2	340			4	6	6	4	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277571.7 721945.2	3952	Elm <i>Ulmus glabra</i>	Semi-mature	7	2	220			0	3	6	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277571.9 721946.3	3953	Elm <i>Ulmus glabra</i>	Semi-mature	12	4	260	240		5	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277566.6 721948.3	3954	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Stem intertwined with adjacent Holly</i>	Semi-mature	15	>5	180			2	4	4	1	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277565.8 721948.7	G3955	Holly <i>Ilex aquifolium</i> <i>Understorey group</i>	Semi-mature	6	0	180			5	5	5	5	Fair	20 to 40 yrs	B	Removed	Removed to accommodate flood wall and working area
277575.2 721948.7	3956	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	>5	180			3	6	4	0	Fair	10 to 20 yrs	C	Removed	Removed to accommodate flood wall and working area
277575.4 721950.5	3957	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>		15	>5	110			3	2	2	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277578.6 721950.9	3958	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	>5	120			3	3	3	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277579.6 721944.7	G3959	Hawthorn <i>Crataegus monogyna</i> <i>2 trees</i>	Semi-mature	3	0	70	70	70	4	1	1	3	Poor	<10 yrs	U	Removed	Removed to accommodate flood wall and working area

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276400.2 721990.8	3960	Alder <i>Alnus glutinosa</i>	Mature	18	5	370	320		7	8	8	6	Fair	20 to 40 yrs	B	Retained	
276397.7 721993.4	3961	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	15	2	160			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276402.2 721994.5	3962	Alder <i>Alnus glutinosa</i>	Mature	17	2	430	150		6	8	6	6	Fair	20 to 40 yrs	B	Retained	
276402.9 721996.4	3963	Alder <i>Alnus glutinosa</i>	Semi-mature	16	5	220			5	7	3	4	Fair	20 to 40 yrs	B	Retained	
276404.1 721996.7	3964	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	3	180			5	7	2	3	Fair	10 to 20 yrs	C	Retained	
276406.4 722001.2	3965	Alder <i>Alnus glutinosa</i> <i>Ash die back</i>		12	6	140			4	3	2	2	Poor	<10 yrs	U	Retained	
276408 722002.8	3966	Elm <i>Ulmus glabra</i>	Semi-mature	17	4	240			7	7	7	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276408.6 722004.7	3967	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	2	190			3	6	2	3	Fair	10 to 20 yrs	C	Retained	
276409.6 722006.3	3968	Alder <i>Alnus glutinosa</i>	Semi-mature	4	0	130			2	6	3	0	Fair	10 to 20 yrs	C	Retained	
276409.6 722008.3	3969	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	17	2	330			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
276410.9 722009.9	3970	Alder <i>Alnus glutinosa</i> <i>Decay / defect on one stem</i>	Mature	17	5	470	460	460	8	8	7	8	Fair	20 to 40 yrs	B	Retained	
276412.1 722012.7	3971	Alder <i>Alnus glutinosa</i>	Mature	11	2	280	280		4	8	4	2	Poor	20 to 40 yrs	C	Retained	
276412.4 722014.7	3972	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	11	4	120			3	3	3	3	Poor	<10 yrs	U	Retained	
276413 722015.6	3973	Sycamore <i>Acer pusedoplatanus</i>	Semi-mature	11	1	100			2	2	2	2	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276414.1 722015.2	3974	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	2	270			5	9	5	1	Fair	20 to 40 yrs	B	Retained	
276415.2 722017.4	3975	Alder <i>Alnus glutinosa</i> <i>Erosion within rooting area. Multi stemmed tree with one or more dead stems</i>	Mature	12	1	270	220	170	5	7	6	3	Poor	<10 yrs	U	Retained	
276416.2 722018.2	3976	Alder <i>Alnus glutinosa</i>	Mature	12	1	330	230		7	7	2	8	Fair	20 to 40 yrs	B	Retained	
276416.4 722020.3	3977	Alder <i>Alnus glutinosa</i>	Mature	11	3	200			1	6	5	5	Fair	20 to 40 yrs	B	Retained	
276416.9 722021.5	3978	Ash <i>Fraxinus excelsior</i> <i>Erosion within rooting area</i>	Mature	21	>5	470			5	7	5	4	Poor	<10 yrs	U	Retained	
276417.1 722023.9	3979	Alder <i>Alnus glutinosa</i>	Mature	13	4	310	190		6	4	6	7	Fair	20 to 40 yrs	B	Retained	
276418.1 722023.8	3980	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	11	0	180			4	4	3	2	Fair	20 to 40 yrs	B	Retained	

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276417.6 722024.7	3981	Ash <i>Fraxinus excelsior</i> <i>Erosion within rooting area. Ash die back</i>	Semi-mature	14	3	320	180		4	7	4	9	Poor	10 to 20 yrs	C	Retained	
276419.1 722027.7	3982	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	12	1	380	300	140	6	7	4	7	Poor	<10 yrs	U	Retained	
276420.4 722030.1	3983	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	7	2	200	140	130	5	6	2	3	Poor	<10 yrs	U	Retained	
276423.6 722034	3984	Alder <i>Alnus glutinosa</i>	Mature	10	2	180	140		4	4	3	4	Fair	20 to 40 yrs	B	Retained	
276425.5 722036.2	3985	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	12	4	220	160		6	6	5	4	Fair	10 to 20 yrs	C	Retained	
276427.5 722039.1	3986	Ash <i>Fraxinus excelsior</i>	Dead	9	2	220	50		3	3	1	1	Dead	<10 yrs	U	Retained	
276427.5 722040.7	3987	Ash <i>Fraxinus excelsior</i>	Semi-mature	13	6	120			3	3	3	3	Fair	10 to 20 yrs	C	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276430 722043	3988	Willow <i>Salix cinerea</i>	Mature	9	3	240	240	130	5	4	2	2	Poor	<10 yrs	U	Retained	
276728.5 722097.8	3989	Norway Maple <i>Acer platanoides</i>	Semi-mature	10	2	310			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276729.2 722099.1	3990	Willow <i>Salix cinerea</i>	Semi-mature	5	1	130			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
276728.5 722108.7	3991	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	7	3	80	80	70	3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276714.4 722076.7	3992	Alder <i>Alnus glutinosa</i>	Mature	14	1	320	270	180	8	8	7	8	Fair	20 to 40 yrs	B	Retained	
276705.5 722074.1	3993	Alder <i>Alnus glutinosa</i>	Mature	13	1	410			6	7	8	6	Fair	20 to 40 yrs	B	Retained	
276702.9 722100.3	H3994	Holly <i>Ilex aquifolium</i> <i>Garden hedge</i>	Semi-mature	2	0	750			10	1	10	1	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276712.5 722104.8	3995	Cherry <i>Prunus avium</i>	Semi-mature	5	1	140			2	2	2	2	Fair	20 to 40 yrs	B	Retained	
276717.6 722092.7	H3996	Beech <i>Fagus sylvatica</i> <i>Garden hedge</i>		2	0	750			10	1	10	1	Fair	20 to 40 yrs	B	Retained	
276698.1 722073.3	3997	Grey Willow <i>Salix cinerea</i>	Semi-mature	9	0	140	140	140	3	7	3	1	Fair	20 to 40 yrs	B	Retained	
276693.3 722073.3	3998	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>		19	1	330	220	180	7	7	8	8	Fair	10 to 20 yrs	C	Retained	
276698.1 722078.4	G3999	Spruce <i>Picea abies</i> <i>3 trees</i>	Semi-mature	7	0	140			4	3	2	4	Fair	10 to 20 yrs	C	Retained	
276689.8 722089.7	4000	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	5	2	180			2	2	2	2	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
277753.9 722007.3	5001	Birch <i>Betula pendula</i>	Semi-mature	12	2	170			1	4	4	2	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277750.9 722007	G5002	Birch <i>Betula pendula</i>	Young	6	2	100			1	2	3	3	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277744.3 722006	G5003	Lawson Cypress <i>Chamaecyparis</i> 3 trees	Semi-mature	17	2	250			3	3	3	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277723.5 722003.7	H5004	Lawson Cypress <i>Chamaecyparis</i> Garden hedge	Semi-mature	3	0	90			1	10	1	10	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277691.5 721994	5005	Lawson Cypress <i>Chamaecyparis</i>	Young	3	0	100			3	1	1	1	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277688.5 721992.4	5006	Cherry <i>Prunus avium</i>	Semi-mature	4	1	100			1	2	2	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277680.6 721989.1	5007	Mountain Ash <i>Sorbus aucuparia</i>	Semi-mature	6	1	100	100	100	1	3	4	3	Fair	20 to 40 yrs	B	Removed	Removed to accommodate working area
277789.3 722010.7	5008	Crab Apple <i>Malus sylvestris</i>	Semi-mature	3	0	120			1	2	3	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277799.8 722011.6	H5009	Beech <i>Fagus sylvatica</i> <i>Garden hedge along dyke wall</i>	Young	2	0	80			1	8	1	8	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277806.6 722013.1	G5010	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Ivy clad bole</i>	Semi-mature	19	3	260	270	200	5	6	6	6	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277831.9 722017.5	H5011	Leyland Cypress <i>Leylandii</i> <i>Garden hedge</i>	Semi-mature	2	0	90			1	12	1	12	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277854.6 722017.1	5012	Lawson Cypress <i>Chamaecyparis</i> <i>Topped</i>	Semi-mature	5	2	200			1	1	3	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area
277861.1 722018.1	5013	Lawson Cypress <i>Chamaecyparis</i> <i>Topped</i>	Semi-mature	5	2	250			2	2	2	2	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
277861.8 722014.4	5014	Lawson Cypress <i>Chamaecyparis Topped</i>	Semi-mature	3	0	310			2	2	3	2	Fair	10 to 20 yrs	B	Retained	
277857.4 722014.4	5015	Lawson Cypress <i>Chamaecyparis Twin co dominant stems with compression forks and included bark</i>	Semi-mature	6	0	150	130		1	2	2	2	Fair	10 to 20 yrs	C	Retained	
277862.5 722018.1	5016	Cherry Laurel <i>Prunus laurocerasus</i>	Semi-mature	4	2	60	50	50	1	2	2	1	Fair	10 to 20 yrs	C	Retained	
277873.5 722022.2	H5017	Lawson Cypress <i>Chamaecyparis Garden hedge</i>	Semi-mature	2	0	120			1	6	1	6	Fair	10 to 20 yrs	C	Removed	Removed to accommodate working area

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/ Retained	Comments
276104.3 721957.3	G31	Leyland Cypress <i>Leylandii</i>	Semi-mature	17	0	380			6	6	5	6	Fair	20 to 40 yrs	B	Retained	
276132.4 721968.1	UT 30	Incence Cedar <i>Calocedrus decurrens</i>	Semi-mature	13	0	390			4	4	4	4	Fair	20 to 40 yrs	B	Retained	
276132.8 721972.2	UT32	Silver Wattle <i>Acacia dealbata</i>	Semi-mature	6	1	120	120	90	4	4	4	5	Fair	10 to 20 yrs	B	Retained	
276135.2 721972.5	UT33	Tibetan Cherry <i>Prunus serrula</i>	Young	3	0	50	50		2	1	2	2	Fair	10 to 20 yrs	C	Retained	
276155.8 721978.8	UT34	Hazel <i>Corylus avellana</i>	Semi-mature	4	0	150			3	3	3	3	Fair	10 to 20 yrs	C	Retained	
276152.9 721976.3	UT35	Hazel <i>Corylus avellana</i>	Young	3	0	140			2	2	2	2	Fair	10 to 20 yrs	C	Retained	
276118 721991.1	UT36	Beech <i>Fagus sylvatica</i>	Mature	13	2	660			6	6	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality	Removed/Retained	Comments
276081 721999.7	UT37	Beech <i>Fagus sylvatica</i>	Mature	21	1	1180			8	8	8	8	Fair	20 to 40 yrs	A	Retained	
		<i>Significant specimin. Crown raised above car park.</i>															
276072.6 721971.3	UT38	Pine <i>Pinus sylvestris</i>	Semi-mature	16	4	360			7	4	6	6		20 to 40 yrs	B	Retained	
276074.6 721967.5	UT39	Pine <i>Pinus sylvestris</i>	Semi-mature	13	3	350			1	4	4	3	Fair	20 to 40 yrs	B	Retained	
276076.3 721969.6	UT40	Pine <i>Pinus sylvestris</i>	Semi-mature	13	3	190			1	4	3	0	Fair	20 to 40 yrs	B	Retained	
		<i>Ivy clad bole</i>															
276078.3 721972.6	UT41	Pine <i>Pinus sylvestris</i>	Semi-mature	13	3	270			4	5	2	0	Fair	20 to 40 yrs	B	Retained	
276059.6 721962.1	H42	Beech <i>Fagus sylvatica</i>	Semi-mature	3		120			1	10	1	10	Fair	20 to 40 yrs	B	Retained	
		<i>Garden hedge</i>															
276066.8 721957	UT43	Cherry <i>Prunus avium</i>	Mature	18	3	380			8	8	7	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category	Removed/Retained	Comments
276050.8 721967.2	UT44	Cherry <i>Prunus avium</i>	Mature	16	>5	280			5	5	4	5	Poor	10 to 20 yrs	C	Retained	
276053.2 721972	UT45	Norway Maple <i>Acer platanoides</i>	Semi-mature	15	2	380			3	5	5	5	Fair	20 to 40 yrs	B	Retained	
276054.9 721977.7	UT46	Norway Maple <i>Acer platanoides</i> <i>Crown raised above driveway</i>	Semi-mature	15	2	380			4	5	4	5	Fair	20 to 40 yrs	B	Retained	
276057.9 721984.2	UT47	Norway Maple <i>Acer platanoides</i> <i>Crown raised above driveway</i>	Semi-mature	15	2	440			4	5	5	6	Fair	20 to 40 yrs	B	Retained	
276057.9 721989	UT48	Cherry <i>Prunus avium</i>	Semi-mature	16	3	360			6	6	4	4	Fair	20 to 40 yrs	B	Retained	
276048.6 722003.2	UTS49	Rhododendron <i>Rhododendron</i>	Mature	4	0	110	110	110	4	4	4	4	Fair	10 to 20 yrs	C	Retained	
276048.2 721992	UT50	Larch <i>Larix decidua</i> <i>Crown raised above driveway</i>	Mature	22	1	700			8	6	4	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category	Removed/Retained	Comments
276046.5 721986.2	UT51	Larch <i>Larix decidua</i>	Mature	22	4	520			5	7	8	7	Fair	20 to 40 yrs	B	Retained	
276036 721983.8	UT52	Larch <i>Larix decidua</i>	Mature	22	3	500			5	5	5	5	Fair	20 to 40 yrs	B	Retained	
276039.7 721990.3	UT53	Larch <i>Larix decidua</i>	Mature	22	5	620			5	6	8	7	Fair	20 to 40 yrs	B	Retained	
276043.1 721993.3	UTS55	Rhododendron <i>Rhododendron</i>	Mature	4	0	130	130	130	4	4	4	4	Fair	10 to 20 yrs	C	Retained	
276042.1 721970.6	UT54	Larch <i>Larix decidua</i>	Mature	23	5	690			8	8	8	8	Fair	20 to 40 yrs	B	Retained	
276037.8 721964.4	UT56	Common Silver Fir <i>Abies alba</i>	Mature	24	4	770			8	8	9	9	Fair	20 to 40 yrs	B	Retained	
276030.3 721963.1	UT57	Larch <i>Larix decidua</i>	Mature	22	3	480			6	6	6	6	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category	Removed/ Retained	Comments
276027.6 721975.6	UTW58	Birch <i>Larix decidua</i> <i>Birch group on edge of mixed conifer plantation</i>	Mature	20		180			9	9	9	9		10 to 20 yrs	B	Retained	
276028.6 721948.1	UT59	Beech <i>Fagus sylvatica</i>	Mature	21	0	710			9	9	9	7	Fair	20 to 40 yrs	B	Retained	
276020.5 721947.1	UT60	Beech <i>Fagus sylvatica</i>	Mature	20	2	430			5	7	5	5	Fair	20 to 40 yrs	B	Retained	
276017.1 721942.8	UT61	Beech <i>Fagus sylvatica</i>	Mature	22	2	540			5	7	5	5	Fair	20 to 40 yrs	B	Retained	
276006.2 721944.5	UT62	Beech <i>Fagus sylvatica</i>	Mature	22	1	540			5	7	6	4	Fair	20 to 40 yrs	B	Retained	
276015.4 721963.2	UT63	Norway Spruce <i>Picea abies</i>	Mature	28	2	1200			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
276016.4 721958.4	UTW64	Larch <i>Larix decidua</i> <i>Woodland edge group. Mixed conifer plantation, Larch dominant. Intermittent Beech present</i>	Semi-mature	20	2	250			10	9	9	20	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category	Removed/Retained	Comments
276037.5 721940.7	UT65	Cherry <i>Prunus avium</i> <i>Crown raised above driveway</i>	Mature	16	2	510			5	6	6	4		20 to 40 yrs	B	Retained	
276040.2 721947.5	UT66	Cherry <i>Prunus avium</i>	Mature	17	4	520			5	6	5	6	Fair	20 to 40 yrs	B	Retained	
276042.2 721952.6	UT67	Cherry <i>Prunus avium</i> <i>Ivy clad bole into lower crown</i>	Mature	16	4	430			5	6	5	5	Poor	10 to 20 yrs	C	Retained	
276042.6 721954.7	UTH68	Beech <i>Fagus sylvatica</i> <i>Garden hedge</i>	Semi-mature	3	0	75			12	1	12	1	Fair	20 to 40 yrs	C	Retained	
276044.5 721957.9	UT69	Cherry <i>Prunus avium</i> <i>Somewhat sparse crown</i>	Semi-mature	14	4	200			4	6	4	4	Poor	10 to 20 yrs	C	Retained	
276046.7 721963.5	UT70	Cherry <i>Prunus avium</i>	Mature	17	4	480			5	6	6	6	Fair	20 to 40 yrs	B	Retained	
275997.4 721943.9	UT71	Fir <i>Abies alba</i>	Mature	27	2	810			9	9	12	9	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category	Removed/ Retained	Comments
276004.9 721932.7	UTH73	Beech <i>Fagus sylvatica</i> Garden hedge	Semi-mature	4	0	75			3	2	3	2	Fair	20 to 40 yrs	B	Retained	
276004.5 721926.9	UTH72	Beech <i>Fagus sylvatica</i>	Semi-mature	4	0	75			3	2	2	2	Fair	20 to 40 yrs	B	Retained	
275987.2 721927.6	TU74	Common Oak <i>Quercus robur</i>	Semi-mature	12	1	340			6	6	6	6	Fair	20 to 40 yrs	B	Retained	
275995.9 721922	UT75	Birch <i>Betula pendula</i> Ingrown washing line	Semi-mature	12	2	150			4	4	4	2	Fair	10 to 20 yrs	C	Retained	
275984 721923.1	UT76	Whitebeam <i>Sorbus aria</i>	Semi-mature	6	0	150	80		3	4	3	3	Fair	20 to 40 yrs	B	Retained	
275980.6 721918.3	UT77	Birch <i>Betula pendula</i> Twin co dominant stems with compression forks and included bark	Semi-mature	12	2	160	170		4	4	4	3	Fair	10 to 20 yrs	C	Retained	
275979.2 721922	UT78	Noble Fir <i>Abies procera</i>	Semi-mature	15	0	690			4	4	5	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category	Removed/Retained	Comments
275977.5 721929.5	UT79	Noble Fir <i>Abies procera</i> <i>Suppressed crown</i>	Semi-mature	11	0	580			5	4	5	3	Fair	10 to 20 yrs	C	Retained	
275986 721933.3	UT80	Birch <i>Betula pendula</i>	Mature	22	3	530			7	7	7	7	Fair	20 to 40 yrs	B	Retained	
275979.9 721933.9	UT81	Larch <i>Larix decidua</i>	Semi-mature	22	2	480			5	7	5	3	Fair	20 to 40 yrs	B	Retained	
275971.8 721932.2	UT82	Spruce <i>Picea sitchensis</i>	Semi-mature	17	0	320			3	4	4	3	Fair	20 to 40 yrs	B	Retained	
275971.8 721923.7	UT83	Larch <i>Larix decidua</i>	Mature	24	0	620			5	6	8	7	Fair	20 to 40 yrs	B	Retained	
275957.8 721920.7	UT84	Noble Fir <i>Abies procera</i>	Semi-mature	15	0	610			5	6	7	5	Fair	20 to 40 yrs	B	Retained	
275965 721914.2	UT85	Common Horse Chest <i>Aesculus hippocastanum</i>	Semi-mature	10	1	270			5	5	5	5	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category	Removed/Retained	Comments
275951.4 721925.8	UT86	Larch <i>Larix decidua</i>	Mature	27	0	820			9	9	9	9	Fair	20 to 40 yrs	B	Retained	
275942.5 721923.5	UT87	Larch <i>Larix decidua</i>	Semi-mature	19	0	560			4	4	6	5	Fair	20 to 40 yrs	B	Retained	
275934 721923.2	UT88	Spruce <i>Picea sitchensis</i>	Mature	26	3	820			4	5	8	4	Fair	20 to 40 yrs	B	Retained	
275932 721924.2	UT89	Spruce <i>Picea sitchensis</i>	Dead	16	2	360			4	3	4	3	Dead	n/a	U	Retained	
275923.1 721927.1	UT90	Spruce <i>Picea sitchensis</i>	Mature	26	0	740			6	6	8	6	Fair	20 to 40 yrs	B	Retained	
275919.4 721930.5	UT91	Spruce <i>Picea sitchensis</i>	Mature	25	3	830			8	8	8	8	Fair	20 to 40 yrs	B	Retained	
275902.4 721931.6	UT92	Spruce <i>Picea sitchensis</i>	Mature	23	1	650			8	8	7	7	Fair	20 to 40 yrs	B	Retained	

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category	Removed/Retained	Comments
275897.3 721929.2	UT93	Larch <i>Larix decidua</i>	Mature	24	0	710			6	7	8	5	Fair	20 to 40 yrs	B	Retained	
275891.5 721930.5	UT94	Spruce <i>Picea sitchensis</i> <i>Fungus: Heterobasidion ananosum. Sounding of bole did not indicate presence of significant decay</i>	Mature	25	3	910			10	8	9	7	Fair	20 to 40 yrs	B	Retained	
275888.1 721933.9	UT95	Sitka Spruce <i>Picea sitchensis</i>	Mature	26	2	830			8	6	9	9	Fair	20 to 40 yrs	B	Retained	
275895.9 721912.5	UT96	Birch <i>Betula pendula</i>	Semi-mature	10	3	170			5	4	4	4	Fair	20 to 40 yrs	B	Retained	
275891.8 721914.6	UT97	Birch <i>Betula pendula</i>	Semi-mature	9	5	160			2	3	3	3	Fair	10 to 20 yrs	C	Retained	
275903.4 721913.2	UTG98	Cherry Laurel <i>Prunus laurocerasus</i>	Semi-mature	6	0	120	100	110	3	7	6	7	Fair	20 to 40 yrs	B	Retained	
275930.9 721907.1	UT99	Lodgepole Pine <i>Pinus contorta var latifolia</i>	Semi-mature	15	2	320			7	7	6	5	Fair	20 to 40 yrs	B	Retained	
275922.4 721901	UT100	Norway Spruce <i>Picea abies</i>	Mature	19	1	470			8	7	3	3	Fair	20 to 40 yrs	B	Retained	