

Master Tree Schedule

Part 2: Tree Survey

*BS 5837:2012 Trees in Relation to Design,
Demolition and Construction-Recommendations*

Comrie Flood Protection Scheme



18th July 2018

Prepared for
SWECO UK

Prepared by
C. A. Calvey, P.T.I., Tech.Cert (Arbor.A), Cert.Arb (RFS), BA Hons.
THE TREE INSPECTOR (SCOTLAND)

Eastling Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277618.7 722177.2	1	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	0	480			10	3	2	9	Fair	20 to 40 yrs	B
277617.8 722170.9	2	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole</i>	Mature	22	1	810			6	4	7	9	Fair	20 to 40 yrs	B
277621.1 722173.3	3	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	>5	760			5	8	5	6	Fair	20 to 40 yrs	B
277618.7 722168.2	4	Common Ash <i>Fraxinus excelsior</i> <i>Ivy clad bole</i>	Semi-mature	5	2	250	150	150	0	7	4	1	Fair	10 to 20 yrs	C
277615.5 722161.7	5	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole</i>	Mature	23	>5	610	470		7	6	3	9		20 to 40 yrs	B
277615.2 722157.8	6	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	1	480	470		3	0	5	9	Fair	20 to 40 yrs	B
277618.2 722159	7	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole</i>	Mature	23	2	560			5	8	2	2	Fair	20 to 40 yrs	B
277619.7 722154.8	8	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole</i>	Mature	22	4	750			4	8	5	3	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277619.7 722153.3	9	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole</i>	Mature	22	3	690			2	8	5	5	Fair	20 to 40 yrs	B
277623.6 722150.9	10	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole. Twin co-dominant stems</i>	Mature	22	>5	540	540		5	7	5	5	Fair	10 to 20 yrs	C
277615.8 722153.9	11	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole</i>	Mature	19	0	440			3	2	4	7	Fair	20 to 40 yrs	B
277615.5 722150.3	12	Common Ash <i>Fraxinus excelsior</i> <i>Ash die-back. Ivy clad bole</i>	Mature	23	>5	380			0	0	6	9	Fair	10 to 20 yrs	C
277619.7 722146.1	13	Sycamore <i>Acer pseudoplatanus</i> <i>Western stem decayed</i>	Mature	20	4	600	580	550	5	10	7	5	Poor	10 to 20 yrs	C
277618.5 722133.2	14	Wych Elm <i>Ulmus glabra</i>	Semi-mature	15	5	300	360		7	7	7	8	Fair	20 to 40 yrs	B
277616.1 722143.1	G15	A Group <i>Sub-canopy group. Elm, Sycamore</i>	Semi-mature	11	2	240			7	3	7	7	Fair	10 to 20 yrs	C
277616.1 722125.7	G16	Common Ash <i>Fraxinus excelsior</i> <i>Ash group, 7 stems. Ash die-back</i>	Young	6	1	100			5	4	9	6	Poor	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name	Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277618.2 722121.5	17	Sycamore	<i>Acer pseudoplatanus</i>	Mature	18	4	890			8	9	7	8	Fair	20 to 40 yrs	B
277618.5 722113.2	18	Sycamore	<i>Acer pseudoplatanus</i>	Mature	18	5	660			5	5	5	9	Fair	20 to 40 yrs	B
277620.4 722111.4	19	Sycamore	<i>Acer pseudoplatanus</i>	Mature	19	5	390	180		5	10	4	4	Fair	20 to 40 yrs	B
277618.5 722107.8	20	Sycamore	<i>Acer pseudoplatanus</i>	Mature	19	5	460			4	7	4	7	Fair	20 to 40 yrs	B
277618.6 722105.4	21	Wych Elm	<i>Ulmus glabra</i>	Semi-mature	7	2	190			0	3	5	5	Fair	10 to 20 yrs	C
277617.7 722100.1	22	Sycamore	<i>Acer pseudoplatanus</i>	Semi-mature	8	2	190	90		2	4	3	2	Fair	10 to 20 yrs	C
277619.7 722095.3	23	Sycamore	<i>Acer pseudoplatanus</i>	Mature	20	5	480	190		5	6	2	8	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277622.4 722061	24	Sycamore <i>Acer pseudoplatanus</i>	Mature	20	4	630			7	7	7	7	Fair	20 to 40 yrs	B
277619.4 722077.8	25	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	5	870			4	8	9	9	Fair	20 to 40 yrs	B
277620 722082.6	26	Sycamore <i>Acer pseudoplatanus</i>	Mature	23	4	730			5	8	5	2	Fair	20 to 40 yrs	B
277617.9 722083.3	27	Common Ash <i>Fraxinus excelsior</i>	Mature	22	>5	360			5	5	6	5	Fair	20 to 40 yrs	B
277619 722088.1	28	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10		280			4	5	4	5	Fair	20 to 40 yrs	B
277618.4 722092.9	29	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	4	210			2	3	2	3	Poor	10 to 20 yrs	C
277622.4 722053.7	30	Common Ash <i>Fraxinus excelsior</i> <i>Twin co dominant stems</i>	Mature	24	5	510	480		6	7	7	6	Fair	20 to 40 yrs	B
277619.4 722054	31	Common Alder <i>Alnus glutinosa</i>	Mature	13	4	350			4	0	4	6	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name	Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277755.7 722065.4	72	Sycamore	<i>Acer pseudoplatanus</i>	Mature	25	3	540	560	560	5	6	11	4	Fair	20 to 40 yrs	B
277763.1 722066.4	73	Sycamore	<i>Acer pseudoplatanus</i>	Mature	25	3	640	560	570	9	4	9	7	Fair	20 to 40 yrs	B
277773.9 722067.2	74	Sycamore	<i>Acer pseudoplatanus</i>	Mature	25	2	610	480	160	5	5	8	4	Fair	20 to 40 yrs	B
277779.4 722070	75	Sycamore	<i>Acer pseudoplatanus</i> <i>Multi stemmed tree with compression forks and included bark</i>	Mature	240	2	900	590		9	6	8	5	Fair	10 to 20 yrs	C
277782.5 722070.3	76	Sycamore	<i>Acer pseudoplatanus</i> <i>Multi stemmed tree with compression forks and included bark</i>	Mature	25	3	610	620	790					Fair	10 to 20 yrs	C
277793.1 722071.5	77	Sycamore	<i>Acer pseudoplatanus</i>	Mature	17	1	470			5	3	5	5	Fair	20 to 40 yrs	B
277800.5 722074.3	78	Common Ash	<i>Fraxinus excelsior</i>	Mature	18	1	530			9	3	2	8	Fair	20 to 40 yrs	B
277802.1 722072.8	78	Sycamore	<i>Acer pseudoplatanus</i> <i>Multi stemmed from ca. 2m height with compression forks and included bark</i>	Mature	24	1	1190			7	8	9	7	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name Latin	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277561.1 722294.1	G127	Alder <i>Alnus glutinosa</i> Woodland group circa 30 trees	Semi-mature	12	2	170			8	5	8	8	Fair	20 to 40 yrs	C
277566.9 722291.8	128	Alder <i>Alnus glutinosa</i>	Mature	13	3	570	420	430	6	8	8	7	Fair	20 to 40 yrs	B
277566.2 722307.8	S129	Shrubs/young trees	Young	5	1	80			2	2	2	2	Fair	10 to 20 yrs	C
277570.7 722303.3	130	Elm <i>Ulmus glabra</i>	Young	5	0	80	80		4	3	4	3	Fair	10 to 20 yrs	C
277579.4 722293.4	131	Common Hawthorn <i>Crataegus monogyna</i>	Young	5	1	80			2	2	2	2	Fair	10 to 20 yrs	C
277575.5 722287.7	S132	Shrubs / young trees	Young	5	1	80			2	2	2	2	Fair	10 to 20 yrs	C
277578.4 722284.1	133	Alder <i>Alnus glutinosa</i>	Mature	13	4	330			4	2	7	7	Fair	20 to 40 yrs	B
277577.3 722285	134	Alder <i>Alnus glutinosa</i>	Semi-mature	10	4	160	180		7	2	1	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name	Latin	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277582.6 722291.7	135	Alder		Mature	15	5	350	320	190	6	6	8	6	Fair	20 to 40 yrs	B
			<i>Alnus glutinosa</i>													
277583.4 722290.5	136	Bird Cherry		Young	7	2	100	80	70	4	4	3	2	Fair	10 to 20 yrs	C
			<i>Prunus padus</i>													
277584.5 722288.5	137	Alder		Semi-mature	12	4	190	150		3	6	2	2	Fair	20 to 40 yrs	B
			<i>Alnus glutinosa</i>													
277585.3 722287.4	138	Alder		Semi-mature	13	4	170	160	160	4	7	2	3	Fair	10 to 20 yrs	C
			<i>Alnus glutinosa</i>													
			<i>One stem clad in Ivy into upper crown</i>													
277585.8 722285.8	139	Alder		Mature	13	5	240	250		3	4	4	1	Fair	20 to 40 yrs	B
			<i>Alnus glutinosa</i>													
277584.9 722286.5	140	Common Ash		Young	5	3	110			0	0	3	5	Fair	10 to 20 yrs	C
			<i>Fraxinus excelsior</i>													
277586.3 722287.9	141	Alder		Semi-mature	12	5	170	160		3	6	3	1	Fair	20 to 40 yrs	B
			<i>Alnus glutinosa</i>													
277586.6 722284.4	142	Alder		Mature	13	3	310			3	3	3	1	Poor	10 to 20 yrs	C
			<i>Alnus glutinosa</i>													
			<i>Seam of decay in lower stems</i>													

Eastings Northing	Tree ID	Common Name Latin	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277588.6 722253.8	151	Grand Fir <i>Abies grandis</i> <i>Multi stemmed tree with compression forks and included bark</i>	Mature	21	2	440	300	250	5	4	2	6	Fair	10 to 20 yrs	C
277590.1 722251.8	152	Grand Fir <i>Abies grandis</i>	Mature	21	2	620			2	5	5	5	Fair	20 to 40 yrs	B
277587.7 722248.8	153	Grand Fir <i>Abies grandis</i>	Mature	21	3	650			2	5	5	5	Fair	20 to 40 yrs	B
277594.9 722254.8	154	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	12	240	220			3	4	4	6	Poor	<10 yrs	U
277595.2 722230	155	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10		160	140	50	0	5	4	3	Poor	10 to 20 yrs	C
277595.5 722244.5	G156	Common Ash <i>Fraxinus excelsior</i> <i>2 trees. Ash die back</i>	Semi-mature	12	4	190	170	160	6	5	3	5	Fair	10 to 20 yrs	C
277594.4 722241.1	157	Elm <i>Ulmus glabra</i>	Semi-mature	12	2	160	140		4	5	3	3	Fair	20 to 40 yrs	B
277595.2 722239.2	158	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	4	230	150		4	4	4	4	Poor	<10 yrs	U

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277596.2 722239.3	159	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	2	330	210	170	5	5	5	6	Good	20 to 40 yrs	B
277595.9 722231.2	160	Common Ash <i>Fraxinus excelsior</i> <i>Ivy clad bole. Ash die back</i>	Semi-mature	12	5	270	270	170	4	5	4	6	Poor	<10 yrs	U
277596.2 722228.3	161	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	5	170			1	4	3	3	Fair	10 to 20 yrs	C
277596.9 722228.9	G162	Grey Willow <i>Salix cinerea</i> <i>2 trees</i>	Semi-mature	6	0	150			6	2	6	4	Fair	10 to 20 yrs	C
277597 722224.1	163	Grey Willow <i>Salix cinerea</i>	Semi-mature	13	4	160	160	210	3	2	4	6	Fair	20 to 40 yrs	B
277596.1 722224.3	G164	A Group <i>2x Beech, 1x Holly</i>	Young	6	1	130			3	5	5	2	Fair	10 to 20 yrs	C
277595.9 722223.5	165	Grey Willow <i>Salix cinerea</i>	Semi-mature	13	2	250			2	4	4	6	Fair	10 to 20 yrs	C
277598.4 722209.7	166	Alder <i>Alnus glutinosa</i> <i>Multistemmed tree. One dead stem growing towards river.</i>	Mature	15	4	270	260	170	7	7	2	6	Fair	20 to 40 yrs	C

Eastings Northing	Tree ID	Common Name	Latin	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277412.8 721950	191	Grey Willow		Semi-mature	8	2	170			5	5	5	5	Fair	10 to 20 yrs	C
		<i>Salix cinerea</i>														
277437.8 721960.9	192	Alder		Mature	9	2	400			6	7	7	7	Fair	20 to 40 yrs	B
		<i>Alnus glutinosa</i>														
277443.5 721961.4	193	Alder		Young	5	0	70	40		3	3	3	2	Fair	10 to 20 yrs	C
		<i>Alnus glutinosa</i>														
277452.5 721959.4	194	Crack Willow		Semi-mature	9	4	180	110	80	7	4	5	7	Fair	10 to 20 yrs	C
		<i>Salix fragilis</i>														
277401.2 721941.7	G195	Common Ash		Young	6	2	100	70		1	10	4	10	Fair	10 to 20 yrs	C
		<i>Fraxinus excelsior</i>														
		Ash & Sycamore growing out of river bank														
277453.5 721961.1	196	Crack Willow		Semi-mature	12	3	150			1	2	4	2	Fair	10 to 20 yrs	C
		<i>Salix fragilis</i>														
277454.5 721962.7	197	Grey Willow		Semi-mature	6	3	130	100		0	2	5	2	Fair	10 to 20 yrs	C
		<i>Salix cinerea</i>														
277455.1 721969.7	G198	Alder		Young	5	1	75			4	7	2	7	Fair	10 to 20 yrs	C
		<i>Alnus glutinosa</i>														
		3 trees														

Eastings Northing	Tree ID	Common Name Latin	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277463.5 721984.5	G231	Common Holly <i>Ilex aquifolium</i>	Semi-mature	4	0	140			3	3	3	3	Fair	20 to 40 yrs	B
277498.5 722001.4	232	Elder <i>Sambucus nigra</i>	Mature	9	4	170	160	140	1	6	5	1	Fair	20 to 40 yrs	C
277493.5 722006.9	233	Common Lime <i>Tilia europaea</i>	Mature	26	3	710			9	9	9	9	Fair	20 to 40 yrs	B
277509 722006.9	234	Common Lime <i>Tilia europaea</i>	Mature	26	2	730			10	10	9	8	Fair	20 to 40 yrs	B
277513.7 721998.7	H235	Leyland Cypress <i>X Cupressocyparis leylandii</i> <i>Young hedge along south of track. Trees smaller to east under crown of adjacent beech.</i>	Young	4	0	140			1	18	1	18	Fair	10 to 20 yrs	C
277514.8 722002.2	239	Elder <i>Sambucus nigra</i>	Semi-mature	4	3	90	100	100	1	3	3	1	Poor	<10 yrs	U
277523.7 722008.1	237	Beech <i>Fagus sylvatica</i> <i>Significant specimen</i>	Mature	18	4	1180			9	9	9	9	Fair	20 to 40 yrs	A
277542.9 722004.1	238	Grey Willow <i>Salix cinerea</i>	Semi-mature	8		160	130	170	6	7	4	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name Latin	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277578.7 721996.5	253	Birch <i>Betula pendula</i>	Semi-mature	17	3	180			4	5	3	1	Fair	20 to 40 yrs	B
277573.4 721993.2	254	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	17	5	340			4	3	5	4	Fair	20 to 40 yrs	B
277576.2 721992.3	255	Alder <i>Alnus glutinosa</i>	Semi-mature	9	6	140	140		0	3	4	1	Poor	10 to 20 yrs	C
277574.1 721993	256	Alder <i>Alnus glutinosa</i>	Semi-mature	10	4	180	150	130	6	2	2	2	Fair	20 to 40 yrs	B
277572.4 721993.6	257	Grey Willow <i>Salix cinerea</i>	Semi-mature	7	5	140	140	100	6	3	6	0	Fair	10 to 20 yrs	C
277570.9 721995.2	258	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	2	200			6	5	4	4	Fair	10 to 20 yrs	C
277561.3 721991.9	259	Alder <i>Alnus glutinosa</i>	Semi-mature	16	6	280			5	1	5	4	Poor	10 to 20 yrs	C
277558 721994.2	260	Sycamore <i>Acer pseudoplatanus</i> <i>Defect at base</i>	Semi-mature	14	3	240	190		2	4	5	4	Poor	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277592.3 721968.7	349	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	3	260	140		7	5	4	5	Fair	20 to 40 yrs	B
277595.2 721968	G350	Common Ash <i>Fraxinus excelsior</i> 3 Ash, Holly & Elm understorey	Semi-mature	14	0	190			5	8	5	8	Fair	20 to 40 yrs	B
277607.3 721975.4	351	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	9	2	110	100	100	6	5	3	5	Fair	10 to 20 yrs	C
277608.1 721972.6	G352	Grey Alder <i>Alnus incana</i> 3 trees	Semi-mature			160			4	5	3	8	Fair	20 to 40 yrs	B
277618.2 721976	353	Goat Willow <i>Salix caprea</i>	Semi-mature	9	2	170	120	90	6	4	3	4	Fair	20 to 40 yrs	B
277622.1 721972.5	G354	Larch <i>Larix decidua</i> 4 trees	Young	12	3	130			4	5	1	5	Fair	20 to 40 yrs	B
277611.8 721970.3	355	Larch <i>Larix decidua</i>	Semi-mature	14	22	380			3	4	5	3	Fair	20 to 40 yrs	B
277601.9 721964.9	G356	Common Ash <i>Fraxinus excelsior</i> Ash & Plumb	Semi-mature	9	2	70	80	70	4	4	4	4	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277599 721962.4	357	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	3	190	190	170	5	6	7	2	Poor	10 to 20 yrs	C
277596.4 721960.8	358	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	3	240			4	5	5	4	Fair	20 to 40 yrs	B
277590 721957.6	359	Common Ash <i>Fraxinus excelsior</i> <i>Basal decay</i>	Semi-mature	14	>5	270			3	4	5	4	Poor	<10 yrs	U
277586.5 721956	G360	Common Ash <i>Fraxinus excelsior</i> <i>4 trees. Ash die back</i>	Semi-mature	13	5	140			4	7	6	5	Fair	10 to 20 yrs	C
277583.6 721956.9	361	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	5	300	260		7	3	6	6	Fair	20 to 40 yrs	B
277573.7 721952.3	G362	Elm <i>Ulmus glabra</i> <i>Woodland edge group. Circa 12 Elms. Yew also present</i>	Semi-mature	13	3	170			8	8	5	9	Fair	20 to 40 yrs	B
277640.3 721977.9	363	Alder <i>Alnus glutinosa</i>	Semi-mature	10	3	190	110	80	7	4	4	4	Fair	20 to 40 yrs	B
277643.8 721976.3	364	Oak <i>Quercus robur</i>	Young	7		190			5	4	4	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277648.4 721980.9	G365	Alder <i>Alnus glutinosa</i> 2 trees	Semi-mature	7	2	140	110		4	3	2	6	Fair	10 to 20 yrs	C
277648.3 721977.7	G366	Larch <i>Larix decidua</i> Woodland edge group. 4 trees	Semi-mature	14	3	260			4	7	4	7	Fair	20 to 40 yrs	B
277651.1 721983.1	367	Sycamore <i>Acer pseudoplatanus</i>	Young	6	0	90	80	80	3	3	2	3	Fair	10 to 20 yrs	C
277655 721982.5	368	Pine <i>Pinus sylvestris</i>	Semi-mature	10	3	230			2	2	2	2	Fair	20 to 40 yrs	B
277662.5 721986.5	369	Larch <i>Larix decidua</i> Ivy clad bole	Semi-mature	14	3	260			2	2	3	3	Fair	20 to 40 yrs	B
277658.8 721994.3	370	Crack Willow <i>Salix fragilis</i>	Semi-mature	6	0	150	100	100	7	6	4	4	Fair	20 to 40 yrs	B
277669.4 721994	371	Alder <i>Alnus glutinosa</i>	Semi-mature	8	3	160			5	5	1	1	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277677 722002.5	372	Common Alder <i>Alnus glutinosa</i> <i>Somewhat sparse crown</i>	Mature	12	3	310	250		7	4	4	5	Poor	10 to 20 yrs	C
277679.9 722002.8	373	Sycamore <i>Acer pseudoplatanus</i> <i>Basal decay</i>	Semi-mature	13	2	250	190	150	8	4	4	4	Poor	10 to 20 yrs	C
277680.9 721998.7	374	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	6	2	160			2	3	3	3	Fair	20 to 40 yrs	B
277686.8 721999.3	375	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	7	2	180			0	3	5	3	Fair	20 to 40 yrs	B
277686.5 722001.4	376	Sycamore <i>Acer pseudoplatanus</i>	Mature	13	4	300			4	4	6	6	Fair	20 to 40 yrs	B
277685.3 722005.2	377	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	3	450	430		8	7	7	7	Fair	20 to 40 yrs	B
277687.9 722004.7	G378	Common Ash <i>Fraxinus excelsior</i> <i>2 trees. Ash die back</i>		2	1	140			0	6	7	2	Fair	10 to 20 yrs	C
277698.2 722010.5	G379	Sycamore <i>Acer pseudoplatanus</i> <i>3 trees</i>	Semi-mature	14		240			7	6	5	6	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277703.2 722007.3	380	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	13	3	230	180		2	5	7	5	Fair	20 to 40 yrs	B
277706.7 722008.6	G381	Sycamore <i>Acer pseudoplatanus</i> 5 trees	Semi-mature	13		240			8	6	7	6	Fair	20 to 40 yrs	B
277710.8 722010.1	382	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	1	320	140		7	2	7	5	Fair	20 to 40 yrs	B
277712.1 722009.7	383	Elm <i>Ulmus glabra</i>	Semi-mature	12	3	230			0	4	7	3	Fair	20 to 40 yrs	B
277712.4 722014.1	G384	Sycamore <i>Acer pseudoplatanus</i> 2 trees	Semi-mature	14	3	240	230	190	7	5	7	4	Fair	20 to 40 yrs	B
277718.7 722014.1	385	Elm <i>Ulmus glabra</i>	Young	8	3	100	70		2	3	7	3	Fair	10 to 20 yrs	C
277721.1 722015.2	386	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	13	1	130	130	100	8	4	0	4	Fair	10 to 20 yrs	C
277723.2 722015.2	387	Beech <i>Fagus sylvatica</i>	Semi-mature	8	2	170			5	5	6	1	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277724.8 722015	388	Sycamore <i>Acer pseudoplatanus</i> <i>Somewhat sparse crown</i>	Semi-mature	14	2	300	250		7	6	7	4	Poor	10 to 20 yrs	C
277727.7 722016.2	G389	Sycamore <i>Acer pseudoplatanus</i> <i>3 trees</i>	Semi-mature	9	2	180			7	8	4	4	Fair	20 to 40 yrs	B
277732 722016.2	G390	Elm <i>Ulmus glabra</i> <i>1 Elm, 1 Plum</i>	Semi-mature	10	2	160			4	4	6	4	Fair	20 to 40 yrs	B
277737 722015.4	391	Elm <i>Ulmus glabra</i>	Semi-mature	10	3	130	120	90	1	5	6	3	Fair	10 to 20 yrs	C
277736.3 722019	392	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15	3	370			8	7	7	6	Fair	20 to 40 yrs	B
277749.8 722020.4	G393	A Group <i>Ash & Sycamore coppice stools. 6 stools</i>	Semi-mature	5	2	120	120	120	5	6	4	6	Fair	10 to 20 yrs	C
277753.8 722017.8	394	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	2	250	240	200	7	4	7	6	Fair	20 to 40 yrs	B
277753.8 722022.2	395	Grey Willow <i>Salix cinerea</i>	Semi-mature	7		140	140		5	3	1	3	Fair	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277758.4 722018.8	397	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	9	2	180	150	110	4	1	7	5	Fair	10 to 20 yrs	C
277765.3 722020.9	398	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	2	610			9	7	7	7	Fair	20 to 40 yrs	B
277762.7 722020.7	396	Elm <i>Ulmus glabra</i>	Semi-mature	6	0	170			7	2	0	4	Fair	20 to 40 yrs	C
277770.6 722014.2	399	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	11	3	290	170	100	4	6	6	6	Poor	<10 yrs	U
277770.3 722022.1	400	Common Alder <i>Alnus glutinosa</i>	Semi-mature	12	4	200			6	4	4	4	Fair	20 to 40 yrs	B
277774.1 722022.1	401	Elm <i>Ulmus glabra</i>	Semi-mature	12	0	210			6	3	3	4	Fair	20 to 40 yrs	B
277785.7 722022.2	402	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	2	250	240	160	8	5	5	5	Poor	10 to 20 yrs	C
277791.2 722018	403	Prunus <i>Prunus avium</i> 2 trees	Semi-mature	7	2	170			3	5	3	5	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277796 722026	404	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	8		100	100	100	6	4	4	4	Fair	10 to 20 yrs	C
277801.7 722029.8	G405	Sycamore <i>Acer pseudoplatanus</i> 2 trees multi stemmed	Mature	15	2	310	290	280	8	8	7	8	Fair	20 to 40 yrs	B
277802.4 722026	406	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	12	4	190	100		0	4	6	3	Poor	10 to 20 yrs	C
277806.8 722032.1	407	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	270			6	5	5	3	Fair	20 to 40 yrs	B
277807.8 722030.2	408	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	13	5	140	140	120	5	7	1	2	Poor	10 to 20 yrs	C
277805.6 722019.6	409	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	2	210			3	3	4	4	Fair	10 to 20 yrs	C
277810 722020.9	410	Elm <i>Ulmus glabra</i>	Semi-mature	13	3	240	150	100	5	5	5	5	Fair	20 to 40 yrs	B
277812.3 722020.9	411	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	3	150	150		5	4	4	2	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277812.6 722033.7	412	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	12		250	160	130	7	7	7	7	Poor	10 to 20 yrs	C
277821.4 722033.9	G413	A Group <i>Elm, Ash, Sycamore</i>	Semi-mature	13	2	140			6	6	5	6	Fair	20 to 40 yrs	B
277823.6 722021.4	G414	Sycamore <i>Acer pseudoplatanus</i> <i>Sycamore & Ash coppice stools. 5 stools</i>	Semi-mature	9	3	150	140	110	5	6	6	6	Fair	10 to 20 yrs	C
277827.4 722032.9	415	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	5	2	80	80	70					Fair	10 to 20 yrs	C
277831.9 722034.5	G416	Common Ash <i>Fraxinus excelsior</i> <i>2 trees. Ash die back</i>	Semi-mature	14	4	250	180	70	7	6	6	6	Poor	10 to 20 yrs	C
277831.6 722027.2	417	Prunus <i>Prunus avium</i>	Semi-mature	5	2	140	80	60	2	1	2	3	Fair	10 to 20 yrs	C
277833.8 722036.1	418	Sycamore <i>Acer pseudoplatanus</i>	Young	5	1	80	80		5	2	2	2	Fair	10 to 20 yrs	C
277838 722037.1	419	Alder <i>Alnus glutinosa</i>	Mature	13	5	260	190	170	7	5	5	5	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277838.6 722028.8	420	Elm <i>Ulmus glabra</i>	Semi-mature	13	3	130	130	100	5	6	6	6	Fair	20 to 40 yrs	B
277832.6 722022	421	Elm <i>Ulmus glabra</i>	Mature	14	4	430			6	8	7	6	Fair	20 to 40 yrs	B
277829.7 722022	422	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	3	410			7	3	7	7		20 to 40 yrs	B
277836.1 722022.4	423	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	250	100	100	5	6	6	1	Fair	20 to 40 yrs	B
277844.4 722025.2	424	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	14	3	270	230	190	5	6	7	6	Fair	10 to 20 yrs	B
277849.5 722027.8	425	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	9	3	300	260		6	5	6	5	Fair	10 to 20 yrs	C
277847.3 722040.9	G426	Sycamore <i>Acer pseudoplatanus</i> <i>2 large multi stemmed Sycamores, 1 Ash</i>	Mature	16	3	430	380	310	10	8	10	9	Fair	20 to 40 yrs	B
277851.1 722038.4	427	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	>5	170	170		1	6	6	3	Poor	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277848.6 722043.5	428	Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	140			5	5	0	0	Poor	10 to 20 yrs	C
277861.4 722040.3	G429	Common Ash <i>Fraxinus excelsior</i> 4 trees	Semi-mature	13	3	140	140		8	7	5	6	Poor	10 to 20 yrs	C
277860.4 722027.8	430	Elm <i>Ulmus glabra</i>	Semi-mature	13	3	200	180	180	8	6	1	6	Fair	20 to 40 yrs	B
277861.4 722026.2	431	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	4	580			8	7	8	7	Fair	20 to 40 yrs	B
277870.7 722026.8	G432	Elm <i>Ulmus glabra</i> 5 trees	Semi-mature	13		240	250		6	6	6	6	Fair	20 to 40 yrs	B
277866.5 722025.9	433	Common Ash <i>Fraxinus excelsior</i> Basal decay	Semi-mature	6	2	220			9	3	5	3	Poor	<10 yrs	U
277866.5 722031	434	Sycamore <i>Acer pseudoplatanus</i>	Mature	13	4	220	200	180	7	6	5	6	Fair	20 to 40 yrs	B
277865.2 722040.6	435	Alder <i>Alnus glutinosa</i>	Mature	13	4	320	230	220	7	4	6	7	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277869.1 722041.5	G436	Common Ash <i>Fraxinus excelsior</i> 4 trees	Semi-mature	14	>5	140			8	4	1	4	Fair	10 to 20 yrs	C
277872.6 722042.2	G437	Sycamore <i>Acer pseudoplatanus</i> 2 trees	Mature	15	4	360			8	6	5	6	Fair	20 to 40 yrs	B
277876.9 722036.4	438	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	230	250	150	6	5	7	5	Fair	20 to 40 yrs	B
277877.2 722042.8	439	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	2	180	150		7	7	1	0	Fair	20 to 40 yrs	B
277874.6 722030.1	440	Elm <i>Ulmus glabra</i>	Semi-mature	12	1	140			1	2	2	1	Fair	10 to 20 yrs	C
277882.3 722030.3	441	Elm <i>Ulmus glabra</i>	Semi-mature	12	3	28			1	5	6	5	Fair	20 to 40 yrs	B
277938.9 721970.8	H442	A Hedgerow <i>Beech hedge</i>	Semi-mature	2	0	80			9	1	9	1	Fair	10 to 20 yrs	C
277966.9 721912.9	H443	Leyland Cypress <i>Leylandii</i> Garden hedge	Semi-mature	3	0	80			10	1	10	1	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277993.2 721848.7	445	Wild Cherry <i>Prunus avium</i>	Semi-mature	5	2	260			2	2	2	2	Fair	10 to 20 yrs	C
277985.5 721869.1	H444	A Hedgerow <i>Mixed species garden hedge</i>	Semi-mature	3	0	130			10	2	10	2	Fair	20 to 40 yrs	B
278001.2 721832	446	Hawthorn <i>Crataegus monogyna</i>	Semi-mature	6	1	150	150	70	3	3	3	3	Fair	20 to 40 yrs	B
278008.7 721815.8	447	Oak <i>Quercus robur</i>	Semi-mature	5	2	160			3	3	3	3	Fair	20 to 40 yrs	B
278023.8 721734.6	448	Birch <i>Betula pendula</i> <i>Tree on edge of Group to west</i>	Semi-mature	17	2	190			3	3	3	2	Fair	20 to 40 yrs	B
278025.4 721726.3	G449	Norway Maple <i>Acer platanoides</i>	Semi-mature	17	2	320			8	5	7	5	Fair	20 to 40 yrs	B
278026.7 721713.5	450	Rowan <i>Sorbus aucuparia</i>	Semi-mature	4	1	140			2	2	2	2	Fair	10 to 20 yrs	C
278027.9 721695.5	451	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	2	300			5	6	6	6	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
278028.2 721691.6	452	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	2	250			6	5	2	6	Fair	10 to 20 yrs	C
278029.5 721674.7	453	Rowan <i>Sorbus aucuparia</i>	Semi-mature	7	2	200			3	3	3	3	Fair	20 to 40 yrs	B
278034.7 721643.4	454	Rowan <i>Sorbus aucuparia</i> <i>2 small adjacent ornamental trees</i>	Semi-mature	6	2	100	100		2	2	2	2	Fair	10 to 20 yrs	C
277603.8 722084.5	454	Beech <i>Fagus sylvatica</i> <i>Basal decay</i>	Mature	19	2	850			4	10	10	10	Fair	20 to 40 yrs	B
277603.8 722094.7	456	Beech <i>Fagus sylvatica</i>	Mature	19	1	900			10	12	9	8	Fair	20 to 40 yrs	B
277603.1 722104	457	Copper Beech <i>Fagus sylvatica</i> ' <i>Purpurea</i> '	Semi-mature	13		280			5	5	3	5		20 to 40 yrs	B
277601.5 722109.1	458	Pine <i>Pinus sylvestris</i>	Semi-mature	17	2	670			4	6	4	5	Fair	20 to 40 yrs	B
277600.9 722129	459	Lawson Cypress <i>Chamaecyparis</i>	Semi-mature	17	0	260			3	3	3	3	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277599.5 722134.3	G460	Norway Spruce <i>Picea abies</i> 2 trees	Semi-mature	17		310			4	3	2	3	Fair	20 to 40 yrs	B
277595 722156.7	461	Rowan <i>Sorbus aucuparia</i>	Semi-mature	8	2	200	180		4	4	4	4	Fair	20 to 40 yrs	B
277286.7 721924.8	463	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	9	2	170	80		3	1	2	3	Poor	10 to 20 yrs	C
277283.5 721920	464	Spruce <i>Picea abies</i>	Semi-mature	15	2	350			5	5	4	5	Fair	20 to 40 yrs	B
277270.3 721918.4	465	Common Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	9	2	250			6	5	4	5	Poor	10 to 20 yrs	C
277275.5 721935.4	G466	Irish Yew <i>Taxus baccata 'Fastigiata'</i> 2 multi stemmed trees	Mature	7	0	300			4	4	4	4	Fair	20 to 40 yrs	A
277285.7 721932.8	G467	Irish Yew <i>Taxus baccata 'Fastigiata'</i> 4 multi stemmed trees	Mature	7	0	450			5	4	5	4	Fair	20 to 40 yrs	A
277246.7 721923.3	G468	A Group Grey Willow, Sycamore, Ash	Semi-mature	8	1	190			2	7	5	7	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277232.6 721920.7	469	Grey Willow <i>Salix cinerea</i>	Semi-mature	7	2	140	90	90	1	3	5	3	Fair	10 to 20 yrs	C
277250.5 721930.3	470	Leyland Cypress <i>Leylandii</i>	Semi-mature	7	0	210			3	3	3	3	Fair	10 to 20 yrs	C
277228.7 721927.8	471	Leyland Cypress <i>Leylandii</i>	Semi-mature	6	0	170			2	2	2	2	Fair	10 to 20 yrs	C
277210.8 721936.7	472	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	3	170	140		4	4	4	4	Poor	10 to 20 yrs	C
277197.4 721940.6	473	Wild Cherry <i>Prunus avium</i>	Semi-mature	5	2	150			2	3	3	2		10 to 20 yrs	C
277188.4 721957.2	474	Birch <i>Betula pendula</i> <i>Ivy clad bole</i>	Semi-mature	16	2	270			4	4	4	4	Fair	20 to 40 yrs	B
277180.1 721966.2	475	Red Oak <i>Quercus rubra</i>	Semi-mature	10	2	170			4	4	4	4	Fair	20 to 40 yrs	B
277177.5 721941.2	476	Bird Cherry <i>Prunus padus</i> <i>Crack in bole</i>	Mature	9	2	360			5	5	5	4	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277166.7 721956.6	477	Wild Cherry <i>Prunus avium</i>	Semi-mature	7	2	130	90	90	4	4	3	4	Fair	10 to 20 yrs	B
277172.4 721975.1	478	Swamp Cypress <i>Taxodium Distichum</i>	Semi-mature	9	1	240			2	4	4	3	Fair	20 to 40 yrs	B
277189.7 721976.4	479	Monkey Puzzle Tree <i>Araucaria araucana</i>	Semi-mature	5	0	170			2	2	2	2	Fair	20 to 40 yrs	B
277210.2 721982.2	480	Rowan <i>Sorbus psuedofenica</i>	Semi-mature	5	1	170			2	2	2	2	Fair	10 to 20 yrs	C
277157.7 721967.4	481	Sweet Chestnut <i>Castanea sativa</i>	Semi-mature	10	1	210			3	4	4	3	Fair	20 to 40 yrs	B
277153.2 721981.5	482	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	3	200			4	4	4	4	Fair	10 to 20 yrs	C
277160.3 721990	483	Spruce <i>Picea abies</i> <i>Topped</i>	Mature	15	2	480			4	4	4	4	Fair	20 to 40 yrs	B
277148.1 721986.8	484	Larch <i>Larix decidua</i>	Mature	17	2	460			4	4	4	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277168 721993.2	485	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	7	2	240			3	3	3	3	Fair	20 to 40 yrs	B
277182.7 722012.4	486	Spruce <i>Picea abies</i>	Semi-mature	7	3	150			2	2	2	2	Fair	10 to 20 yrs	C
277134.1 721984.9	487	Common Alder <i>Alnus glutinosa</i>	Semi-mature	8	0	200	190	170	3	3	4	4	Fair	20 to 40 yrs	B
277131.5 721991.3	488	Grey Willow <i>Salix cinerea</i>	Semi-mature	7	1	150	130	120	5	3	4	5	Fair	20 to 40 yrs	B
277142.4 721999	489	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	9	2	270	220		4	5	4	4	Fair	20 to 40 yrs	B
277140.5 721992.1	490a	Willow <i>Salix cinerea</i>	Semi-mature	5	2	230	150		3	3	3	2	Fair	20 to 40 yrs	B
277144.3 722017.7	491	Wild Cherry <i>Prunus avium</i>	Semi-mature	7	2	110			1	2	2	2	Fair	10 to 20 yrs	C
277138.9 722021.2	492a	Rowan <i>Sorbus aucuparia</i>	Semi-mature	7	3	140	130	130	4	4	4	4	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277136 722021.7	493a	Irish Yew <i>Taxus baccata 'Fastigiata'</i>	Semi-mature	5	0	200			2	2	2	2	Fair	20 to 40 yrs	B
277123.5 722029.7	494a	Willow <i>Salix cinerea</i>	Semi-mature	5	0	90	90	90	3	3	3	4	Fair	10 to 20 yrs	C
277149.7 722030	H495	A Hedgerow <i>Mixed species garden hedge</i>	Semi-mature	5	0	200			3	10	3	10	Fair	20 to 40 yrs	B
277138.2 722038.3	496	Cider Gum <i>Eucalyptus gunnii</i>	Young	6	3	60	60		2	2	2	2	Fair	10 to 20 yrs	C
277112.2 722044	489	Pencil Cedar <i>Juniperus virginiana</i>	Semi-mature	5	0	170			1	1	1	1	Fair	10 to 20 yrs	C
277115.4 722046.6	490	Wild Cherry <i>Prunus avium</i>	Semi-mature	7	2	300	310		4	4	5	5	Fair	20 to 40 yrs	B
277129.1 722060.2	491a	Crab Apple <i>Malus sylvestris</i>	Semi-mature	5	2	220	170	170	2	3	2	3	Fair	20 to 40 yrs	B
277059.7 722052.8	492	Copper Beech <i>Fagus sylvatica 'Purpurea'</i> <i>Significant specimen</i>	Mature	21	3	1200			10	10	10	10	Fair	20 to 40 yrs	A

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277048.8 722038.7	493	Birch <i>Betula pendula</i>	Mature	18	2	400			4	5	5	5	Fair	20 to 40 yrs	B
277059.7 722036.1	494	Crack Willow <i>Salix fragilis</i>	Semi-mature			130	110	100	3	5	4	4	Fair	20 to 40 yrs	C
277084 722052.8	495	Apple <i>Malus sylvestris</i>	Mature	5	1	230	250		2	4	4	5	Fair	20 to 40 yrs	B
277017.7 722040.6	496a	Oak <i>Quercus rubra</i>	Semi-mature	10	2	370	360		6	5	3	6	Fair	20 to 40 yrs	B
277020.6 722037.7	497	Oak <i>Quercus rubra</i>	Semi-mature	9	0	360			1	5	6	7	Fair	20 to 40 yrs	B
276999.1 722027.4	498	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	2	280	250	170	6	6	6	6	Poor	10 to 20 yrs	C
277002.3 722037	499	Birch <i>Betula pendula</i>	Mature	16	1	510			6	6	6	6	Fair	20 to 40 yrs	C
277001.9 722016.5	G500	Common Ash <i>Fraxinus excelsior</i> <i>10 trees. Ash & Sycamore. Ash die back</i>	Semi-mature	10	2	140			5	7	5	7	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality
277602.2 722088.7	501	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	14	1	200			3	3	3	3	Good	10 to 20 yrs	C
277600 722096.3	502	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	14		250			3	3	3	4	Fair	10 to 20 yrs	C
277598.8 722110.1	503	Norway Spruce <i>Picea abies</i>	Mature	22	2	700			6	4	6	6	Fair	20 to 40 yrs	B
277596.4 722125.2	504	Wild Cherry <i>Prunus avium</i> BS5837 Survey V111 with Photo.jpg	Mature	9	3	330			4	3	4	6	Fair	20 to 40 yrs	B
277595.1 722135.5	505	Common Horse Chestnut <i>Aesculus hippocastanum</i>	Mature	22	2	700			7	7	8	5	Good	20 to 40 yrs	B
277591.6 722164.9	462	Sycamore <i>Acer pseudoplatanus</i> <i>Kretschmaria deusta</i> . recommended for felling in the short term. Owner Advised	Mature	19	3	1100			13	10	9	10	Poor	<10 yrs	U
277276.8 721930.4	506	American Elm <i>Ulmus americana</i>	Semi-mature	10	2	275	175		5	3	4	4	Good	20 to 40 yrs	B
277278.6 721926.6	507	Norway Spruce <i>Picea abies</i>	Semi-mature	8	1	200			3	3	3	3	Good	20 to 40 yrs	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BSS837 Quality
277261.9 721919.5	508	Norway Spruce <i>Picea abies</i>	Semi-mature	12	2	200			3	3	3	3	Good	20 to 40 yrs	B
277334 721960.2	509	Irish Yew <i>Taxus baccata 'Fastigiata'</i>	Mature	8	1	200			2	2	2	2	Good	20 to 40 yrs	A
277322.1 721960.5	510	Irish Yew <i>Taxus baccata 'Fastigiata'</i> BSS837 Survey V111 with Photo1.jpg	Mature	8	1	300			2	2	2	2	Good	20 to 40 yrs	A
277318.3 721954.1	511	Irish Yew <i>Taxus baccata 'Fastigiata'</i>	Mature	8	2	250			2	2	2	2	Good	20 to 40 yrs	A
277211.2 721930.2	512	Common Ash <i>Fraxinus excelsior</i> BSS837 Survey V111 with Photo2.jpg	Young	7	3	120			2	2	2	2	Good	>40 yrs	C
277217.7 721935.6	513	Common or Black Elder <i>Sambucus nigra</i>	Mature	7	2	165	150	150	3	3	3	3	Poor	<10 yrs	U
277229.9 721949.2	514	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	15	3	300			4	4	3	4	Poor	10 to 20 yrs	C
277193.9 721933.9	515	White Willow <i>Salix alba</i>	Semi-mature	7	1	200			3	3	3	3	Poor	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality
277159.5 721934.5	516	Common Alder <i>Alnus glutinosa</i>	Semi-mature	9	4	300			3	3	3	4	Fair	20 to 40 yrs	B
277161.6 721945.3	517	Lodgepole Pine <i>Pinus contorta var latifolia</i>	Semi-mature	9	1	210			3	3	3	3	Good	>40 yrs	B
277158 721950.5	518	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	1	360			4	4	4	5	Good	20 to 40 yrs	B
277157.1 721951.7	519	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	17	2	290			4	4	4	4	Good	20 to 40 yrs	B
277151.4 721956.2	520	Grey Willow <i>Salix cinerea</i>		15	2	280			3	4	5	5	Good	20 to 40 yrs	B
277149.8 721961.2	G521	Common Alder <i>Alnus glutinosa</i> <i>Small group of alder stems on rivers edge</i>	Semi-mature	15	1	200			7	7	7	7	Fair	10 to 20 yrs	C
277144.7 721964.7	522	Goat Willow <i>Salix caprea</i>	Mature	14	4	130			6	6	3	4	Fair	20 to 40 yrs	B
277148.7 721975.6	523	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16		250			3	4	3	3	Good	>40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality
277143.8 721909.3	524	Grey Willow <i>Salix cinerea</i>	Semi-mature	12	2	220			2	2	4	5	Fair	10 to 20 yrs	C
277142.9 721971.8	525	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	16	2	300			5	3	4	6	Good	>40 yrs	B
277130.1 721990.2	526	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	2	210			2	2	3	3	Fair	10 to 20 yrs	C
277128 721993	528	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15	3	210	190	200	4	4	4	3	Fair	10 to 20 yrs	C
277124.9 722002.8	529	Common Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	200	175		4	3	2	3	Poor	10 to 20 yrs	C
277130.6 722016	530	Silver Birch <i>Betula pendula</i>	Semi-mature	12	2	160			3	3	3	3	Good	>40 yrs	B
277095.4 722053.2	531	Leyland Cypress 'Green Spire' <i>X Cupressocyparis leylandii</i> 'Green Spire' Group of 3 tightly grouped garden trees	Semi-mature	6	1	100			3	3	3	3	Good	>40 yrs	B
277086.9 722052.9	532	Apple <i>Malus John Downie</i>	Mature	5	2	175			3	3	3	3	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality
277021.5 722036.3	G532	Mixed group <i>Group of mixed species semi mature occupying steep bank west of church. Low quality.</i>	Semi-mature	10	2	200			10	10	10	10	Fair	10 to 20 yrs	C
277048.1 722026.2	534	Common Ash <i>Fraxinus excelsior</i>	Mature	18	2	375	320	265	7	5	6	6	Fair	20 to 40 yrs	B
277042.7 722025.3	535	Common Beech <i>Fagus sylvatica</i>	Semi-mature	13	2	175			3	3	3	3	Good	>40 yrs	B
277036 722022.7	536	Common Beech <i>Fagus sylvatica</i>	Semi-mature	17	2	320			4	5	4	4	Good	20 to 40 yrs	B
277044.3 722018	537	Common Alder <i>Alnus glutinosa</i>	Mature	12	2	200	350		4	5	4	4	Fair	10 to 20 yrs	C
277033.2 722017.6	538	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	14	3	200			3	3	3	3		20 to 40 yrs	B
277034.4 722008.2	539	White Willow <i>Salix alba</i> <i>Main stem fallen with regrowth</i>	Mature	17	3	400			6	6	6	6	Poor	<10	U

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality
277022.9 722009.8	540	White Willow <i>Salix alba</i>	Semi-mature	9	2	175			3	4	3	3	Fair	10 to 20 yrs	C
277011.0 722013.8	G541	Grey Willow <i>Salix cinerea</i> <i>Dense group of low quality mixed willow</i>	Semi-mature	9	2	200			15	15	15	15	Fair	10 to 20 yrs	C
277039.8 722016.3	542	Common Alder <i>Alnus glutinosa</i>	Mature	12	3	450			5	4	4	4	Fair	10 to 20 yrs	C
277039.5 722007.5	543	White Willow <i>Salix alba</i>	Semi-mature	14	4	170	90		3	3	3	3	Fair	10 to 20 yrs	C
277037.1 722001.1	544	White Willow <i>Salix alba</i>	Semi-mature	16	5	170	130	150	3	3	3	3	Fair	10 to 20 yrs	C
277036.9 721997.3	G545	Common Ash <i>Fraxinus excelsior</i> <i>Group of young ash and a young Norway maple. Low quality.</i>	Young	11	3	158			7	7	7	3	Fair	10 to 20 yrs	C
276955 722002.4	546	Common Hawthorn <i>Crataegus monogyna</i>	Mature	5	1	180			3	3	3	3	Fair	10 to 20 yrs	C
276961.1 722005.3	547	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	11	2	400			3	4	4	4	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality
276967.8 722008.3	548	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	14	2	200	170	175	4	4	4	5	Fair	10 to 20 yrs	C
276922.2 721992.5	549	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Semi-mature	5	1	150			2	2	2	2	Good	20 to 40 yrs	B
276903.5 721998.4	550	Goat Willow <i>Salix caprea</i>	Mature	13	2	600	250	250	5	5	5	8	Fair	20 to 40 yrs	B
276879.4 722005.3	551	Norway Spruce <i>Picea abies</i> BS5837 Survey V111 with Photo6.jpg	Mature	22	1	550			4	4	4	5	Good	20 to 40 yrs	B
276872.9 721969	552	Bird Cherry <i>Prunus padus</i>	Mature	7	2	275	100		3	3	3	3	Good	20 to 40 yrs	B
276862.6 721964.1	553	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	9	2	300			3	4	5	3	Fair	10 to 20 yrs	C
276860.7 721972	554	Common Holly <i>Ilex aquifolium</i>	Mature	8	1	210	180	150	3	3	3	3	Fair	10 to 20 yrs	C
276865.5 722003.1	552 a	Common Laburnum <i>Laburnum anagyroides</i>	Semi-mature	5	1	120	130		2	2	3	2	Good	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality
276860.4 721986.3	553a	Common Laburnum <i>Laburnum anagyroides</i>	Mature	5	1	175	150		2	2	2	2	Good	20 to 40 yrs	B
276830.6 722011.2	557	Crab Apple <i>Malus sylvestris</i>	Mature	5	2	175			3	3	3	3	Good	20 to 40 yrs	B
276824.3 722010.2	G558	A Group <i>Group of mixed species garden trees including cherry, domestic apple and laurel</i>	Semi-mature	5	1	200			8	8	8	8	Good	20 to 40 yrs	B
276817.8 722018.1	559	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	17	1	300	280	280	3	3	3	3	Good	20 to 40 yrs	B
276809 722033.5	560	Common Alder <i>Alnus glutinosa</i>	Mature	8	4	290			3	3	3	3	Fair	10 to 20 yrs	C
276811 722030.9	561	Common Ash <i>Fraxinus excelsior</i>	Mature	17	2	375	375		4	4	4	5	Poor	10 to 20 yrs	C
276830.6 721968	562	Common Ash <i>Fraxinus excelsior</i> Ash dieback	Mature	14	3	450			4	5	5	5	Poor	10 to 20 yrs	C
276834.8 721962.7	563	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	2	400			4	4	4	4	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality
276815.9 722013.4	564	Common Ash <i>Fraxinus excelsior</i>	Mature	16	3	450			4	4	4	4	Poor	10 to 20 yrs	C
276757.4 722079.3	G565	Common Alder <i>Alnus glutinosa</i> Group of young alder regeneration along river bank - low quality	Young	4	1	100			8	2	8	2	Fair	10 to 20 yrs	C
276787.9 722015.2	566	Hybrid Black Poplar <i>Populus x canadensis</i>	Mature	25	3	458			4	4	5	4	Good	20 to 40 yrs	B
276789.3 722018.5	567	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	2	170	175		3	4	3	2	Fair	10 to 20 yrs	C
276785.9 722021.3	568	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	19	3	275	320	270	5	5	5	5	Poor	10 to 20 yrs	C
276785.2 722023.4	569	Common Ash <i>Fraxinus excelsior</i> Ash dieback	Semi-mature	19		275	220	190	5	5	5	5	Poor	10 to 20 yrs	C
276784.2 722026.2	570	Common Alder <i>Alnus glutinosa</i>	Mature	18	3	250	248	160	4	4	4	4	Fair	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Clearance (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality
276783.5 722028.3	571	Silver Birch <i>Betula pendula</i>	Mature	25	4	440			5	6	5	6	Good	20 to 40 yrs	B
276782.5 722031.2	572	Common Alder <i>Alnus glutinosa</i>	Mature	14	2	250	260	250	5	4	4	4	Fair	20 to 40 yrs	B
276783.2 722011.5	573	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	5	2	210	140		3	3	4	3	Fair	20 to 40 yrs	B
276781 722019.4	574	Wild Cherry <i>Prunus avium</i>	Semi-mature	3	1	165			3	3	3	3	Good	20 to 40 yrs	B
276773 722035.9	575	Prunus Prunus spp.	Semi-mature	6	2	150	150	140	4	4	4	4	Good	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	Category
276807.1 721828	576	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Mature	18	4	550			5	6	6	5	Good	>40 yrs	A
276769 721837.6	577	Douglas Fir <i>Douglas fir topped</i>	Veteran	22	5	1100			5	5	5	5	Fair	20 to 40 yrs	B
276777.2 721828.1	Hedge	A Group <i>Garden hedge between properties</i>		12	1	100			3	3	3	3	Good	20 to 40 yrs	B
276784.8 721818	578	Common Beech <i>Fagus sylvatica</i> <i>Component of beech hedge</i>	Semi-mature	17	2	280			3	4	3	3	Fair	20 to 40 yrs	B
276786.8 721815.6	579	Common Ash <i>Fraxinus excelsior</i> <i>Crown die back</i>	Semi-mature	19	3	360			4	4	5	4	Poor	10 to 20 yrs	C
276802.4 721796.1	580	Goat Willow <i>Salix caprea</i>	Semi-mature	14	2	270			4	4	4	4	Good	20 to 40 yrs	B
276811.9 721785.2	581	Common Beech <i>Fagus sylvatica</i>	Semi-mature	5	2	330			4	4	5	4	Good	20 to 40 yrs	B
276821.5 721774.1	582	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	2	290			4	3	4	4	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	Category
276831.3 721762.7	583	Common Beech <i>Fagus sylvatica</i>	Semi-mature	17	3	320			2	7	5	2	Good	20 to 40 yrs	B
276824.6 721756.8	584	Common Oak <i>Quercus robur</i>	Semi-mature	17	2	310			3	4	5	5	Good	>40 yrs	B
276818.7 721751.7	585	Norway Maple <i>Acer platanoides</i>	Semi-mature	16	2	275			4	2	5	5	Fair	20 to 40 yrs	B
276808.7 721743.1	586	Common Beech <i>Fagus sylvatica</i>	Semi-mature	16	2	300			4	4	4	4	Good	20 to 40 yrs	B
276799.4 721735.1	587	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Mature	21	3	750			5	5	6	7	Good	20 to 40 yrs	A
276785.1 721736.8	588	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	18	2	400			3	3	3	3	Good	20 to 40 yrs	B
276786.8 721730.1	589	Wild Cherry <i>Prunus avium</i>	Mature	16	6	400			4	5	5	4	Fair	20 to 40 yrs	B
276775.6 721719.9	590	Silver Birch <i>Betula pendula</i>	Mature	20	5	360			4	4	4	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	Category
276776.2 721707.6	591	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	16	3	200	210	200	4	5	4	4	Fair	20 to 40 yrs	B
276763.2 721690.4	592	Norway Spruce <i>Picea abies</i>	Semi-mature	17	3	340			4	4	4	4	Fair	20 to 40 yrs	B
276781.2 721689.4	593	Norway Spruce <i>Picea abies</i>	Semi-mature	16	3	340			4	4	3	3	Fair	20 to 40 yrs	B
276770.2 721083.5	594	Norway Maple <i>Acer platanoides</i>	Mature	21	3	600			5	5	5	6	Fair	20 to 40 yrs	B
276780.6 721669.6	G595	Brewer Spruce <i>Picea brewerana</i> <i>Linear Group of 6 trees forming shelterbelt</i>	Mature	19	2	300	300		8	3	8	3	Good	20 to 40 yrs	B
276755.1 721850.1	596	Wild Cherry <i>Prunus avium</i>	Mature	20	3	400			6	6	6	6	Fair	20 to 40 yrs	B
276769 721826.9	597	Silver Birch <i>Betula pendula</i>	Mature	19	3	330			4	4	4	4	Good	20 to 40 yrs	B
276778.7 721809.9	598	Common Oak <i>Quercus robur</i>	Semi-mature	9	2	250			4	4	3	4	Good	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	Category
276783.7 721802.4	599	Grand Fir <i>Abies grandis</i>	Mature	27	3	1000			5	5	5	5	Fair	20 to 40 yrs	A
276744.9 721823.6	600	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	3	430			4	4	4	4	Fair	20 to 40 yrs	B
276748.6 721817.6	601	Korean Maple <i>Acer pseudosieboldianum</i>	Semi-mature	12	2	150	150	150	4	4	4	4	Good	20 to 40 yrs	B
276758 721755.2	602	Himalayan Birch <i>Betula utilis</i>	Semi-mature	9	2	200			3	3	3	3	Good	20 to 40 yrs	B
276775.2 721755.8	603	Chilean Incense Cedar <i>Austrocedrus chilensis</i>	Semi-mature	9	3	360			3	3	3	3	Good	20 to 40 yrs	B
276784.6 721757.8	604	Mountain Ash <i>Sorbus aucuparia</i>	Mature	11	2	265			3	3	3	3	Fair	20 to 40 yrs	B
276796.9 721769.3	605	John Downie <i>Malus John Downie'</i>	Mature	7	2	400			4	4	4	4	Fair	20 to 40 yrs	B
276817.9 721766.5	606	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	18	4	500			3	3	3	3	Good	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	Category
276775.3 721736.4	607	Western Red Cedar <i>Thuja plicata</i>	Mature	17	2	400	150		3	3	4	4	Good	20 to 40 yrs	B
276772.8 721728.8	608	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	24	1	900			3	3	3	3	Fair	20 to 40 yrs	B
276772.2 721744.8	609	Nootka Cypress <i>Chamaecyparis nootkatensis</i>	Semi-mature	9	1	375			3	3	2	3	Fair	20 to 40 yrs	B
276727.6 721788.7	610	Goat Willow <i>Salix caprea</i>	Mature	11	2	350			4	4	4	4	Good	20 to 40 yrs	B
276707.1 721796.9	611	Mountain Ash <i>Sorbus aucuparia</i>	Mature	9	2	175	140	130	3	3	3	3	Fair	20 to 40 yrs	B
276711.8 721791.3	622	Silver Birch <i>Betula pendula</i>	Mature	14	3	275			3	4	3	3	Fair	10 to 20 yrs	C
276728.2 721767.2	613	Lodgepole Pine <i>Pinus contorta var latifolia</i>	Mature	19	4	550			4	4	4	4	Good	20 to 40 yrs	B
276723.9 721758.4	614	Sawara Cypress <i>Chamaecyparis pisifera</i>	Mature	7	2	250			3	3	3	3	Good	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	Category
276719.7 721751.6	615	Wild Cherry <i>Prunus avium</i>	Mature	10	2	340			5	5	4	5	Fair	20 to 40 yrs	B
276702.1 721758.9	616	Goat Willow <i>Salix caprea</i>	Semi-mature	13	2	230			3	3	4	3	Fair	20 to 40 yrs	B
276699.5 721750.5	617	Sycamore <i>Acer pseudoplatanus</i> <i>Property not accessed</i>	Semi-mature	13	2	150	148	140	1	4	4	4	Fair	20 to 40 yrs	B
276637.8 721746.1	618	Common Lime <i>Tilia europaea</i>	Mature	23	2	940			4	5	5	5	Fair	20 to 40 yrs	B
276647.7 721732.9	6468	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	3	600			6	7	6	7	Fair	20 to 40 yrs	B
276630.8 721723.7	619	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	20	1	800			3	3	3	3	Fair	20 to 40 yrs	B
276634.9 721713.5	6620	Leyland Cypress <i>X Cupressocyparis leylandii</i> <i>Group of 12 forming shelter belt</i>	Semi-mature	15	2	250			5	2	5	3	Fair	20 to 40 yrs	B
276643.6 721714.6	621	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	21	2	550	400		4	4	4	4	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	Category
276644.9 721713.3	622	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	22	1	700			3	3	3	3	Fair	20 to 40 yrs	B
276644.9 721691.3	623	Goat Willow <i>Salix caprea</i> <i>Group of 3. Largest recorded</i>	Mature	16	2	450			5	5	5	5	Fair	20 to 40 yrs	B
276657.2 721702.9	G624	Lawson Cypress <i>Chamaecyparis lawsoniana</i> <i>Pair of cypress</i>	Mature	13	2	270	300		4	4	4	4	Good	20 to 40 yrs	B
276663.6 721697.9	625	Sycamore <i>Acer pseudoplatanus</i>	Mature	20	3	400	300		5	5	5	4	Fair	20 to 40 yrs	B
276668.5 721684.5	626	European Larch <i>Larix decidua</i>	Mature	24	4	500			5	6	5	5	Fair	20 to 40 yrs	B
276655.6 721674.9	G627	Common Beech <i>Fagus sylvatica</i> <i>Large beech with small group of beech</i>	Mature	23	2	750			8	8	8	8	Fair		B
276669.1 721663.6	G628	Sycamore <i>Acer pseudoplatanus</i> <i>Group of early mature sycamores in good general condition</i>	Semi-mature	18	2	300			10	10	10	10	Fair	20 to 40 yrs	B
276731.5 721741.4	629	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Mature	23	2	1100			8	8	8	8	Good	20 to 40 yrs	A

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	Category
276742 721738.3	630	Douglas Fir <i>Pseudotsuga menziesii</i>	Mature	25	4	900			5	4	5	5	Good	20 to 40 yrs	A
276743.2 721750.9	631	Western Hemlock <i>Tsuga heterophylla</i>	Mature	26	6	850			6	6	6	6	Fair	20 to 40 yrs	B
276750.6 721740	G632	Douglas Fir <i>Pseudotsuga menziesii</i> Douglas fir with 2 Lawson cypress forming tight group.	Mature	24	4	600			6	6	6	6	Fair	20 to 40 yrs	B
276750.2 721730	633	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	6	600			6	7	6	6	Fair	20 to 40 yrs	B
276749.3 721724	634	Douglas Fir <i>Pseudotsuga menziesii</i>	Mature	23	4	565			5	4	4	4	Fair	20 to 40 yrs	B
276758.5 721723.8	635	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	22	6	258	240	208	5	5	5	4	Fair	10 to 20 yrs	C
276762.2 721716.3	636	Common Lime <i>Tilia europaea</i>	Mature	22	5	700			5	5	5	5	Fair	20 to 40 yrs	B
276765 721709.1	637	Common Lime <i>Tilia europaea</i>	Mature	23	4	550			5	5	5	5	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	Category
276763.8 721702.4	638	Red Oak <i>Quercus rubra</i>	Veteran	25	2	1050			6	6	9	9	Good	>40 yrs	A
276755.3 721708.8	639	Common Horse Chestnut <i>Aesculus hippocastanum</i>	Mature	17	1	600			4	3	6	7	Fair	20 to 40 yrs	B
276768.4 721098.4	640	Lodgepole Pine <i>Pinus contorta var latifolia</i>	Mature	20	1	365			4	4	4	4	Good	20 to 40 yrs	B
276769.4 721668.9	641	Common Lime <i>Tilia europaea</i>	Mature	24	2	1000			7	7	7	7	Fair	20 to 40 yrs	A
276774.8 721666.5	642	Norway Maple <i>Acer platanoides</i>	Mature	24	2	700			7	7	7	7	Fair	20 to 40 yrs	B
276779.1 721655	B.orchid	Colony of 40+ plus lesser butterfly orchids of high ecological value													
276664.3 721653.1	643	Norway Maple <i>Acer platanoides</i>	Mature	22	3	450	550		4	6	6	6	Fair	20 to 40 yrs	B
276671.9 721653.7	644	Wild Cherry <i>Prunus avium</i>	Mature	18	5	350	300		3	7	6	3	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	Category
276683 721643.7	645	Wild Cherry <i>Prunus avium</i>	Mature	16	2	550			3	6	4	2	Poor	<10 yrs	U
276688.1 721622	646	Silver Birch <i>Betula pendula</i> <i>Leaning into cypress tree</i>	Mature	19	4	400			3	2	4	4	Poor	10 to 20 yrs	C
276823.5 721905.6	647	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Mature	22	4	730			6	7	7	7	Fair	20 to 40 yrs	B
276827.4 721921.5	648	Downy Japanese Maple <i>Acer japonicum</i>	Semi-mature	9	1	130	140	120	4	4	4	4	Good	20 to 40 yrs	B
276828.1 721929.5	648	Common Alder <i>Alnus glutinosa</i>	Mature	13	2	350			4	4	3	3	Poor	<10 yrs	U
276822.3 721939.8	650	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	23	2	1000			5	5	5	5	Fair	20 to 40 yrs	B
276822.3 721939.8	651	Lawson Cypress <i>Chamaecyparis lawsoniana</i> <i>Leaning acutely over rivet</i>	Mature	24	1	750			3	5	3	2	Fair	20 to 40 yrs	B
276822.6 721946.5	652	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	22	1	780			3	5	4	3	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	Category
276820.5 721949.9	653	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	23	1	700			3	4	3	3	Fair	20 to 40 yrs	B
276814.5 721947	654	River Birch <i>Betula nigra</i>	Mature	21	5	350			4	4	4	4	Fair	20 to 40 yrs	B
276814.9 721953.4	655	Hybrid Black Poplar <i>Populus x canadensis</i>	Mature	24	6	600			4	4	4	4	Fair	20 to 40 yrs	B
276807.1 721962.4	656	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Mature	25	1	1400			6	6	6	6	Fair	20 to 40 yrs	B
276812.7 721963	657	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Mature	20	2	395			4	4	4	4	Fair	20 to 40 yrs	B
276806.7 721966.8	658	Norway Spruce <i>Picea abies</i>	Semi-mature	17	3	330			3	4	3	3	Fair	10 to 20 yrs	C
276810.1 721967.9	659	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	1	365	200		4	6	3	3	Fair	20 to 40 yrs	B
276805.9 721971.1	660	Silver Birch <i>Betula pendula</i>	Mature	19	8	375			4	6	6	4	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Condition Class	Life Expectancy	Category
276802 721965.9	661	Noble Fir <i>Abies procera</i>	Mature	26	13	1200			6	6	6	6	Good	20 to 40 yrs	A
276800.3 721973	662	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	3	450			6	5	5	5	Good	20 to 40 yrs	B
276795.8 721989.5	G663	Leyland Cypress <i>X Cupressocyparis leylandii</i> <i>Understorey of suckering Leyland Cyprus</i>	Semi-mature	12	2	208			5	5	5	5	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277002.6 722000.8	G701	Goat Willow <i>Salix caprea</i>	Semi-mature	9	0	110	110	110	13	13	13	13	Fair	10 to 20 yrs	C
277012.8 722018.4	702	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	16	2	330	290	280	5	8	6	6	Poor	10 to 20 yrs	C
277015.7 722024.2	703	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	1	200			5	4	4	4	Fair	20 to 40 yrs	B
277023.1 722023.5	704	Birch <i>Betula</i>	Semi-mature	14	5	270			5	4	4	4	Fair	20 to 40 yrs	B
277018.3 722020.7	705	Spruce <i>Picea abies</i>	Semi-mature	9	1	170			3	3	3	2	Fair	20 to 40 yrs	B
277034.3 722021.6	707	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	2	180			4	3	4	4	Poor	10 to 20 yrs	C
277032.2 721982.6	706	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	4	0	100	70	70	2	2	3	3	Poor	10 to 20 yrs	C
277033.1 721985.2	707 a	Bird Cherry <i>Prunus padus</i>	Semi-mature	5	1	100	100	70	2	1	4	3	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277036 721989.4	708	Crack Willow <i>Salix fragilis</i>	Semi-mature	10	2	150	150	130	5	4	6	4		20 to 40 yrs	B
277037.6 721994.2	709	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	11	0	160	110	100	2	5	6	5	Fair	10 to 20 yrs	B
276987.8 722018.2	710	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	11		470			6	6	6	3	Fair	10 to 20 yrs	C
276981.4 722017.5	711	Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	150			5	5	3	4	Fair	20 to 40 yrs	B
276982.1 722015	712	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	11	2	180	130	130	2	5	5	5	Fair	20 to 40 yrs	B
276915 721993	713	Common Laburnum <i>Laburnum anagyroides</i>	Semi-mature	5	1	160			0	2	3	3	Fair	10 to 20 yrs	C
276914.4 721998.1	714	Wild Cherry <i>Prunus avium</i>	Semi-mature	7	1	120	120	120	3	4	4	4	Fair	20 to 40 yrs	B
276903.5 721984.7	715	Grey Willow <i>Salix cinerea</i>	Semi-mature	4	0	140	140	120	4	7	2	7	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
276875.3 721969.9	716	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	0	170	110	110	4	5	4	3	Fair	10 to 20 yrs	C
276862.5 721964.8	717	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	8	1	270			4	4	5	5	Fair	20 to 40 yrs	B
276856.6 721950.5	G718	A Group <i>Hazel, Bird Cherry, Sycamore</i>	Semi-mature	9	1	180			6	4	6	4	Fair	10 to 20 yrs	C
276854.1 721941.5	719	Alder <i>Alnus glutinosa</i>	Semi-mature	7	0	170	180		4	4	4	4	Fair	20 to 40 yrs	B
276852.1 721933.2	720	Sycamore <i>Acer pseudoplatanus</i> <i>Re-growing coppice</i>	Semi-mature	9	1	300	12	12	4	4	4	4	Fair	20 to 40 yrs	B
276857.3 721921	721	Alder <i>Alnus glutinosa</i> <i>Re-growing coppice</i>	Semi-mature	7	1	90	80	80	4	4	4	2	Fair	10 to 20 yrs	C
276850.9 721924.9	722	Alder <i>Alnus glutinosa</i>	Mature	14	1	400			1	1	7	7	Fair	20 to 40 yrs	B
276843.8 721939.4	723	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	1	150	130	130	5	1	6	6	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
276845.7 721937.3	724	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	4	180			0	5	5	1	Fair	10 to 20 yrs	C
276844.9 721939.6	725	Alder <i>Alnus glutinosa</i>	Mature	15	5	310	290		5	4	6	6	Fair	20 to 40 yrs	B
276845.9 721939.6	726	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	2	330			4	5	3	4	Fair	20 to 40 yrs	B
276840.3 721946.9	727	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	2	260	190		1	6	5	4	Poor	10 to 20 yrs	C
276839 721949.1	728	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	5	380	150		5	5	7	7	Fair	10 to 20 yrs	C
276837.1 721953.6	729	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	3	390			2	4	7	7	Fair	20 to 40 yrs	B
276835.8 721955.8	730	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	5	520			6	5	2	7	Fair	10 to 20 yrs	C
276715.1 722096.5	731	Cherry <i>Prunus avium</i>	Semi-mature	7	1	250			5	5	5	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
276710 722077.3	732	Alder <i>Alnus glutinosa</i>	Semi-mature	8	0	230			3	3	4	3	Fair	20 to 40 yrs	B
276684.4 722072.2	733	Alder <i>Alnus glutinosa</i>	Semi-mature	11	3	230	170		5	4	6	4	Fair	20 to 40 yrs	B
276668.8 722070.7	734	Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	270			5	4	6	4	Fair	20 to 40 yrs	B
276699.5 722089.9	735a	Pissards Plum <i>Prunus atropurpurea</i>	Semi-mature	4	1	170			2	2	2	2	Fair	20 to 40 yrs	B
276768.6 722048.8	733a	Atlas Cedar <i>Cedrus atlantica</i>	Mature	17	2	530			7	2	8	8	Fair	20 to 40 yrs	B
276769.9 722047.8	734	Spruce <i>Picea abies</i>	Semi-mature	16	1	220			6	2	5	2	Fair	20 to 40 yrs	B
276770.6 722046.9	735	Spruce <i>Picea abies</i>	Semi-mature	17	2	350			3	3	7	2	Fair	20 to 40 yrs	B
276772.5 722045.3	736	Lawson Cypress <i>Chamaecyparis</i>	Mature	15	0	480			2	2	2	2	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
276775.7 722046.6	737	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	12		150	150	80	7	4	0	7	Fair	20 to 40 yrs	B
276775.4 722045.3	738	Spruce <i>Picea abies</i>	Semi-mature	16	0	300			4	1	4	4	Fair	20 to 40 yrs	B
276776 722043.9	739	Crack Willow <i>Salix fragilis</i>	Semi-mature	8	4	260			2	5	2	0	Fair	10 to 20 yrs	C
276775.7 722044.7	740	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	1	130			3	2	3	3	Fair	10 to 20 yrs	C
276777.3 722043.1	741	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	0	240	230	180	8	7	5	5	Fair	20 to 40 yrs	C
276783.4 722029.3	742	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	7	2	150			3	2	3	3	Fair	20 to 40 yrs	B
276784.6 722030.1	743	Common Ash <i>Fraxinus excelsior</i>	Semi-mature	5	0	50	50	50	4	2	0	2	Fair	10 to 20 yrs	C
276776 722029.6	744	Cherry <i>Prunus avium</i>	Semi-mature	8	3	150	130		4	3	3	0	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
276776 722022.5	745	Plum <i>Prunus Domestica</i>	Semi-mature	4	1	50	50	50	3	3	3	3	Fair	10 to 20 yrs	C
276771.2 722024.1	746	Wild Cherry <i>Prunus avium</i>	Semi-mature	4	1	70	50		2	2	2	2	Fair	10 to 20 yrs	C
276780.2 722038.2	747	Sorbus 'Joseph Rock' <i>Sorbus aucuparia 'Joseph Rock'</i> 2 trees	Semi-mature	4	1	80			2	4	2	4	Fair	20 to 40 yrs	B
277886.7 722028.2	743	Lawson Cypress <i>Chamaecyparis</i>	Semi-mature	7	0	290			2	2	2	2	Fair	20 to 40 yrs	B
277889.3 722032.7	744a	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	4	750			5	6	7	7	Fair	20 to 40 yrs	B
277885.2 722040	745a	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	3	280	270	270	7	4	6	5		20 to 40 yrs	B
277888.1 722040.7	746a	Wych Elm <i>Ulmus glabra</i>	Semi-mature	12	3	200	190	170	5	6	4	2	Fair	20 to 40 yrs	B
277889.4 722043.9	747a	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	>5	300			6	6	3	2	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277892 722044.5	748	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	2	270			7	5	2	2	Poor	10 to 20 yrs	C
277895.8 722036.2	749	Wych Elm <i>Ulmus glabra</i>	Mature	13	5	270	250	150	6	7	7	5	Fair	20 to 40 yrs	B
277898 722044.2	750	Alder <i>Alnus glutinosa</i>	Semi-mature	7	3	70	70	70	5	4	1	2	Fair	10 to 20 yrs	C
277900.9 722043.9	751	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	330	290	160	7	4	5	5	Fair	20 to 40 yrs	B
277907.6 722044.5	752	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	330	250		7	4	5	1	Fair	20 to 40 yrs	B
277914 722043.9	753	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	5	180			5	5	2	4	Fair	10 to 20 yrs	C
277914.4 722044.5	754	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	11	2	240			6	5	4	1	Fair	20 to 40 yrs	B
277914 722031.4	G755	Wych Elm <i>Ulmus glabra</i> 2 trees	Semi-mature	13	1	340			7	7	7	5	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name Latin Name	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277910.5 722033	756	Wych Elm <i>Ulmus glabra</i>	Semi-mature	13	2	190	200	170	7	7	4	5	Fair	20 to 40 yrs	B
277901.9 722033.3	757	Wych Elm <i>Ulmus glabra</i>	Semi-mature	13		200			5	5	2	2	Fair	20 to 40 yrs	B
277901.9 722029.2	758	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	13	2	350	300	270	7	6	7	7	Poor	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	BS5837 Quality
277922.3 722031.2	759	Ash <i>Fraxinus excelsior</i>	Semi-mature	13	2	320		170	7	3	7	3	Poor	10 to 20 yrs	C
		<i>Ash die back. Twin co dominant stems with compression forks and included bark</i>													
277925.1 722031.2	760	Ash <i>Fraxinus excelsior</i>	Mature	13	2	430	140	140	8	3	3	7	Fair	10 to 20 yrs	C
		<i>Ash die back</i>													
277927.6 722030.6	761	Ash <i>Fraxinus excelsior</i>	Mature	13	5	520			6	6	7	5	Fair	20 to 40 yrs	B
277936.9 722028.7	762	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	2	870			7	3	7	6	Fair	20 to 40 yrs	B
277939.7 722027.8	763	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	3	350	310	70	7	5	7	1	Fair	20 to 40 yrs	B
277946.8 722026.5	G763	Ash <i>Fraxinus excelsior</i>	Semi-mature	9	3	140	90		4	6	5	6	Poor	10 to 20 yrs	C
		<i>3 Ash coppice stools, Ash die back. Hawthorn understorey</i>													
277953.6 722025.4	764	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	2	820			8	8	8	6	Fair	20 to 40 yrs	B
277964.2 722023.2	G765	Ash <i>Fraxinus excelsior</i>	Semi-mature	5	1	90	50		3	5	5	7	Fair	10 to 20 yrs	C
		<i>Understorey group. Ash, Prunus, Elm</i>													

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277968.5 722022.9	766	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	15	5	770			9	9	9	9	Fair	10 to 20 yrs	C
277972.6 722023.8	768	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	8		140			4	4	0	1	Poor	10 to 20 yrs	C
277974.7 722021.7	769	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	5	0	200	130	70	2	5	4	3	Fair	10 to 20 yrs	C
277983.7 722017	G770	Sycamore <i>Acer pseudoplatanus</i> <i>Sycamore, Hawthorn</i>	Semi-mature	10	3	140			3	4	3	3	Fair	10 to 20 yrs	C
278006.4 722011.5	771	Sycamore <i>Acer pseudoplatanus</i>	Mature	13	0	400		340	7	7	7	7	Fair	20 to 40 yrs	B
278017.6 722005.6	772	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	13	1	300	300		7	7	7	7	Poor	10 to 20 yrs	C
278013.5 722016.2	773	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	4	180			6	6	4	4	Fair	10 to 20 yrs	C
278002.7 722021.1	G774	Alder <i>Ainus glutinosa</i> <i>Understorey of smaller Ash</i>	Semi-mature	8	2	250			4	4	3	4	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277993.7 722017.7	775	Beech <i>Fagus sylvatica</i> <i>Decay in crown limb. Twin co dominant stems with compression forks and included bark</i>	Mature	11	2	340			1	6	8	4	Poor	10 to 20 yrs	C
277992.5 722022.4	776	Beech <i>Fagus sylvatica</i>	Mature	13	0	610			5	6	8	7	Fair	20 to 40 yrs	B
277985 722022.4	G777	Ash <i>Fraxinus excelsior</i> <i>Coppice stools. 4 Ash, Ash die back, 1 Hazel</i>	Semi-mature	7	1	140	120	120	5	7	4	3	Poor	10 to 20 yrs	C
277978.8 722027.0	778	Sycamore <i>Acer pseudoplatanus</i>	Mature	13	2	330	300	270	8	8	4	5	Fair	20 to 40 yrs	B
277976 722035.4	779	Crack Willow <i>Salix fragilis</i>	Mature	10	0	370	350		10	7	0	7	Fair	20 to 40 yrs	B
277975.1 722033.5	G780	Prunus <i>Prunus avium</i> <i>2 trees</i>	Semi-mature	8	1	250	140		6	7	3	3	Fair	20 to 40 yrs	B
277980.9 722032.3	781	Crack Willow <i>Salix fragilis</i>	Semi-mature	7	2	170	160		7	6	0	1	Fair	10 to 20 yrs	C
277968 722031.7	782	Elm <i>Ulmus glabra</i>	Semi-mature	10	2	220	140		7	2	1	7	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277968.9 722037.6	783	Grey Willow <i>Salix cinerea</i>	Semi-mature	7	0	80	75	75	6	1	0	5	Fair	10 to 20 yrs	C
277956.3 722039.8	784	Ash <i>Fraxinus excelsior</i>	Semi-mature	11	1	270	190	160	6	5	4	5	Fair	10 to 20 yrs	C
277952.9 722041.7	785	Willow <i>Salix cinerea</i>	Semi-mature	5	0	80	80	80	4	7	0	0	Fair	10 to 20 yrs	C
277948.3 722042.9	G786	Ash <i>Fraxinus excelsior</i> 2 trees	Semi-mature	5	1	140			4	6	1	7	Fair	10 to 20 yrs	C
277950.8 722033.6	786	Alder <i>Alnus glutinosa</i>	Semi-mature	7	3	240			6	3	1	3	Fair	10 to 20 yrs	C
277951.4 722034.6	787	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	12	3	150	120		5	4	1	2	Poor	10 to 20 yrs	C
277947 722033.6	788	Elm <i>Ulmus glabra</i>	Semi-mature	13	5	260	230		8	6	2	4	Fair	20 to 40 yrs	B
277944.9 722037.7	G789	Prunus <i>Prunus avium</i> 2 trees	Semi-mature	9	2	120			4	3	1	2	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277939.6 722039.8	790	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	2	270	200	180	8	5	4	6	Fair	20 to 40 yrs	B
277933.4 722039.5	791	Sycamore <i>Acer pseudoplatanus</i> <i>Co dominant stems with compression forks and included bark</i>	Mature	12	2	370	270	270	9	7	7	7	Fair	10 to 20 yrs	C
277979.6 722020.6	792	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	7	1	170	150	100	8	2	0	4	Fair	10 to 20 yrs	C
277928.4 722038	793	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	3	570			7	6	4	5	Fair	20 to 40 yrs	B
277921.3 722037.6	794	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Coppice stool</i>	Semi-mature	5	0	50	50	50	4	1	1	3	Poor	10 to 20 yrs	C
277923.1 722042.9	795	Prunus	Semi-mature	6	1	150	100	100	3	1	4	4	Fair	20 to 40 yrs	B
277924.1 722044.8	796	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	1	260	80		6	7	3	4	Fair	10 to 20 yrs	C
277921.5 722044.4	797	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	260			5	3	1	3	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277919.7 722044.4	G798	Grey Willow <i>Salix cinerea</i> 2 trees	Semi-mature	5	0	80	80		5	3	4	5	Fair	10 to 20 yrs	C
277358 721881.5	799	Grey Willow <i>Salix cinerea</i> Basal decay	Semi-mature	10	1	360	320		6	5	5	3	Poor	<10 yrs	U
277356.1 721880.9	800	Alder <i>Alnus glutinosa</i>	Semi-mature	13	3	300			1	3	6	3	Fair	20 to 40 yrs	B
277249.5 721707.4	801	Sycamore <i>Acer pseudoplatanus</i> Ash die back	Semi-mature	10	2	190			4	4	4	4	Fair	10 to 20 yrs	C
277255.5 721707	802	Elder <i>Sambucus nigra</i>	Semi-mature	7	1	230	180	120	7	4	3	3	Poor	10 to 20 yrs	C
277236.5 721701.7	803	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	18	3	950			11	11	11	11	Fair	20 to 40 yrs	B
277242.6 721693.7	804	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13		230	190	170	5	6	6	4	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277234.9 721714.1	805	A Group <i>Scrub group. Hawthorn & Bird Cherry dominant, Hazel; young Ash & Sycamore present.</i>	Semi-mature	5	0	120			9	9	9	9	Fair	10 to 20 yrs	C
277241 721688.5	806	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	13	1	280	280		5	3	5	5	Fair	10 to 20 yrs	C
277243.2 721685.3	807	Ash <i>Fraxinus excelsior</i> <i>Ash de back</i>	Semi-mature	16	2	450	320		8	7	8	6	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277247.4 721681.2	6808	Ash <i>Fraxinus excelsior</i> 3 trees. Ash die back	Semi-mature	12	2	200			7	7	7	7	Poor	10 to 20 yrs	C
277265.9 721662.4	809	Elm <i>Ulmus glabra</i>	Semi-mature	5	1	100			4	2	3	3	Fair	10 to 20 yrs	C
277271.3 721654.1	810	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	15	1	510			8	8	8	8	Fair	20 to 40 yrs	B
277275.5 721644.8	812	Gray Willow <i>Salix cinerea</i>	Semi-mature	5	0	150	150	130	5	5	5	5	Fair	10 to 20 yrs	C
277279 721629.8	811	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	12	2	270	240		4	4	4	4	Fair	10 to 20 yrs	C
277279.5 721625.8	813	A Group Ash, Sycamore, Crack Willow	Semi-mature	12	0	130			6	4	6	4	Fair	10 to 20 yrs	C
277279.2 721622.0	814	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	10	1	240			4	4	4	5	Poor	10 to 20 yrs	C
277279.2 721617.2	6815	A Group	Semi-mature	8	1	100	80	80	6	4	6	4	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277277.9 721613	816	Sycamore <i>Acer pseudoplatanus</i> <i>Multi-stemmed with compression forks and included bark</i>	Semi-mature	13	0	300	250	210	5	5	5	5	Fair	10 to 20 yrs	C
277277 721607.6	G817	Ash <i>Fraxinus excelsior</i> <i>4 trees. Ash die back</i>	Semi-mature	10	2	150			7	4	7	4	Poor	10 to 20 yrs	C
277275.8 721606.8	818	Sycamore <i>Acer pseudoplatanus</i> <i>Multi-stemmed tree with compression forks and included bark. Somewhat sparse crown</i>	Semi-mature	10	2	310	300	250	4	5	4	6	Fair	10 to 20 yrs	C
277274.2 721599	819	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13		350			5	7	4	6	Poor	10 to 20 yrs	C
277273 721597.6	820	Grey Willow <i>Salix cinerea</i>	Semi-mature	6	0	110	90	90	4	3	6	5	Fair	10 to 20 yrs	C
277273.3 721594.7	821	Alder <i>Alnus glutinosa</i>	Semi-mature	10		320			5	5	5	5	Fair	20 to 40 yrs	B
277273.9 721589.9	S822	Willow <i>Salix cinerea</i> <i>Scrub</i>	Young	3	0				7	3	7	3	Fair	10 to 20 yrs	C
277272 721577.7	G823	Sycamore <i>Acer pseudoplatanus</i> <i>3 trees</i>	Semi-mature	12	2	190	170	180	8	5	8	5	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277266.9 721566.2	824	Ash <i>Fraxinus excelsior</i> <i>Ash die back, 5 trees</i>	Semi-mature	13	1	130	240		10	7	10	7	Poor	<10 yrs	U
277259.3 721552.5	825	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	0	150	160	150	5	5	5	5	Fair	20 to 40 yrs	B
277254.1 721545.6	826	Ash <i>Fraxinus excelsior</i>	Semi-mature	9	0	140	70		5	4	3	5	Fair	20 to 40 yrs	B
277252.5 721543.4	827	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	1	140	120	120	4	4	4	4	Fair	10 to 20 yrs	C
277249.7 721538.6	828	Sycamore <i>Acer pseudoplatanus</i> <i>Somewhat sparse crown</i>	Semi-mature	13	1	260	170	170	5	6	5	6	Poor	10 to 20 yrs	C
277245.2 721534.1	829	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	11	0	220	190	200	5	5	5	5	Fair	20 to 40 yrs	B
277240.8 721524.7	830	Alder <i>Alnus glutinosa</i>	Semi-mature	10	2	370	210	190	5	5	5	5	Fair	20 to 40 yrs	B
277225.6 721515.1	831	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	11	0	340	160		5	4	2	5	Poor	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277219.9 721510.7	832	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Young	5	1	70	70		5	2	5	2	Poor	<10 yrs	U
277217.2 721508.6	833	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	1	240			4	4	2	3	Fair	20 to 40 yrs	B
277212.8 721507.3	834	Elm <i>Ulmus glabra</i>	Semi-mature	13	2	320	250	250	6	6	6	6	Fair	20 to 40 yrs	B
277200.9 721504.1	835	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	1	120	120	120	4	3	2	4	Fair	10 to 20 yrs	C
277197.4 721501.9	836	Alder <i>Alnus glutinosa</i>	Young	5	0	100	90	80	3	3	3	3	Fair	10 to 20 yrs	C
277194.7 721500.3	837	Alder <i>Alnus glutinosa</i>	Semi-mature	12	1	28			4	4	2	2	Fair	20 to 40 yrs	B
277192.4 721498.7	838	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	0	240	160		6	5	5	5	Fair	20 to 40 yrs	B
277191 721498.3	839	Alder <i>Alnus glutinosa</i>	Dead	13	5	420			6	7	5	6	Dead	n/a	U

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277189.2 721498.1	G840	Alder <i>Alnus glutinosa</i>	Mature	15	4	430			5	6	6	7	Poor	<10 yrs	U
277186.2 721497	841	Alder <i>Alnus glutinosa</i>	Mature	12	2	400	290		5	5	5	5	Fair	20 to 40 yrs	B
277166.5 721489.2	842	Alder <i>Alnus glutinosa</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	10	2	250	260		5	4	5	5	Fair	10 to 20 yrs	C
277152.2 721487.9	S843	Prunus <i>Prunus avium</i> <i>Scrub group. Blackthorn dominant.</i>	Young	5	0	80			4	10	6	10	Fair	10 to 20 yrs	C
277136.2 721482.1	844	Sycamore <i>Acer pseudoplatanus</i> <i>Compression forks and included bark</i>	Mature	17	2	62			8	8	8	8	Fair	20 to 40 yrs	B
277128.5 721477.6	845	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	2	380			5	5	7	7		20 to 40 yrs	B
277092.9 721437.8	G846	Sycamore <i>Acer pseudoplatanus</i> <i>Coppice group within woodland. Sycamore dominant. Ash, Hazel also present</i>	Mature	8	0	300			10	40	10	10	Fair	20 to 40 yrs	B
277089.7 721448.2	847	Ash <i>Fraxinus excelsior</i>	Semi-mature	16	4	210			5	4	5	7	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277091 721450.1	848	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16	3	250			5	5	4	4	Fair	20 to 40 yrs	B
277091.5 721450.5	849	Elm <i>Ulmus glabra</i>	Semi-mature	7	1	110			7	5	0	2	Fair	10 to 20 yrs	C
277096 721450.8	850	Ash <i>Fraxinus excelsior</i>	Semi-mature	15	>5	140			3	2	1	2	Fair	<10 yrs	C
277100 721451.3	851	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16	3	330			4	4	4	4	Fair	20 to 40 yrs	B
277095.2 721453.8	852	Ash <i>Fraxinus excelsior</i>	Semi-mature	8	3	120			4	2	1	2	Fair	10 to 20 yrs	C
277090.5 721454.5	853	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16	2	150			4	3	2	3	Fair	10 to 20 yrs	C
277098.4 721459.5	854	Ash <i>Fraxinus excelsior</i>	Semi-mature	15	3	200			3	2	2	2	Fair	20 to 40 yrs	B
277100.8 721457.6	855	Ash <i>Fraxinus excelsior</i> <i>Tree on woodland edge</i>	Semi-mature	16	>5	210			4	5	4	1	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277101.1 721461.8	856	Ash <i>Fraxinus excelsior</i> Tree on woodland edge	Semi-mature	15	4	190	160	160	6	5	6	5	Fair	20 to 40 yrs	B
277103.2 721460.7	857	Ash <i>Fraxinus excelsior</i> Tree on woodland edge. Ash die back	Semi-mature	16	5	280			7	7	7	7	Fair	20 to 40 yrs	B
277104 721460.3	858	Ash <i>Fraxinus excelsior</i> Tree on woodland edge.	Semi-mature	16	>5	240			5	8	0	4	Fair	20 to 40 yrs	B
277110.3 721464.8	859	Sycamore <i>Acer pseudoplatanus</i> Tree on woodland edge	Semi-mature	14	3	370			6	6	5	6	Fair	20 to 40 yrs	B
277113 721465.6	860	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	2	110			4	2	3	1	Fair	10 to 20 yrs	C
277119.4 721463.1	861	Silver Birch <i>Betula pendula</i>	Mature	15	5	300	280		7	5	8	8	Fair	20 to 40 yrs	B
277118.3 721468	862	Sycamore <i>Acer pseudoplatanus</i> Tree on woodland edge	Semi-mature	13	3	310			7	5	5	6	Fair	20 to 40 yrs	B
277124 721468.4	863	Sycamore <i>Acer pseudoplatanus</i>	Mature	14	2	370			8	8	6	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277130.3 721468.1	864	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	3	340			4	6	7	6	Fair	20 to 40 yrs	B
277131.9 721469.7	865	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	2	140			4	4	3	3	Fair	10 to 20 yrs	C
277127.8 721458.2	W866	Sycamore <i>Acer pseudoplatanus</i> <i>Group within woodland</i>	Semi-mature	13	3	200			7	9	9	9	Fair	10 to 20 yrs	B
277124.6 721450.5	867	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	3	620	290		9	11	11	9	Fair	20 to 40 yrs	B
277117.7 721436.7	868	Alder <i>Alnus glutinosa</i>	Mature	16	3	580	310		5	8	8	8	Fair	20 to 40 yrs	B
277108.7 721449.5	W869	Sycamore <i>Acer pseudoplatanus</i> <i>Semi-mature woodland. Sycamore dominant in upper canopy with occasional Ash. Understorey of Hawthorn, & Blackthorn. Graduates into coppice woodland to west.</i>	Semi-mature	15	4	200			18	16	18	16	Fair	20 to 40 yrs	B
277125.4 721438.7	868a	Gray Willow <i>Salix cinerea</i>	Mature	7	0	290	200	200	10	10	10	10	Fair	20 to 40 yrs	B
277146.2 721446.7	870	Ash <i>Fraxinus excelsior</i>	Semi-mature	14	2	400			7	7	7	7	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277138.5 721437.7	W871	Willow <i>Salix cinerea</i> <i>Willow group within woodland</i>	Semi-mature	5	0	120			15	8	15	8	Fair	10 to 20 yrs	C
277149.1 721469.1	871	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	15	3	310	300	310	9	9	8	4	Poor	10 to 20 yrs	C
277146.5 721466.2	872	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	13	2	460			5	8	7	7	Poor	10 to 20 yrs	C
277144.3 721472.6	873	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	15	2	580			9	7	9	9	Poor	10 to 20 yrs	C
277139.8 721461.1	5874	Prunus <i>Prunus avium</i> <i>Scrub group within woodland, Blackthorn, & Hawthorn</i>	Semi-mature	4	0	80			8	8	8	8	Fair	10 to 20 yrs	C
277355.1 721472.7	5874a	Willow <i>Salix cinerea</i> <i>Young Willow</i>	Young	4	0	40			3	3	3	3	Fair	10 to 20 yrs	C
277331 721570.7	875	Lime <i>Tilia europaea</i>	Mature	16	2	630			7	7	7	7	Fair	20 to 40 yrs	B
277318.8 721604	876	Lime <i>Tilia europaea</i>	Mature	16	0	620			8	8	8	8	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277316.9 721616.8	877	Noble Fir <i>Abies procera</i>	Mature	27	5	900			9	9	9	9	Fair	20 to 40 yrs	B
277310.6 721621.7	878	Beech <i>Fagus sylvatica</i>	Semi-mature	16	2	310	300	270	8	8	8	8		20 to 40 yrs	B
277308.3 721625.4	879	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	1	320			6	6	4	6	Fair	20 to 40 yrs	B
277305.8 721631.1	880	Prunus	Semi-mature	10	2	230			5	5	5	5	Fair	20 to 40 yrs	B
277296.8 721652.3	881	Beech <i>Fagus sylvatica</i>	Semi-mature	12	2	230	230	230	7	7	7	7	Fair	20 to 40 yrs	B
277294.7 721657.3	882	Beech <i>Fagus sylvatica</i> Crown reduction	Semi-mature	9	4	140	140	140	3	3	2	3	Fair	10 to 20 yrs	C
277291.2 721664.4	883	Beech <i>Fagus sylvatica</i> Crown reduction	Semi-mature	7	2	150	140	130	4	3	5	3	Fair	10 to 20 yrs	C
277265.8 721695.7	884	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	11	3	310	240		5	5	5	5	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277269 721703.1	885	Alder <i>Alnus glutinosa</i>	Semi-mature	9	2	170	150		1	4	5	4	Fair	20 to 40 yrs	B
277268.4 721705.7	886	Alder <i>Alnus glutinosa</i>	Semi-mature	9	2	170			5	5	2	4	Fair	20 to 40 yrs	B
277262.3 721712.1	887	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	3	170	160	120	1	4	6	4	Fair	10 to 20 yrs	C
275519 721703.8	888	Beech <i>Fagus sylvatica</i>	Mature	18	2	400	330	350	9	7	9	9	Fair	20 to 40 yrs	B
275511.9 721693.2	H889	Beech <i>Fagus sylvatica</i> Hedge	Semi-mature	2	0	130			1	1	1	2	Fair	10 to 20 yrs	B
275523.1 721697.7	890	Birch <i>Betula pendula</i> Tree on woodland edge	Semi-mature	9	4	140			2	2	2	1	Fair	10 to 20 yrs	C
275525.3 721702.8	891	Birch <i>Betula pendula</i> Tree on woodland edge	Semi-mature	18	>5	240			4	4	4	4	Fair	20 to 40 yrs	B
275523.7 721708.1	892	Birch <i>Betula pendula</i>		18	>5	140			2	3	2	1	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275517.8 721708.8	893	Beech <i>Fagus sylvatica</i>	Semi-mature	16	3	230	230		5	6	3	6	Fair	10 to 20 yrs	C
<i>Tree on woodland edge. Twin co dominant stems with compression forks and included bark</i>															
275517.5 721710.5	894	Beech <i>Fagus sylvatica</i>	Young	7	0	90			4	1	1	4	Fair	10 to 20 yrs	C
275515 721714.4	895	Alder <i>Alnus glutinosa</i>	Semi-mature	8	2	220			3	0	3	0	Fair	10 to 20 yrs	C
275514.4 721710.9	896	Oak <i>Quercus robur</i>	Semi-mature	12	7	350			3	1	1	6	Poor	10 to 20 yrs	C
<i>Tree on woodland edge</i>															
275513.7 721713.7	897	Oak <i>Quercus robur</i>	Semi-mature	16	4	430			7	6	7	8	Fair	20 to 40 yrs	B
<i>Tree on woodland edge</i>															
275513.4 721714.9	898	Beech <i>Fagus sylvatica</i>	Young	5	1	70	70		2	0	3	4	Fair	10 to 20 yrs	C
275512.6 721717.9	899	Oak <i>Quercus robur</i>	Mature	18	5	470			8	7	7	8	Fair	20 to 40 yrs	B
<i>Tree on woodland edge</i>															

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275516.4 721718.1	900	Beech <i>Fagus sylvatica</i>	Semi-mature	16	2	240	150		7	5	5	7	Fair	20 to 40 yrs	B
277354.5 721880.5	901	Alder <i>Alnus glutinosa</i>	Semi-mature	9	2	150			2	1	4	1	Fair	10 to 20 yrs	C
277351.2 721878.4	902	Alder <i>Alnus glutinosa</i>	Semi-mature	8	0	160			3	2	3	2	Fair	10 to 20 yrs	C
277347.5 721876.5	903	Alder <i>Alnus glutinosa</i>	Semi-mature	9	3	240			4	2	5	4	Fair	20 to 40 yrs	B
277343.4 721871.5	904	Wild Cherry <i>Prunus avium</i>	Semi-mature	9	2	300			4	4	6	3	Fair	20 to 40 yrs	B
277357.8 721892.9	G905	Grey Willow <i>Salix cinerea</i> <i>Grey Willow, Alder</i>	Semi-mature	5	0	75	75	75	4	5	4	5	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277354.6 721891	906	Grey Willow <i>Salix cinerea</i> <i>Ivy clad monolith</i>	Dead	5	0	280			1	2	1	1	Dead	n/a	U
277353.3 721890.7	907	Grey Willow <i>Salix cinerea</i>	Young	4		50	50	50	2	4	3	4	Fair	10 to 20 yrs	C
277349.1 721890.7	908	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	2	270			5	4	4	4	Fair	10 to 20 yrs	C
277343.1 721886.5	G909	Alder <i>Alnus glutinosa</i> <i>Smaller Sycamore beneath/adjacent Alder</i>	Mature	11	2	420			6	5	4	5	Fair	20 to 40 yrs	B
277337 721885.2	G910	Alder <i>Alnus glutinosa</i>	Semi-mature	12	>5	260	220		5	3	2	2	Poor	10 to 20 yrs	C
277337.6 721867	G911	Ash <i>Fraxinus excelsior</i> <i>2 trees. Ash die back</i>	Semi-mature	14	2	269			3	6	4	4	Fair	20 to 40 yrs	B
277338.3 721868.9	G912	Bird Cherry <i>Prunus padus</i> <i>2 trees</i>	Mature	12	2	140	140	140	5	6	5	4	Fair	20 to 40 yrs	B
277339.2 721875.9	G913	Ash <i>Fraxinus excelsior</i> <i>4 trees. Ash die back</i>	Semi-mature	14	2	240	200	150	6	6	3	6	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277328 721879.1	914	Elm <i>Ulmus glabra</i>	Semi-mature	13	2	270	240	80	5	8	5	2	Fair	20 to 40 yrs	B
277325.8 721871.1	915	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	18	5	410			7	7	7	7	Fair	10 to 20 yrs	C
277323.5 721865.1	916	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	3	450	490		8	7	6	7	Fair	20 to 40 yrs	B
277320.3 721882	917	Sycamore <i>Acer pseudoplatanus</i>	Mature	19	2	510	410	520	10	8	7	7	Fair	20 to 40 yrs	B
277325.5 721886.2	918	Alder <i>Alnus glutinosa</i>	Mature	13	3	320			6	5	2	0	Fair	20 to 40 yrs	B
277320.7 721879.8	919	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	4	340	270		10	4	5	7	Fair	20 to 40 yrs	B
277319.4 721877.5	920	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	2	210			2	3	5	3	Fair	20 to 40 yrs	B
277316.8 721877.5	921	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	11	4	190			3	0	3	3	Poor	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277294 721888.7	922	Alder <i>Alnus glutinosa</i> Sparse crown	Mature	13	5	260	240	140	5	1	4	2	Poor	10 to 20 yrs	C
277300.4 721886.8	923	Alder <i>Alnus glutinosa</i> Somewhat sparse crown	Mature	13	5	300	280	260	6	5	5	1	Fair	20 to 40 yrs	B
277303.6 721886.5	924	Alder <i>Alnus glutinosa</i>	Mature	13	4	320			6	4	1	1	Fair	20 to 40 yrs	B
277299.1 721881.7	6925	Ash <i>Fraxinus excelsior</i> Understorey group. 8 trees. Ash, Sycamore, Hawthorn	Young	7	2	100			4	8	4	8	Fair	10 to 20 yrs	C
277307.8 721885.5	926	Alder <i>Alnus glutinosa</i> Decay/defect in bole	Semi-mature	6	4	240			8	2	0	2	Poor	10 to 20 yrs	C
277306.8 721880.4	927	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	15	5	350	220		7	6	5	7	Poor	10 to 20 yrs	C
277310.6 721886.2	928	Alder <i>Alnus glutinosa</i>	Semi-mature	12	4	290	150		6	4	0	2	Fair	20 to 40 yrs	B
277306.2 721875.9	923	Sycamore <i>Acer pseudoplatanus</i> Co-dominant stems from 3.5m height with compression forks, included bark & crack, colonised by <i>Coriulus versicolor</i>	Mature	19	3	810			10	9	8	9	Poor	<10 yrs	U

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277311.6 721862.5	930	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	18	>5	790			7	9	6	6	Fair	20 to 40 yrs	B
277304.6 721853.8	931	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	2	520	520	340	6	7	8	8	Fair	20 to 40 yrs	B
277307.8 721863.1	932	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	>5	370	350		8	5	3	5	Fair	20 to 40 yrs	B
277300.8 721864.7	G933	Ash <i>Fraxinus excelsior</i> 3 trees. Ash die back	Mature	17	>5	380			8	8	5	8	Fair	10 to 20 yrs	C
277296.3 721854.5	934	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	>5	590	580	580	8	9	9	8	Fair	20 to 40 yrs	B
277298.5 721869.8	935	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	17	>5	360			7	5	4	6	Poor	10 to 20 yrs	C
277294.4 721873	936	Sycamore <i>Acer pseudoplatanus</i>	Mature	19	>5	800			10	8	7	5	Fair	20 to 40 yrs	B
277297.9 721871.7	937	Elm <i>Ulmus glabra</i>	Semi-mature	8	1	140	130	40	3	3	3	3	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277292.8 721860.9	938	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	2	480			6	5	6	8	Fair	20 to 40 yrs	B
277291.2 721857.3	939	Prunus <i>Prunus avium</i>	Dead	15	5	330			2	2	2	2	Dead	n/a	U
277282.9 721839.3	940	Prunus <i>Prunus avium</i>	Dead	13	5	370			1	1	1	1	Dead	n/a	U
277294.4 721845.1	941	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	19	>5	380	370		6	6	8	8	Poor	10 to 20 yrs	C
277295.1 721850.9	942	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	5	320			3	2	2	7	Fair	20 to 40 yrs	B
277287.1 721833.9	943	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	18	3	520			9	9	6	6	Poor	10 to 20 yrs	C
277282.3 721835.2	944	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	19	>5	500	470	470	8	10	7	7	Poor	10 to 20 yrs	C
277285.8 721828.1	945	Alder <i>Alnus glutinosa</i> <i>Sparse crown</i>	Mature	15	5	350	400		1	2	7	2	Poor	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277297.6 721834.2	946	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	19	>5	620	600		9	9	10	10	Fair	20 to 40 yrs	B
277300.2 721828.5	G947	Sycamore <i>Acer pseudoplatanus</i> 2 trees	Semi-mature	10	3	270			6	5	6	7	Fair	20 to 40 yrs	B
277291.9 721824	G948	Sycamore <i>Acer pseudoplatanus</i> 3 trees	Mature	17	4	280	260	170	8	4	7	9	Fair	20 to 40 yrs	B
277285.1 721821.7	949	Elder <i>Sambucus nigra</i>	Semi-mature	5	2	160			1	1	2	2	Fair	10 to 20 yrs	C
277296.3 721822.4	950	Elder <i>Sambucus nigra</i>	Semi-mature	6	1	190			3	3	3	2	Fair	20 to 40 yrs	B
277313.6 721834.5	G951	Sycamore <i>Acer pseudoplatanus</i> 2 trees	Mature	16	5	610			8	8	8	7	Fair	20 to 40 yrs	B
277305.3 721830.4	G952	Sycamore <i>Acer pseudoplatanus</i> 2 trees	Mature	16	4	640			7	6	6	6	Fair	20 to 40 yrs	B
277277.5 721817.9	953	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	21	>5	430			7	8	7	5	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277283.3 721815.9	954	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	5	140	150		3	4	3	2	Poor	<10 yrs	U
277305.3 721815.3	955	Goat Willow <i>Salix caprea</i>	Mature	13	2	330	220	170	6	6	7	6	Fair	20 to 40 yrs	B
277302.1 721823.9	G956	Ash <i>Fraxinus excelsior</i> 4 trees. <i>Ash die back</i>	Semi-mature	17	>5	270			6	6	5	7	Poor	10 to 20 yrs	C
277296.4 721811.1	G957	Sycamore <i>Acer pseudoplatanus</i> 4 trees	Semi-mature	14	4	250			5	5	5	5	Fair	20 to 40 yrs	B
277268.2 721798.7	G958	Willow <i>Salix cinerea</i> Group within woodland growing along existing drainage ditch on southwest - northeast axis. Willow dominant, Sycamore present. Approximately 20 trees	Semi-mature	11		120	120	120	20	8	8	20	Fair	20 to 40 yrs	B
277278.1 721793.3	G969	Ash <i>Fraxinus excelsior</i> Group within woodland growing to southwest of existing drainage ditch, running on southeast - northwest axis. Mix of poor quality Ash affected by Ash die-back & Sycamore in better condition. Elder & Prunus in understorey. Approximately 50 trees	Semi-mature	14	4	250			20	10	20	10	Poor	10 to 20 yrs	C
277274.6 721786.9	960	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	5	270	180		6	6	6	6	Fair	20 to 40 yrs	B
277260.5 721749.1	961	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	3	330			7	7	4	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277260.8 721783.4	C963	Clearing							7	7	7	7			
277254.8 721761.6	961	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	2	320			6	6	4	2	Fair	20 to 40 yrs	B
277248.4 721762.9	G964	Grey Willow <i>Salix cinerea</i> <i>Approximately 6 multi-stemmed trees</i>	Mature	12	0	270	250	200	14	7	14	7	Fair	20 to 40 yrs	B
277255.4 721742.4	965	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	7	3	110			2	2	2	2	Poor	<10 yrs	U
277249.4 721740.8	G966	A Group <i>Scrub group, Prunus & Hawthorn dominant</i>	Semi-mature	7	0	150			10	4	10	5	Fair	10 to 20 yrs	C
277216 721738.2	967	Wild Cherry <i>Prunus avium</i> <i>Defect in scaffold limb</i>	Mature	18	5	320	310		7	5	4	7	Poor	<10 yrs	U
277116.6 721762.3	968	Alder <i>Alnus glutinosa</i> <i>Sparse crown</i>	Mature	16	>5	370	320	300	8	8	5	6	Poor	10 to 20 yrs	C
277133.4 721773.8	969	Sycamore <i>Acer pseudoplatanus</i>	Mature	20	2	580			9	8	8	5	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277139.6 721767.6	970	Ash <i>Fraxinus excelsior</i> Sparse crown. Ash die back	Mature	19	>5	340			6	7	5	6	Poor	10 to 20 yrs	C
277140.3 721761.9	971	Sycamore <i>Acer pseudoplatanus</i>	Young	8	2	120			4	3	1	2	Fair	10 to 20 yrs	C
277146 721767	972	Alder <i>Alnus glutinosa</i>	Mature	15	5	240	240		5	7	3	2	Fair	10 to 20 yrs	C
277150.5 721766.3	973	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	11	2	260			5	5	5	5	Fair	20 to 40 yrs	B
277155.6 721766.3	974	A Group Scrub/young trees	Young	5	0	75			6	8	1	8	Fair	10 to 20 yrs	C
277161.4 721759.9	975	Alder <i>Alnus glutinosa</i> Snapped main stem	Semi-mature	3	0	260			1	1	1	1	Poor	<10 yrs	U
277165.9 721765.7	976	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	20	>5	530			10	0	5	10	Fair	10 to 20 yrs	C
277169.7 721761.9	977	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	5	410	340	350	5	5	7	8	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277164 721747.1	978	Sycamore <i>Acer pseudoplatanus</i> <i>Root plate washed loose by river</i>	Mature	2	0	490			4	18	6	0	Poor	<10 yrs	U
277176.1 721767.6	978	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	4	520			7	5	5	5	Fair	20 to 40 yrs	B
277178.7 721761.9	979	Ash <i>Fraxinus excelsior</i> <i>Root plate failure</i>	Mature	20	>5	440			15	7	0	1	Poor	<10 yrs	U
277185.1 721759.3	G980	Sycamore <i>Acer pseudoplatanus</i> 2 trees	Mature	20	5	590			4	6	9	6	Fair	20 to 40 yrs	B
277188.3 721758.7	981	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	4	480	420	470	10	9	6	10	Fair	20 to 40 yrs	B
277199.6 721748.2	S182	A Group <i>Scrub. Small Ash, Alder, Sycamore</i>	Young	6	2	75			10	15	0	5	Fair	10 to 20 yrs	C
277210.5 721743.7	G982	Ash <i>Fraxinus excelsior</i> 5 larger trees among young scrub	Semi-mature	16	5	240	100		8	8	3	8	Poor	10 to 20 yrs	C
277222.4 721734.5	983	Sycamore <i>Acer pseudoplatanus</i> <i>Root plate failure probable. Die back on south of crown</i>	Mature	19	>5	290			4	4	4	4	Poor	<10 yrs	U

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277293 721725.3	984	Beech <i>Fagus sylvatica</i>	Mature	15	2	530	290	310	9	6	9	6	Fair	20 to 40 yrs	B
277282.4 721719.8	985	Beech <i>Fagus sylvatica</i>	Semi-mature	10	2	190			4	5	3	1	Fair	20 to 40 yrs	B
277276 721717	986	Beech <i>Fagus sylvatica</i> <i>Colonised by Gandoderma fungus. Small leaves/sparse crown</i>	Mature	17	5	1060			14	12	14	10	Poor	<10 yrs	U
277272.2 721715	987	Beech <i>Fagus sylvatica</i>	Mature	18	2	640			6	0	6	8	Fair	20 to 40 yrs	B
277286.3 721709.9	988	Beech <i>Fagus sylvatica</i>	Early mature	17	2	490			7	7	7	7	Fair	20 to 40 yrs	B
277278.3 721704	989	Oak <i>Quercus robur</i>	Semi-mature	7	2	120			3	3	3	3	Fair	10 to 20 yrs	B
277277 721695	H990	Beech <i>Fagus sylvatica</i> <i>Garden hedge. Beech</i>	Semi-mature	3	0	130			10	1	10	1	Fair	10 to 20 yrs	C
277227.1 721721.3	991	Sycamore <i>Acer pseudoplatanus</i> <i>Root plate failure imminent. Tree leaning north.</i>	Semi-mature	17	4	280			7	8	0	5	Poor	<10 yrs	U

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
277230.9 721724.5	992	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	17	5	340			10	7	2	4	Fair	20 to 40 yrs	B
277243.7 721718.1	993	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	3	350			5	5	6	3	Fair	20 to 40 yrs	B
277248.8 721727	994	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	160	5	450			9	7	8	8	Fair	10 to 20 yrs	C
277251.4 721718.1	995	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	2	470			6	10	9	8	Fair	20 to 40 yrs	B
277255.2 721721.3	996	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Mature	18	5	400	310		7	6	7	8	Fair	10 to 20 yrs	C
277259.7 721722.1	997	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	5	330	290	150	7	9	9	9	Fair	20 to 40 yrs	B
277261.6 721725.9	998	Beech <i>Fagus sylvatica</i>	Semi-mature	12	1	320	170		6	6	3	6	Fair	20 to 40 yrs	B
277264.8 721727.2	999	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	2	170			4	2	1	4	Fair	10 to 20 yrs	C
277255.2 721736.2	S1000	A Group <i>Scrub, Hawthorn & Bird Cherry dominant</i>	Young	6	0	120			9	9	9	9	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275516.9 721714	1101	Beech <i>Fagus sylvatica</i>	Semi-mature	16	3	200	100		2	2	4	4	Fair	20 to 40 yrs	B
275522.4 721722.1	1102	Beech <i>Fagus sylvatica</i> <i>Snapped main stem colonised by fungus: Fomes fomentarius</i>	Mature	5	2	910			0	2	5	3	Poor	<10 yrs	U
275516.4 721718.9	1103	Grand Fir <i>Abies grandis</i>	Semi-mature	10	1	190			3	3	3	3	Fair	20 to 40 yrs	B
275517.3 721725.5	1104	Oak <i>Quercus robur</i>	Semi-mature	16	>5	290			4	5	5	5	Fair	20 to 40 yrs	B
275512.1 721725	1105	Beech <i>Fagus sylvatica</i>	Semi-mature	17	3	340			7	5	7	8	Fair	20 to 40 yrs	B
275516.6 721728.7	1106	Oak <i>Quercus robur</i>	Semi-mature	16	>5	340			5	5	6	10	Fair	20 to 40 yrs	B
275513.8 721724.7	G1107	Beech <i>Fagus sylvatica</i> <i>Understorey group. Beech, Birch. 4 trees</i>	Young	8	3	120			8	4	7	4	Fair	10 to 20 yrs	C
275505.9 721727.4	1108	Alder <i>Alnus glutinosa</i> <i>Somewhat sparse crown</i>	Semi-mature	7	0	190	150		6	0	4	8	Poor	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275508.4 721729.7	1109	Birch <i>Betula pendula</i>	Semi-mature	7	1	130			3	0	3	5	Fair	10 to 20 yrs	C
275510.7 721732.5	1110	Oak <i>Quercus robur</i> <i>Somewhat sparse crown</i>	Mature	15	6	380			8	7	9	9	Fair	20 to 40 yrs	B
275508.7 721742.8	1111	Oak <i>Quercus robur</i> <i>Snapped main stem</i>	Semi-mature	6	0	200			1	9	1	4	Poor	<10 yrs	U
275500 721751.2	1112	Alder <i>Ainus glutinosa</i> <i>Sparse crown</i>	Semi-mature	11	4	140			4	4	4	4	Poor	<10 yrs	U
275498.6 721752.1	G1113	Gray Willow <i>Salix cinerea</i> <i>Willow, Alder, Elm, Sycamore. Circa 15 trees</i>	Semi-mature	9	1	100			12	5	9	7	Fair	10 to 20 yrs	C
275502.8 721754.5	1114	Alder <i>Ainus glutinosa</i>	Mature	13	1	280	260	160	8	7	7	7	Fair	20 to 40 yrs	B
275500 721762.1	1115	Alder <i>Ainus glutinosa</i>	Mature	17	2	300	310	110	8	7	8	8	Fair	20 to 40 yrs	B
275499.2 721764.3	1116	Alder <i>Ainus glutinosa</i>	Semi-mature	13	1	180			5	5	5	7	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275496.7 721765.3	G1117	Alder <i>Alnus glutinosa</i> 3 stems	Mature	16		360			8	8	8	8	Fair	20 to 40 yrs	B
275489.7 721767.3	1118	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	18	2	340			9	9	7	7	Fair	20 to 40 yrs	B
275483.7 721762.1	1119	Alder <i>Alnus glutinosa</i> Coppice re-grown	Mature	16	2	230	190	190	7	2	8	10	Fair	20 to 40 yrs	B
275482.3 721759.1	1120	Alder <i>Alnus glutinosa</i>	Semi-mature	5	0	90	80	80	2	0	2	4	Fair	10 to 20 yrs	C
275481.3 721764	1121	Alder <i>Alnus glutinosa</i> Coppice re grown. 10 stems	Mature	17	3	260	250	260	7	8	9	10	Fair	20 to 40 yrs	B
275479.2 721766.1	1122	Ash <i>Fraxinus excelsior</i> Coppice re grown. Ash die back	Mature	16	2	250	210	200	4	9	4	10	Fair	10 to 20 yrs	C
275477.9 721767.2	1123	Alder <i>Alnus glutinosa</i> Coppice re grown	Mature	15	3	180	190	170	3	7	5	6	Poor	10 to 20 yrs	C
275472.3 721769.9	1124	Alder <i>Alnus glutinosa</i>	Semi-mature	180	1	180			4	1	3	6	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275474.1 721772.9	1125	Alder <i>Alnus glutinosa</i> <i>Coppice re grown. Somewhat sparse crown</i>	Mature	16	5	210	100	180	7	8	4	8	Poor	10 to 20 yrs	C
275466.5 721776.1	1126	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	14	3	320	200	210	7	7	7	9	Fair	20 to 40 yrs	B
275462.3 721779.9	1127	Sycamore <i>Acer pseudoplatanus</i> <i>Coppice re grown</i>	Mature	13	2	220	200	140	3	5	5	4	Poor	10 to 20 yrs	C
275462.4 721784.6	1128	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	5	290	230	220	6	8	7	8	Fair	20 to 40 yrs	B
275460 721782.8	1129	Ash <i>Fraxinus excelsior</i>	Semi-mature	9	5	100			2	1	4	2	Poor	<10 yrs	U
275456.8 721788.6	1130	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	16	0	240	240	230	9	9	8	11	Fair	20 to 40 yrs	B
275455.8 721791.7	1131	Ash <i>Fraxinus excelsior</i> <i>Root plate eroded</i>	Mature			250	150	90	6	9	6	2	Poor	10 to 20 yrs	C
275454.7 721792.7	1132	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	4	300	240	160	6	8	6	9	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275452.6 721795.9	1133	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	11	2	230	140		7	7	5	5	Poor	<10 yrs	U
275451.1 721797.8	1134	Sycamore <i>Acer pseudoplatanus</i> <i>Coppice re grown</i>	Mature	15	4	280			4	5	5	6	Fair	20 to 40 yrs	B
275451.8 721798.4	1135	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	8	1	200			4	4	4	1	Fair	20 to 40 yrs	B
275450.3 721797.8	1136	Sycamore <i>Acer pseudoplatanus</i>	Young	5	1	100			2	1	4	2	Fair	20 to 40 yrs	C
275447.6 721802	1137	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	9	1	160	170	160	3	5	5	4	Poor	<10 yrs	U
275445.9 721804.3	1138	Sycamore <i>Acer pseudoplatanus</i> <i>Stem leaning west</i>	Semi-mature	10	3	180			2	0	2	6	Fair	20 to 40 yrs	B
275539.7 721720.8	1138a	Beech <i>Fagus sylvatica</i> <i>Tree on woodland edge</i>	Semi-mature	16	3	270	160		7	7	7	6	Fair	20 to 40 yrs	B
275546.3 721718.7	1139	Birch <i>Betula pendula</i> <i>Large target canker on stem. Tree on woodland edge</i>	Mature	18	>5	250			5	6	4	5	Poor	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275549.1 721712.7	1140	Birch <i>Betula pendula</i> Tree on woodland edge	Semi-mature	16	>5	230			4	7	6	4	Fair	20 to 40 yrs	B
275547.7 721704.5	1141	Birch <i>Betula pendula</i> Tree on woodland edge	Mature	16	4	310			2	7	7	4	Fair	20 to 40 yrs	B
275541.8 721700.7	1142	Birch <i>Betula pendula</i> Tree on woodland edge	Mature	18	5	340			3	4	8	4	Fair	20 to 40 yrs	B
275535.9 721706.3	1143	Oak <i>Quercus robur</i> Tree on woodland edge	Semi-mature	10	5	270			0	6	10	2	Fair	20 to 40 yrs	B
275535.9 721703.7	1144	Birch <i>Betula pendula</i> Tree on woodland edge	Mature	18	>5	360			5	5	7	5	Fair	20 to 40 yrs	B
275529.4 721700.1	1145	Oak <i>Quercus robur</i> Tree on woodland edge	Semi-mature	16	5	300	250	70	3	4	9	4	Fair	20 to 40 yrs	B
275526.4 721716	1146	Beech <i>Fagus sylvatica</i> Tree on woodland edge	Semi-mature	16	1	320	150	60	8	7	7	7	Fair	20 to 40 yrs	B
275527.7 721718.8	1147	Oak <i>Quercus robur</i> Tree on woodland edge	Semi-mature	16	>5	350			5	5	6	5	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275535.6 721727.4	1148	Beech <i>Fagus sylvatica</i> Tree on woodland edge	Semi-mature	16	2	310			7	5	4	5	Fair	20 to 40 yrs	B
275534.1 721712.9	W1149	A Woodland Beech, Birch, Oak. Approximately 45 trees	Semi-mature	16	2	210			16	18	16	18	Fair	20 to 40 yrs	B
275534.1 721734.5	1150	Beech <i>Fagus sylvatica</i> Tree on woodland edge	Semi-mature	17	2	270			5	7	5	7	Fair	20 to 40 yrs	B
275531.3 721735.3	1151	Beech <i>Fagus sylvatica</i> Tree on woodland edge	Semi-mature	17	3	360			7	8	6	7	Fair	20 to 40 yrs	B
275527.3 721737.5	1152	Beech <i>Fagus sylvatica</i> Tree on woodland edge	Semi-mature	16	1	300			6	7	5	4	Fair	20 to 40 yrs	B
275524.3 721732.5	1153	Oak <i>Quercus robur</i>	Semi-mature	16	>5	410			6	6	6	6	Fair	20 to 40 yrs	B
275519.2 721734.2	1154	Oak <i>Quercus robur</i>	Semi-mature	16	>5	480			8	8	8	8	Fair	20 to 40 yrs	B
275514.3 721733	1155	Oak <i>Quercus robur</i>	Semi-mature	16	>5	340			5	4	4	7	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275511.8 721741.4	1156	Beech <i>Fagus sylvatica</i>	Semi-mature	17	3	320			4	6	6	6	Fair	20 to 40 yrs	B
275511.3 721742.2	1157	Oak <i>Quercus robur</i>	Semi-mature	16	>5	300			5	7	7	6	Fair	20 to 40 yrs	B
275511.5 721744.6	1158	Oak <i>Quercus robur</i> <i>Tree on woodland edge</i>	Semi-mature	16	3	380			8	8	6	6	Fair	20 to 40 yrs	B
275518.9 721744.5	1159	Beech <i>Fagus sylvatica</i>	Semi-mature	16	4	240	200	170	6	7	6	6	Fair	20 to 40 yrs	B
275512.5 721750.2	1160	Beech <i>Fagus sylvatica</i>	Semi-mature	16	4	240	250		8	10	5	3	Fair	20 to 40 yrs	B
275508.5 721749.6	1161	Beech <i>Fagus sylvatica</i>	Semi-mature	15	1	230			4	4	6	7	Fair	20 to 40 yrs	B
275507.7 721750.6	1162	Birch <i>Betula pendula</i>	Semi-mature	17	5	240			6	6	3	8	Fair	20 to 40 yrs	B
275510.1 721754.8	1163	Oak <i>Quercus robur</i>	Semi-mature	16	2	310			7	7	6	8	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275509.8 721758.5	1164	Oak <i>Quercus robur</i>	Semi-mature	15	2	320			9	8	6	7	Fair	20 to 40 yrs	B
275523 721734	W1165	Beech <i>Fagus sylvatica</i> Approximately 12 trees. Beech, Birch	Semi-mature	13	2	180			10	9	10	10	Fair	20 to 40 yrs	B
275442.4 721808.7	1166	Alder <i>Alnus glutinosa</i>	Semi-mature	9	3	120			1	4	4	0	Fair	10 to 20 yrs	C
275439.7 721812.9	1167	Ash <i>Fraxinus excelsior</i> Coppice re grown. Ash die back	Mature	17	3	240	240	250	9	9	7	9	Poor	10 to 20 yrs	C
275435.8 721817.8	1168	Alder <i>Alnus glutinosa</i>	Semi-mature	9	1	120	60		4	4	3	3	Fair	10 to 20 yrs	C
275448.5 721808.8	1169	Ash <i>Fraxinus excelsior</i>	Semi-mature	13	4	140			2	4	4	4	Poor	10 to 20 yrs	C
275433 721822.4	1170	Alder <i>Alnus glutinosa</i> Coppice re grown	Mature	15	4	140	120	120	4	5	5	7	Poor	10 to 20 yrs	C
275431.9 721825.1	1171	Ash <i>Fraxinus excelsior</i> Coppice re grown. Ash die back	Mature	16	3	120	120	50	0	6	5	6	Poor	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275431 721826.3	1172	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	2	160	140		1	3	3	4	Fair	10 to 20 yrs	C
275429.8 721827.9	1173	Alder <i>Alnus glutinosa</i> <i>Coppice re grown. Root plate eroded. Dead / fallen stems</i>	Mature	9	2	180	160	140	5	8	5	8	Poor	<10 yrs	U
275429.8 721829.3	1174	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back. Root plate eroded</i>	Mature	5	0	100	100	140	0	6	6	2	Poor	<10 yrs	U
275422.1 721835.5	1175	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	10	2	170	150	150	6	5	6	8	Poor	<10 yrs	U
275428.7 721809.8	51176	Willow <i>Salix cinerea</i> <i>Scrub group. Willow & young Birch. Rivers meanderings have changed location of islets as shown on map</i>	Semi-mature	7	0	140			10	6	10	6	Fair	10 to 20 yrs	C
275414.4 721853.2	1177	Alder <i>Alnus glutinosa</i>	Young	5	1	70	50		3	3	3	3	Fair	10 to 20 yrs	C
275411.9 721856.8	1178	Ash <i>Fraxinus excelsior</i> <i>Stem submerged</i>	Semi-mature	11	2	240			6	4	6	7	Poor	<10 yrs	U
275406.9 721871.9	1179	Ash <i>Fraxinus excelsior</i> <i>Stem submerged</i>	Semi-mature	6	1	190	120		4	3	3	3	Poor	<10 yrs	U

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275404.1 721879.2	G1180	Willow <i>Salix cinerea</i> Willow, Ash, Sycamore	Young	4	0	100			9	3	9	3	Fair	10 to 20 yrs	C
275400.3 721887.7	1181	Ash <i>Fraxinus excelsior</i> Coppice re grown. Ash die back	Mature	16	2	230	200	180	6	7	8	8	Poor	<10 yrs	U
275398.9 721895.5	1182	Sycamore <i>Acer pseudoplatanus</i> Coppice re grown. Heavily pruned	Mature	7	2	70			1	1	2	3	Fair	10 to 20 yrs	C
275398.6 721902.5	1183	Alder <i>Alnus glutinosa</i> Coppice re grown. Somewhat sparse crown	Mature	9	1	150	130	120	6	4	4	8	Fair	20 to 40 yrs	B
275397.7 721905.3	1184	Alder <i>Alnus glutinosa</i> Coppice re grown	Mature	16	1	249			1	3	5	5	Fair	20 to 40 yrs	B
275397.2 721908.1	1185	Alder <i>Alnus glutinosa</i>	Semi-mature	5	0	150			2	4	3	3	Fair	20 to 40 yrs	B
275397.5 721909.4	1186	Ash <i>Fraxinus excelsior</i> Coppice re grown	Mature	17	3	280	250		6	7	6	9	Fair	10 to 20 yrs	B
275396.8 721914.7	1187	Alder <i>Alnus glutinosa</i> Coppice re grown	Mature	14	1	140	130	130	3	6	7	6	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275396.9 721916.6	1188	Ash <i>Fraxinus excelsior</i> 2 adjacent coppice stools re grown. Ash die back	Mature	17	1	290	260	130	8	8	8	8	Poor	10 to 20 yrs	C
275398.1 721925.5	1189	Ash <i>Fraxinus excelsior</i>	Dead	12	2	150	130	110	1	2	2	2	Dead	n/a	U
275398.3 721928.6	1190	Ash <i>Fraxinus excelsior</i> Coppice re grown. Ash die back	Mature	17	0	200	180	160	6	7	7	7	Fair	20 to 40 yrs	B
275398.4 721930.9	G1192	Ash <i>Fraxinus excelsior</i> Ash coppice re grown, Ash die back. Sycamore & Hawthorn understorey	Mature	17	1	170	180	140	8	6	7	8	Poor	10 to 20 yrs	C
275399.6 721935.2	1193	Alder <i>Alnus glutinosa</i>	Semi-mature	15	3	210			6	6	0	4	Fair	20 to 40 yrs	B
275401 721942.1	G1194	Ash <i>Fraxinus excelsior</i> 2 coppice stools re grown. Ash die back	Mature	17	1	190	180	150	7	8	10	8	Fair	10 to 20 yrs	C
275403.7 721949.7	1195	Alder <i>Alnus glutinosa</i> Coppice re grown	Mature	15		140	130		6	5	6	5	Poor	<10 yrs	U
275404.8 721957.9	1196	Alder <i>Alnus glutinosa</i>	Dead	8	0	330			1	1	1	1	Dead	n/a	U

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275414.1 721961.6	51197	Alder <i>Alnus glutinosa</i> <i>Alder scrub</i>	Young	7	1	90			8	7	8	3	Fair	10 to 20 yrs	C
275411.3 721968.6	1198	Wild Cherry <i>Prunus avium</i>	Semi-mature	6	1	120			3	3	3	3	Fair	10 to 20 yrs	B
275408.2 721966.9	1199	Ash <i>Fraxinus excelsior</i> <i>2 coppice stools re grown. Ash die back</i>	Mature	16	4	200	190	180	9	6	9	8	Poor	10 to 20 yrs	C
275411 721977	1200	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	17	3	200	180	170	6	6	6	8	Fair	10 to 20 yrs	C
275413.3 721982.6	1201	A Group <i>Willow, Alder, Ash</i>	Semi-mature	6	0	110			5	5	5	5	Poor	10 to 20 yrs	C
275414.7 721986.3	1202	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	3	150	140	120	8	5	6	6	Fair	20 to 40 yrs	B
275416.4 721990.2	1203	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	10	1	170	120	120	7	7	7	7	Poor	10 to 20 yrs	C
275418.1 721995.8	1204	Alder <i>Alnus glutinosa</i>	Mature	12	2	140	150	140	5	8	7	2	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275416.4 721996.9	1205	Ash <i>Fraxinus excelsior</i> <i>Coppice re-grown</i>	Mature	12	2	150	140	130	8	3	8	5	Poor	<10 yrs	U
275420.6 722003.6	1206	Alder <i>Alnus glutinosa</i>	Dead	8	0	150	140	140	4	4	4	4	Dead	n/a	U
275805 721773.8	1206a	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Semi-mature	16	4	240			2	5	7	3	Fair	20 to 40 yrs	B
275795.8 721780.5	1207	Alder <i>Alnus glutinosa</i>	Semi-mature	16	>5	200	180	170	6	5	5	5	Fair	20 to 40 yrs	B
275806.4 721777.7	1208	Alder <i>Alnus glutinosa</i>	Dead	13	5	380			3	3	3	3	Dead	n/a	U
275802.8 721781.9	1209	Alder <i>Alnus glutinosa</i>	Semi-mature	14	<5	180			6	6	4	2	Fair	20 to 40 yrs	B
275805.9 721781.9	1210	Alder <i>Alnus glutinosa</i>	Semi-mature	15	4	240			5	5	5	5	Fair	20 to 40 yrs	B
275809 721782.7	G1211	A Group <i>Group within woodland. Alder, Oak, Rowan</i>	Young	8	3	130			3	4	3	3	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275813.7 721782.7	1212	Birch <i>Betula pendula</i>	Semi-mature	15	>5	220			7	6	5	5	Fair	20 to 40 yrs	B
275818.8 721774.9	1213	Ash <i>Fraxinus excelsior</i> <i>Tree on woodland edge. Ash die back</i>	Semi-mature	13	5	210			0	4	8	4	Poor	10 to 20 yrs	C
275831.9 721776.6	1214	Oak <i>Quercus robur</i> <i>Tree on woodland edge</i>	Semi-mature	13	5	250	140	140	3	4	9	4	Fair	20 to 40 yrs	B
275838.5 721776	1215	Oak <i>Quercus robur</i> <i>Tree on woodland edge</i>	Semi-mature	16	5	260			3	4	8	4	Fair	20 to 40 yrs	B
275844.6 721776.3	1216	Oak <i>Quercus robur</i>	Mature	18	3	620	230	240	10	8	9	9	Fair	20 to 40 yrs	B
275854.4 721773.5	1217	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	18	>5	220			6	6	4	4	Fair	10 to 20 yrs	C
275853.6 721777.9	G1218	Birch <i>Betula pendula</i> <i>Group of young trees growing atop bridge pontoon. Birch & Beech</i>	Young	5	2	75			8	8	8	8	Fair	10 to 20 yrs	C
275874.7 721772.3	H1219	Beech <i>Fagus sylvatica</i> <i>Beech hedge</i>	Semi-mature	3	0	130			1	10	1	10	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275863 721775.7	1220	Bird Cherry <i>Prunus padus</i>	Mature	13	0	170	150	130	6	9	5	4		20 to 40 yrs	B
275877.5 721774.8	1221	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	15	5	190	180	150	7	7	7	7	Poor	10 to 20 yrs	C
275871.4 721774	1222	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	17	5	330	240	130	8	7	8	7	Poor	10 to 20 yrs	C
275869.3 721777.8	1223	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	3	180	140	140	6	6	4	6	Fair	20 to 40 yrs	B
275866.1 721779.4	1224	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	5	140	130	130	7	6	7	6	Fair	20 to 40 yrs	B
275863.3 721780.9	1225	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	6	240	220	130	6	6	6	6	Fair	20 to 40 yrs	B
275859.7 721781.8	1226	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	14	5	100	50		5	3	6	3	Poor	10 to 20 yrs	C
275856.3 721782.7	1227	Oak <i>Quercus robur</i> <i>Coppice re grown</i>	Mature	18	5	250	180	70	6	6	6	6	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275851.9 721783.8	1228	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	17	>5	200	150	160	5	5	5	5	Fair	20 to 40 yrs	B
275847.1 721781.5	1229	Oak <i>Quercus robur</i>	Semi-mature	12	2	100			2	2	2	2	Fair	10 to 20 yrs	C
275844.6 721781.3	1230	Birch <i>Betula pendula</i>	Semi-mature	18	>5	220			4	4	5	4	Fair	20 to 40 yrs	B
275845.7 721788.3	1231	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	1	240	170		8	6	3	5	Fair	20 to 40 yrs	B
275847.4 721791.3	1232	Alder <i>Alnus glutinosa</i>	Mature	12	5	260			7	7	1	1	Fair	10 to 20 yrs	C
275847.1 721787.4	1233	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	17	>5	210	170	140	8	8	7	4	Fair	20 to 40 yrs	B
275860.5 721790.1	1234	Oak <i>Quercus robur</i>	Mature	13	1	450			6	6	6	6	Fair	20 to 40 yrs	B
275853.5 721793.9	G1235	Alder <i>Alnus glutinosa</i> <i>Alder & Oak growing along edge of ditch</i>	Semi-mature	8	2	130	130		4	8	2	8	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275865.6 721784.1	1236	Alder <i>Alnus glutinosa</i> Coppice re grown	Mature	16	5	210	150	150	7	6	3	4	Fair	20 to 40 yrs	B
275863.1 721785.2	1237	Alder <i>Alnus glutinosa</i> Coppice re grown	Mature	15	>5	120	90		6	5	3	1	Fair	20 to 40 yrs	B
275857.2 721788	1238	Alder <i>Alnus glutinosa</i>	Mature	15	>5	120			1	2	3	2	Fair	10 to 20 yrs	C
275852.4 721788.8	1239	Alder <i>Alnus glutinosa</i> Coppice re grown	Mature	16	5	140	130	80	6	6	7	6	Fair	20 to 40 yrs	B
275854.4 721791.1	G1240	Alder <i>Alnus glutinosa</i> 6 trees. Alder & Birch	Semi-mature	12	1	150			5	8	5	8	Fair	10 to 20 yrs	C
275837 721783.2	1241	Oak <i>Quercus robur</i>	Semi-mature	13	5	130			2	5	3	0	Fair	10 to 20 yrs	C
275838.4 721784.1	1242	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	12	>5	120			4	5	0	0	Poor	10 to 20 yrs	C
275836.5 721784.1	1243	Alder <i>Alnus glutinosa</i>	Semi-mature	13	>5	120			3	4	2	1	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275835.1 721783.5	1244	Alder <i>Alnus glutinosa</i> <i>Coppice re-grown. Dead stems</i>	Mature	13	>5	130	80	90	2	2	2	2	Poor	<10 yrs	U
275825.3 721779.1	W1245	A Woodland <i>Woodland dominated by Birch. Oak & Beech present, Rowan in understorey</i>	Semi-mature	16	5	190			8	20	15	20	Fair	20 to 40 yrs	B
275890.8 721841	G1246	Birch <i>Betula pendula</i> <i>Linear group along south side of ditch, overhanging. Birch, Beech, Alder</i>	Semi-mature	10	3	90			5	25	1	25	Fair	20 to 40 yrs	B
275678.3 721851.2	1247	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	6	150	130		8	6	6	6	Fair	10 to 20 yrs	C
275679.7 721855.4	1248	Alder <i>Alnus glutinosa</i> <i>Somewhat sparse crown</i>	Mature	13	3	620			7	5	5	6	Fair	20 to 40 yrs	B
275676.1 721854	G1249	Alder <i>Alnus glutinosa</i> <i>4 trees</i>	Semi-mature	15	3	190			8	6	5	7	Fair	20 to 40 yrs	B
275668.4 721850.7	G1250	Alder <i>Alnus glutinosa</i> <i>Linear group along north of ditch. Approximately 10 trees</i>	Semi-mature	13	2	190			5	12	5	12	Fair	20 to 40 yrs	B
275667.6 721856.8	1251	Birch <i>Betula pendula</i>	Semi-mature	8	0	120	80		4	3	2	2	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275672.3 721862.4	1252	Grey Willow <i>Salix cinerea</i>	Semi-mature	3	0	200	210		4	4	3	5	Poor	<10 yrs	U
275657.5 721865.5	51252	Grey Willow <i>Salix cinerea</i> Willow scrub	Young	4	1	150			3	8	3	8	Fair	10 to 20 yrs	C
275656.7 721871.4	G1253	Alder <i>Alnus glutinosa</i> Approximately 5 trees	Semi-mature	9	0	140			6	6	6	6	Fair	20 to 40 yrs	B
275653.6 721877	1254	Alder <i>Alnus glutinosa</i> 4x Coppice re grown.	Mature	12	1	140	140	140	10	7	10	7	Fair	10 to 20 yrs	B
275605.4 721896.5	51255	Birch <i>Betula pendula</i> Birch & Alder scrub along south side of bund. Larger trees to north	Young	7	0	75			5	25	5	25	Fair	10 to 20 yrs	C
275498.2 722022.7	1256	Prunus <i>Prunus padus</i> Basal defect-evidence of beaver activity	Semi-mature	12	2	300			5	3	5	5	Poor	10 to 20 yrs	C
275501.8 722017.9	1257	Prunus <i>Prunus padus</i>	Semi-mature	12		190	170		6	6	4	4	Fair	20 to 40 yrs	B
275484.7 722028.3	1258	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	1	140			3	3	3	3	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275477.7 722040.1	1259	Ash <i>Fraxinus excelsior</i> <i>Snapped stem at base</i>	Mature	5	0	130			5	9	3	0	Poor	<10 yrs	U
275509.4 722023.3	1260	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	16	3	280	280		9	8	8	7	Poor	10 to 20 yrs	C
275469.9 722044.8	G1261	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	8	2	120	100		7	5	4	5	Poor	<10 yrs	U
275461.7 722047.2	G1262	Alder <i>Alnus glutinosa</i>	Semi-mature	13	2	200	110		8	6	7	6	Fair	20 to 40 yrs	B
275453.3 722046.6	G1263	Alder <i>Alnus glutinosa</i>	Semi-mature	10	2	75			4	4	4	4	Fair	10 to 20 yrs	C
275454.5 722053.1	1264	Willow <i>Salix cinerea</i>	Mature	10	0	140	120	100	8	7	0	0	Fair	20 to 40 yrs	B
275449.7 722053.9	G1265	Willow <i>Salix cinerea</i> <i>Some stems fallen</i>	Semi-mature	12	0	180	140		8	7	5	8	Poor	10 to 20 yrs	C
275443 722046.1	G1266	Alder <i>Alnus glutinosa</i> <i>4 trees</i>	Semi-mature	7	2	110			5	5	5	5	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275439.3 722042.1	1267	Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	190			1	4	7	5	Fair	20 to 40 yrs	B
275438.2 722044.7	1268	Alder <i>Alnus glutinosa</i>	Semi-mature	12	0	220			5	5	0	0	Poor	<10 yrs	U
275436.5 722042.1	1269	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	14		190	140		5	5	2	3	Poor	<10 yrs	U
275432.1 722036.3	1270	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	17	4	300	280	240	8	7	4	7	Poor	10 to 20 yrs	C
275429.8 722034	1271	Alder <i>Alnus glutinosa</i>	Mature	16	3	250			6	4	3	4	Fair	20 to 40 yrs	B
275427.9 722030.7	1272	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back. Fallen stems evidence of beaver activity</i>	Mature	16	1	260	180	150	7	5	7	5	Poor	<10 yrs	U
275434.6 722024.0	1273	Sycamore <i>Acer pseudoplatanus</i>	Young	7	0	100			1	2	3	2	Fair	10 to 20 yrs	C
275424.5 722020.7	G1274	Alder <i>Alnus glutinosa</i> 2 trees	Semi-mature	15	2	180			6	6	6	7	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275431.5 722017.5	1275	Sycamore <i>Acer pseudoplatanus</i>	Young	7	2	75			3	3	3	2	Fair	10 to 20 yrs	C
275449.9 722034.3	51276	Alder <i>Alnus glutinosa</i> <i>Alder scrub. Occasional Rowan present</i>	Young	7	2	75			10	10	10	10	Fair	10 to 20 yrs	C
275514.6 722023.4	1277	Sycamore <i>Acer pseudoplatanus</i>	Young	6	1	80			3	3	3	3	Fair	10 to 20 yrs	C
275516.9 722025.6	1278	Willow <i>Salix cinerea</i>	Dead	6	3	290			4	2	0	2	Dead	n/a	U
275521.3 722011	G1279	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	12	1	180	150	80	7	6	6	7	Fair	20 to 40 yrs	B
275523 722003.2	H1280	Hawthorn <i>Crataegus monogyna</i> <i>Remenant Hawthorn hedge, discontinuous</i>	Semi-mature	4	0	100			3	10	3	10	Fair	10 to 20 yrs	C
275530.9 721998.2	1281	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	3	250	230	170	8	8	5	5	Fair	20 to 40 yrs	B
275530.3 722004.9	G1282	Willow <i>Salix cinerea</i>	Semi-mature	6	0	140			7	7	0	4	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275526.4 722011	1283	Ash <i>Fraxinus excelsior</i>	Semi-mature	4	0	150	140		5	5	3	3	Poor	<10 yrs	U
275532.5 721996.1	1284	Alder <i>Alnus glutinosa</i>	Semi-mature	13	2	130	130		5	6	5	3	Fair	20 to 40 yrs	B
275537.6 721990.7	1285	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	16	2	230	170	170	8	8	7	7	Fair	20 to 40 yrs	B
275541.5 721988.4	1286	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	14	4	290	300	240	8	8	6	4	Fair	20 to 40 yrs	B
275534.8 721982.3	1287	Ash <i>Fraxinus excelsior</i>	Young	7	1	90			3	3	3	4	Fair	10 to 20 yrs	C
275544.5 721987.2	1288	Alder <i>Alnus glutinosa</i>	Mature	12	5	290	150		7	9	0	0	Fair	20 to 40 yrs	B
275559.9 721973.8	1289	Willow <i>Salix cinerea</i>	Semi-mature	5	0	70	80		4	6	8	4	Fair	10 to 20 yrs	C
275561.6 721969.3	1290	Sycamore <i>Acer pseudoplatanus</i> <i>Base of stem gnawed. Evidence of beaver activity</i>	Semi-mature	8	2	100			3	3	3	3	Poor	<10 yrs	U

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275564.9 721964.6	G1291	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	15	1	320	250	200	9	9	7	7	Fair	20 to 40 yrs	B
275571.6 721961.2	1292	Willow <i>Salix cinerea</i>	Semi-mature	7	0	130	140		7	7	6	6	Fair	10 to 20 yrs	C
275570.8 721959.2	1293	Alder <i>Alnus glutinosa</i>	Semi-mature	8	1	170			2	3	7	6	Fair	20 to 40 yrs	B
275588.5 721941.8	G1294	Alder <i>Alnus glutinosa</i> <i>Linear group running along top of bund</i>	Semi-mature	9	2	130			5	18	5	18	Fair	20 to 40 yrs	B
275584.7 721947.3	1295	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	17	3	270	260	230	8	8	6	6	Fair	20 to 40 yrs	B
275580.2 721951.4	1296	Alder <i>Alnus glutinosa</i>	Semi-mature	7	2	120			6	4	1	4	Fair	10 to 20 yrs	C
275579.6 721952.2	1297	Willow <i>Salix cinerea</i> <i>Fallen stems evidence of beaver activity</i>	Semi-mature	2	0	140	130		6	8	0	4	Poor	10 to 20 yrs	C
275591.9 721942.1	1298	Ash <i>Fraxinus excelsior</i>	Semi-mature	7	3	130	130		6	6	0	0	Poor	<10 yrs	U

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275595 721937.9	G1299	Alder <i>Alnus glutinosa</i>	Dead	14	5	140			5	5	5	5	Dead	n/a	U
275604.8 721925.3	G1300	Alder <i>Alnus glutinosa</i> <i>Approximately 10 trees</i>	Semi-mature	12	2	100			6	6	6	6	Fair	10 to 20 yrs	C
275610.8 721925	1301	Alder <i>Alnus glutinosa</i> <i>Coppice re grown. Stems submerged</i>	Mature	10	2	160	150	140	6	6	4	5	Fair	20 to 40 yrs	B
275612.2 721921.4	1302	Alder <i>Alnus glutinosa</i>	Mature	13	1	170	170	90	6	6	4	4	Fair	20 to 40 yrs	B
275611.9 721918	1303	Alder <i>Alnus glutinosa</i>	Semi-mature	13	2	240			6	6	6	6	Fair	20 to 40 yrs	B
275614.7 721919.7	1304	Alder <i>Alnus glutinosa</i>	Semi-mature	8	0	130			3	6	4	4	Fair	20 to 40 yrs	B
275624.3 721912.7	1305	Alder <i>Alnus glutinosa</i>	Young	6	0	100	120		3	3	3	3	Fair	10 to 20 yrs	C
275625.7 721904.9	G1306	Alder <i>Alnus glutinosa</i> <i>Group growing along top of bund. Alder, Birch, Willow. 8 trees</i>	Semi-mature	13	2	130			9	5	9	5	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275636.4 721899.2	1307	Alder <i>Alnus glutinosa</i>	Young	7	1	100			4	4	0	11	Fair	10 to 20 yrs	C
275637.8 721898.1	1308	Alder <i>Alnus glutinosa</i>	Young	8		110			5	5	0	1	Poor	<10 yrs	U
275639.4 721896.1	1309	Alder <i>Alnus glutinosa</i>	Young	6	0	120			0	6	4	1	Fair	10 to 20 yrs	C
275630.2 721898.6	1310	Norway Spruce <i>Picea abies</i>	Semi-mature			130			2	4	2	1	Poor	<10 yrs	U
275642 721888	G1311	Alder <i>Alnus glutinosa</i> <i>Group growing along top of bund down to rivers edge. Alder dominant with Birch & occasional Spruce</i>	Semi-mature	12	2	130			8	13	5	13	Fair	20 to 40 yrs	B
275648.1 721879	1312	Crack Willow <i>Salix fragilis</i>	Semi-mature	5	0	80	80	80	2	4	5	4		20 to 40 yrs	C
275687.8 721851.5	G1313	Ash <i>Fraxinus excelsior</i> <i>2 trees. Ash die back</i>	Semi-mature	13	4	130			6	3	2	3	Fair	10 to 20 yrs	C
275691.1 721852.8	1314	Alder <i>Alnus glutinosa</i>	Semi-mature	13	3	140			5	2	3	3	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275691.1 721849.2	1315	Alder <i>Alnus glutinosa</i>	Semi-mature	13	3	180			6	5	4	1	Fair	10 to 20 yrs	C
275695.6 721848.8	1316	Alder <i>Alnus glutinosa</i>	Semi-mature	13	5	320			8	4	1	4	Fair	20 to 40 yrs	B
275697.4 721848.1	1317	Alder <i>Alnus glutinosa</i>	Dead	8	5	180			4	1	1	1	Dead	n/a	U
275699.8 721847.5	1318	Alder <i>Alnus glutinosa</i>	Semi-mature	13	3	240	160		8	3	5	4	Fair	20 to 40 yrs	B
275700 721845.5	G1319	Alder <i>Alnus glutinosa</i> <i>Linear group along north of ditch. 7 trees</i>	Semi-mature	13	3	170			5	8	4	8	Fair	20 to 40 yrs	B
275713 721854.2	1320	Alder <i>Alnus glutinosa</i> <i>Twin co dominant stems with compression forks and included bark. Sparse crown</i>	Mature	17	3	630			8	8	8	8	Poor	10 to 20 yrs	C
275709.3 721861.2	G1321	Alder <i>Alnus glutinosa</i> <i>2 trees</i>	Semi-mature	9	2	150			6	4	4	4	Poor	10 to 20 yrs	C
275714.7 721872.7	1322	Ash <i>Fraxinus excelsior</i>	Mature	16	1	350	350	310	8	8	9	8	Poor	<10 yrs	U

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275724.7 721843.4	1323	Alder <i>Alnus glutinosa</i>	Dead	10	5	250	200		4	4	4	4	Dead	n/a	U
275716.9 721841.6	1324	Alder <i>Alnus glutinosa</i>	Semi-mature	13	>5	150			2	3	2	3	Fair	20 to 40 yrs	B
275723.9 721838.5	1325	Alder <i>Alnus glutinosa</i>	Semi-mature	12	>5	130			5	4	0	0	Fair	20 to 40 yrs	B
275724.9 721838.4	1326	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	14	1	140	140		6	6	3	3	Fair	10 to 20 yrs	C
275727.5 721837	1327	Alder <i>Alnus glutinosa</i>	Mature	14	1	270	260	200	7	7	5	5	Fair	20 to 40 yrs	B
275726.6 721829.3	1328	Beech <i>Fagus sylvatica</i>	Semi-mature	13	1	180	140	120	2	7	6	2	Fair	20 to 40 yrs	B
275739.6 721844	1329	Alder <i>Alnus glutinosa</i>	Semi-mature	12	2	240	180		6	5	5	7	Fair	20 to 40 yrs	B
275773 721822.6	1330	Alder <i>Alnus glutinosa</i>	Mature	11	1	330			5	3	1	6	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275774.9 721816.4	1331	Alder <i>Alnus glutinosa</i> <i>Basal decay cavity</i>	Mature	13	3	350	170		9	3	2	7	Poor	<10 yrs	U
275777.8 721815.4	1332	Alder <i>Alnus glutinosa</i>	Mature	14	4	290	270	180	7	7	3	3	Poor	<10 yrs	U
275782.4 721811.8	1333	Alder <i>Alnus glutinosa</i> <i>Alder scrub</i>	Young	4	1	75			4	4	4	4	Fair	10 to 20 yrs	C
275791.3 721804.4	1334	Alder <i>Alnus glutinosa</i> <i>Coppice re grown. Decayed cracked stem</i>	Mature	17	3	350	340	300	9	9	7	9	Poor	20 to 40 yrs	U
275791.3 721801.2	1335	Alder <i>Alnus glutinosa</i>	Mature	14		250	180	180	6	6	6	7	Fair	20 to 40 yrs	B
275794.9 721804.4	1336	Birch <i>Betula pendula</i> <i>Co dominant stems with compression forks and included bark</i>	Mature	17	2	290	280	190	6	8	8	8	Fair	10 to 20 yrs	C
275802.3 721803.9	1337	Birch <i>Betula pendula</i>	Mature	18	2	420			7	7	7	7	Fair	20 to 40 yrs	B
275812.4 721799.1	1338	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	20	1	620	280	180	11	11	11	11	Fair	10 to 20 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275831.1 721788	1339	Ash <i>Fraxinus excelsior</i> Twin co dominant stems with compression forks and included bark	Semi-mature	18	>5	230	160		5	5	5	5	Poor	10 to 20 yrs	C
275825.1 721786.8	1340	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	19	<5	310			7	7	7	7	Fair	20 to 40 yrs	B
275797.3 721787.5	1341	Alder <i>Ainus glutinosa</i> Coppice re grown	Mature	16	5	200	180	170	5	7	7	4	Fair	20 to 40 yrs	B
275792.7 721786.5	1342	Birch <i>Betula pendula</i>	Mature	17	5	230			6	6	6	6	Fair	20 to 40 yrs	B
275789.4 721786.2	1343	Birch <i>Betula pendula</i>	Semi-mature	16	5	130			5	2	4	2	Fair	10 to 20 yrs	C
275790.3 721787.7	1344	Alder <i>Ainus glutinosa</i> Coppice re grown	Mature	16	2	250	270		1	6	7	6	Fair	20 to 40 yrs	B
275812.2 721787.9	G1345	Alder <i>Ainus glutinosa</i> Linear group growing along north of mill lade. Approximately 8 trees	Mature	16	5	180	140		5	15	6	15	Fair	20 to 40 yrs	B
275816.2 721788.6	1346	Alder <i>Ainus glutinosa</i> Coppice re grown	Mature	14	4	120	60		4	3	1	3	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275820 721787.1	1347	Ash <i>Fraxinus excelsior</i>	Semi-mature	16	5	220			7	6	4	6	Fair	20 to 40 yrs	B
275831.1 721800.6	1348	Goat Willow <i>Salix caprea</i> <i>Growing atop bridge</i>	Semi-mature	12	3	330			7	7	6	6	Fair	20 to 40 yrs	B
275835.9 721801.3	1349	Birch <i>Betula pendula</i>	Semi-mature	13	6	170			3	4	5	4	Fair	20 to 40 yrs	B
275834.9 721806.3	G1350	Mountain Ash <i>Sorbus aucuparia</i> 2 trees	Mature	8	0	260	140		6	6	6	7	Fair	10 to 20 yrs	C
275828.9 721806.8	1351	Willow <i>Salix cinerea</i>	Mature	13	2	480			6	6	6	6	Poor	10 to 20 yrs	C
275823.6 721812.8	G1352	Birch <i>Betula pendula</i> 2 trees	Semi-mature	8	0	130			5	5	4	4	Fair	10 to 20 yrs	C
275810.4 721812.4	1353	Common Holly <i>Ilex aquifolium</i>	Semi-mature	6	0	100	60		3	3	3	3	Fair	10 to 20 yrs	C
275813.3 721812.6	1354	Pine <i>Pinus sylvestris</i>	Semi-mature	16	3	320			3	6	7	4	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275807.3 721809.3	1355	Birch <i>Betula pendula</i> <i>Tree on group edge</i>	Mature	16	2	280	70		7	5	6	7	Fair	20 to 40 yrs	B
275808.1 721813.4	1356	Birch <i>Betula pendula</i> <i>Tree on group edge</i>	Mature	18	2	140	140		5	5	5	4	Fair	20 to 40 yrs	B
275794.2 721823.7	G1357	Birch <i>Betula pendula</i> <i>Linear group growing along top of embankment, northeastern edge. Approximately 20 trees</i>	Mature	18	5	270			7	25	5	25	Fair	20 to 40 yrs	B
275805.4 721814.4	1358	Willow <i>Salix cinerea</i>	Semi-mature	13	3	160	140		1	6	6	1	Poor	10 to 20 yrs	C
275807.1 721815.6	1359	Hazel <i>Corylus avellana</i>	Mature	8	0	150	150	150	7	7	5	5	Fair	20 to 40 yrs	B
275805.8 721819.4	1360	Oak <i>Quercus robur</i> <i>Suppressed crown</i>	Semi-mature	7	0	200			6	7	1	1	Fair	20 to 40 yrs	B
275796.3 721823.8	1361	Willow <i>Salix cinerea</i>	Mature	17	>5	300			9	7	3	0	Fair	20 to 40 yrs	B
275797.4 721823.3	1362	Willow <i>Salix cinerea</i>	Mature	13	0	250			7	7	0	3	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275793.6 721830.6	1363	Sorbus <i>Sorbus aucuparia</i>	Mature	11		450			6	7	5	4	Fair	20 to 40 yrs	B
275775.3 721833	G1364	Birch <i>Betula pendula</i> <i>Linear group growing along top of embankment, southwest edge.</i>	Mature	18	3	290			5	40	7	40	Fair	20 to 40 yrs	B
275772.9 721833.1	1305	Norway Spruce <i>Picea abies</i> <i>Crown suppressed</i>	Semi-mature	8	0	300			4	4	5	5	Fair	20 to 40 yrs	B
275774.5 721843.3	1366	Hazel <i>Corylus avellana</i>	Semi-mature	6	0	140	140	140	5	2	2	5	Fair	10 to 20 yrs	C
275764 721835.7	1367	Oak <i>Quercus robur</i>	Young	7	0	100			2	2	3	3	Fair	10 to 20 yrs	C
275758.5 721840.6	1368	Oak <i>Quercus robur</i> <i>Crown suppressed</i>	Semi-mature	9	0	170			5	5	7	7	Fair	10 to 20 yrs	B
275751.6 721845.8	1369	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	0	320	290		5	5	8	8	Fair	10 to 20 yrs	C
275755 721854.2	G1370	Birch <i>Betula pendula</i> <i>Linear group growing along top of embankment, northeastern edge</i>	Mature	18	2	290			7	22	5	22	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275742.2 721851.4	1371	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	20	0	400			6	6	8	8	Poor	<10 yrs	U
275741.9 721854.5	1372	Alder <i>Alnus glutinosa</i>	Mature	14	0	230	240		3	3	5	5	Fair	20 to 40 yrs	B
275723.7 721876	G1373	A Group <i>Group of young trees. Rowan, Birch, Alder</i>	Young	8	0	110			5	5	5	5	Fair	10 to 20 yrs	C
275728.5 721871.7	G1374	A Group <i>Alder & Willow mid canopy group beneath Birch, Hazel & Hawthorn understorey</i>	Mature	13	2	250	160		8	8	8	8	Fair	20 to 40 yrs	B
275723.9 721857.2	1375	Alder <i>Alnus glutinosa</i>	Mature	13	3	300			4	0	3	6	Fair	20 to 40 yrs	B
275734.7 721852.4	1376	Gray Willow <i>Salix cinerea</i>	Semi-mature	5	0	150	150		3	0	3	6	Poor	10 to 20 yrs	C
275733.5 721855.7	1377	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	18	3	640			7	7	8	8	Poor	10 to 20 yrs	C
275720.3 721863.6	1378	Alder <i>Alnus glutinosa</i>	Mature	16	0	310			3	3	6	6	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275727 721862	1379	Ash <i>Fraxinus excelsior</i> Group of 5 Ash trees on side of embankment. Ash die back	Semi-mature	16		270			9	9	9	9	Poor	10 to 20 yrs	C
275733.8 721874.1	G1380	Ash <i>Fraxinus excelsior</i>	Young	5	1	100			4	4	4	4	Fair	10 to 20 yrs	C
275733.3 721877.9	1381	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	14	2	340	280		5	5	5	5	Fair	20 to 40 yrs	B
275736.9 721871.6	1382	Goat Willow <i>Salix caprea</i> Fallen stem	Semi-mature	4	0	200			0	4	7	2	Fair	10 to 20 yrs	C
275747.5 721871.7	1383	Myrobalan Plum <i>Prunus cerasifera</i>	Mature	12	0	320	270	160	6	6	6	6	Fair	20 to 40 yrs	B
275752.7 721876	G1384	Sycamore <i>Acer pseudoplatanus</i>	Young	5	1	100			4	4	4	4	Fair	10 to 20 yrs	C
275764.3 721868.4	G1385	Alder <i>Alnus glutinosa</i> 3 trees	Semi-mature	7	0	150			6	6	6	6	Fair	20 to 40 yrs	B
275772.9 721854.5	1386	Alder <i>Alnus glutinosa</i> Coppice re grown	Mature	13	3	260	240	140	5	5	5	5	Poor	<10 yrs	U

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275793.1 721846.3	G1387	Birch <i>Betula pendula</i> <i>Stems leaning northwest into river</i>	Mature	13	0	250	170		6	7	5	3	Fair	20 to 40 yrs	B
275795.9 721843.4	1388	Ash <i>Fraxinus excelsior</i> <i>Stems leaning northwest into river, Ash die back</i>	Mature	16	3	200	180	140	7	8	4	4	Fair	10 to 20 yrs	C
275800.5 721838.8	G1389	Alder <i>Alnus glutinosa</i> <i>Approximately 3 coppice stools re grown</i>	Mature	16	3	180	170	70	9	8	7	7	Fair	20 to 40 yrs	B
275809.2 721835	1390	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	4	270	250		5	5	7	7	Poor	10 to 20 yrs	C
275811.3 721832.9	1391	Oak <i>Quercus robur</i>	Semi-mature	13	4	200			1	6	6	2	Fair	20 to 40 yrs	B
275816.6 721831.3	1392	Hazel <i>Corylus avellana</i>	Semi-mature	5	1	80	70	70	3	4	8	4	Fair	10 to 20 yrs	C
275818 721833.2	1393	Birch <i>Betula pendula</i>	Mature	19	>5	560			0	6	12	6	Fair	20 to 40 yrs	B
275827.9 721828.3	W1395	A Woodland <i>3 trees on woodland edge overhanging site boundary</i>	Mature	19	3	450			7	15	9	15	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
275839.7 721814.3	1396	Oak <i>Quercus robur</i>	Semi-mature	8	2	180	160		4	4	4	4	Fair	20 to 40 yrs	B
275833.9 721800.1	1397	Bird Cherry <i>Prunus padus</i>	Semi-mature	8	0	250	100	80	3	3	5	3	Fair	20 to 40 yrs	B
275840.3 721773.9	H1397	Beech <i>Fagus sylvatica</i> Beech hedge	Over Mature	2	0	150			1	15	1	15	Fair	20 to 40 yrs	B
276223.1 721849.8	1398	Alder <i>Alnus glutinosa</i>	Mature	13	2	470			6	5	6	5	Fair	20 to 40 yrs	B
276217.3 721954.9	1399	Alder <i>Alnus glutinosa</i> Coppice re grown	Mature	13		270	200	170	7	5	7	4	Fair	20 to 40 yrs	B
276213.9 721960.1	1400	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	13		240	80	80	7	4	7	5	Poor	<10 yrs	U
276245.5 721937.3	W1401	Alder <i>Alnus glutinosa</i> Approximately 35 trees	Semi-mature	9	2	150			15	15	15	15	Fair	10 to 20 yrs	C
276232.6 721972.6	1402	Pine <i>Pinus sylvestris</i>	Semi-mature	11	2	290			0	4	6	2	Poor	<10 yrs	U

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276233.8 721976.1	1403	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	6	150	100	100	7	7	6	6	Fair	10 to 20 yrs	C
276231.8 721976.6	1404	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	6	100			6	2	3	3	Fair	10 to 20 yrs	C
276229.7 721972.5	1405	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15	2	260	160	90	4	5	5	5	Fair	20 to 40 yrs	B
276227.5 721973	1406	Beech <i>Fagus sylvatica</i>	Semi-mature	15	5	190			7	5	4	4	Fair	20 to 40 yrs	B
276224.6 721974	1407	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	18	5	350	320		8	6	5	6	Fair	10 to 20 yrs	C
276222.7 721974.4	1408	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	16	5	270	240		9	4	5	6	Fair	10 to 20 yrs	C
276216 721975.6	1409	Beech <i>Fagus sylvatica</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	17	1	320	240		8	7	7	6	Fair	10 to 20 yrs	C
276206.4 721979.8	1410	Beech <i>Fagus sylvatica</i>	Semi-mature	14		290			7	6	6	5	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276211.6 721973.8	1411	Beech <i>Fagus sylvatica</i>	Semi-mature	16	2	270			5	5	6	5	Fair	20 to 40 yrs	B
276216.2 721970	1412	Beech <i>Fagus sylvatica</i>	Semi-mature	16	1	350			5	5	6	5	Fair	20 to 40 yrs	B
276222.4 721970.2	1413	Beech <i>Fagus sylvatica</i>	Semi-mature	14	1	340			1	4	7	7	Fair	20 to 40 yrs	B
276224.6 721969.7	1414	Beech <i>Fagus sylvatica</i>	Semi-mature	13	1	350			2	7	7	3	Fair	20 to 40 yrs	B
276228.2 721965.7	1415	Prunus <i>Prunus padus</i>	Semi-mature	13	2	400			5	7	7	3	Fair	20 to 40 yrs	B
276231.9 721968.2	1416	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	9	1	200			1	4	4	1	Fair	20 to 40 yrs	B
276218.7 721974.7	G1417	Beech <i>Fagus sylvatica</i> <i>Shelter belt group. Beech dominant with Sycamore present; Rowan in understorey</i>	Semi-mature	16	2	200			7	15	7	15	Fair	20 to 40 yrs	B
276225.2 721962	1418	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	8	1	140	160		3	3	3	3	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276228.8 721959.8	51419	Prunus <i>Prunus padus</i> <i>Blackthorn scrub</i>	Semi-mature	4	0	75			5	4	7	6	Fair	10 to 20 yrs	C
276211.7 721962.9	1419	Alder <i>Alnus glutinosa</i>	Semi-mature	8	1	140		50	5	2	4	3	Fair	20 to 40 yrs	B
276210.5 721965.1	1420	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Young	7	2	100			0	4	5	0	Poor	10 to 20 yrs	C
276238.8 721946.1	1421	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	10	2	220	230	140	3	4	5	4	Fair	20 to 40 yrs	B
276208.1 721969.2	1422	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16	3	330			5	5	6	5	Fair	20 to 40 yrs	B
276207.2 721970.9	1423	Alder <i>Alnus glutinosa</i> <i>Dead stems</i>	Mature	7	2	140	300	220	0	3	4	4	Poor	<10 yrs	U
276204.8 721973.5	1424	Alder <i>Alnus glutinosa</i>	Mature	13	0	300	300		1	3	3	1	Poor	<10 yrs	U
276200.4 721976.2	1425	Alder <i>Alnus glutinosa</i>	Semi-mature	9	2	180			1	2	4	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276195.6 721977.9	G1426	Alder <i>Alnus glutinosa</i>	Semi-mature	11	1	150			4	7	5	7	Fair	20 to 40 yrs	B
276190.3 721979.6	1427	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	14	3	370	160	80	5	5	9	5	Poor	10 to 20 yrs	C
276183.8 721978.6	G1428	Ash <i>Fraxinus excelsior</i> <i>Hazel & Ash, Ash die back</i>	Semi-mature	7	0	150			5	7	7	7	Poor	10 to 20 yrs	C
276179.5 721977.2	1429	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	2	250	170	170	5	5	5	5	Fair	20 to 40 yrs	B
276170.9 721973.6	1430	Oak <i>Quercus robur</i>	Semi-mature	14	3	340			7	7	7	7	Fair	20 to 40 yrs	B
276165.3 721971.3	1431	Oak <i>Quercus robur</i>	Semi-mature	8	3	250			5	5	5	5	Fair	20 to 40 yrs	B
276151.8 721964.8	1432	Oak <i>Quercus robur</i>	Mature	16	2	480			8	8	8	6	Fair	20 to 40 yrs	B
276149.4 721962.6	1433	Oak <i>Quercus robur</i>	Semi-mature	13	>5	450			7	5	7	7	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276153 721960.7	1434	Alder <i>Alnus glutinosa</i>	Semi-mature	8	3	210			0	4	5	0	Fair	20 to 40 yrs	B
276148.7 721958.3	1435	Birch <i>Betula pendula</i>	Semi-mature	16	5	190			2	4	6	4	Fair	20 to 40 yrs	B
276150.4 721963.8	1436	Holly <i>Ilex aquifolium</i>	Semi-mature	5		140	130		4	4	4	4	Fair	10 to 20 yrs	C
276163.6 721970.5	G1437	Hazel <i>Corylus avellana</i>	Semi-mature	4	0	150			7	20	9	20	Fair	10 to 20 yrs	C
276140.8 721959	1438	Oak <i>Quercus robur</i>	Semi-mature	13	1	440			8	7	6	7	Fair	20 to 40 yrs	B
276131.2 721953.2	1439	Oak <i>Quercus robur</i>	Mature	17	4	460			10	10	10	10	Fair	20 to 40 yrs	B
276132.2 721945.3	1440	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	0	460	280		5	8	10	8	Fair	20 to 40 yrs	B
276135.8 721948.2	1441	Alder <i>Alnus glutinosa</i> Stems submerged	Mature	13	3	160	170	170	2	5	7	5	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276129.8 721944.1	1442	Alder <i>Alnus glutinosa</i>	Mature	14	3	320	260	100	5	5	7	7	Fair	20 to 40 yrs	B
276137.2 721953.4	G1443	Oak <i>Quercus robur</i> 3 trees	Semi-mature	10	2	100			10	6	0	6	Fair	20 to 40 yrs	B
276142.2 721957.5	G1444	Hazel <i>Corylus avellana</i> Understorey group, Hazel & young Birch	Semi-mature	5	1	100			7	18	7	18	Fair	10 to 20 yrs	C
276122.1 721939.5	1445	Oak <i>Quercus robur</i>	Mature	16	1	350	150		4	7	9	6	Fair	20 to 40 yrs	B
276114.5 721935.5	1446	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	20	3	630			8	8	12	8	Fair	20 to 40 yrs	B
276106.5 721937.5	1447	Oak <i>Quercus robur</i> Ivy clad bole	Semi-mature	15	>5	480			7	7	8	7	Fair	20 to 40 yrs	B
276100.9 721933.5	1448	Oak <i>Quercus robur</i>	Dead	17	>5	540			9	9	9	9	Fair	20 to 40 yrs	B
276098 721926.1	1449	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	3	890	660		6	8	10	8	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276093.2 721923.3	G1450	Hazel <i>Corylus avellana</i> <i>Understorey group. Holly & Hazel</i>	Semi-mature	7	0	140			5	10	5	10	Fair	10 to 20 yrs	C
276090 721919.6	1451	Oak <i>Quercus robur</i>	Semi-mature	10	4	210			6	5	6	5	Fair	20 to 40 yrs	B
276080.8 721917.2	G1452	Oak <i>Quercus robur</i> 4 trees	Semi-mature	13	2	170			9	7	8	5	Fair	20 to 40 yrs	B
276084 721914.7	G1453	Ash <i>Fraxinus excelsior</i> 2 larger Ash with ash die back. Small Sycamore understorey	Semi-mature	16	3	200			7	7	8	7	Poor	10 to 20 yrs	C
276077.8 721916.1	1454	Oak <i>Quercus robur</i>	Semi-mature	16	2	300			8	7	7	7	Fair	20 to 40 yrs	B
276080.8 721911.9	1455	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	18	4	370			3	6	8	6	Fair	10 to 20 yrs	C
276068.6 721910.1	1456	Oak <i>Quercus robur</i>	Semi-mature	5	2	140			5	5	1	1	Fair	10 to 20 yrs	C
276069.6 721905.7	1457	Oak <i>Quercus robur</i> Topped stem	Semi-mature	6	3	480			4	1	1	1	Poor	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276066.8 721902.3	1458	Oak <i>Quercus robur</i> <i>Crown reduction</i>	Mature	9	2	290	200	140	6	4	6	6	Fair	20 to 40 yrs	B
276808.3 721873.3	1459	Horse Chestnut <i>Aesculus hippocastanum</i>	Semi-mature	11	2	360			5	5	5	5	Fair	20 to 40 yrs	B
276859.5 721824.5	1460	A Group <i>Group along field edge. Birch, Willow, Sycamore</i>	Young	7	1	90			16	5	16	5	Fair	10 to 20 yrs	C
276887.7 721803.9	1462	Oak <i>Quercus robur</i>	Mature	12	3	920			9	9	8	9	Poor	20 to 40 yrs	B
276890 721795.1	1461	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	2	590			7	8	8	9	Fair	20 to 40 yrs	B
276892.3 721787.1	1463	Horse Chestnut <i>Aesculus hippocastanum</i> <i>Decay/defect in bole & scaffold limbs</i>	Mature	16	2	780			8	9	8	9	Poor	10 to 20 yrs	C
276895.1 721777.0	1464	Oak <i>Quercus robur</i>	Mature	17	3	980			9	13	9	13	Fair	20 to 40 yrs	B
276901.5 721757.6	1465	Sycamore <i>Acer pseudoplatanus</i> <i>Decay defect in major scaffold limb</i>	Mature	18	3	1200			12	12	12	12	Poor	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276899.2 721760.8	1466	Oak <i>Quercus robur</i> <i>Somewhat sparse crown</i>	Mature	15	3	680			7	8	2	8	Poor	20 to 40 yrs	B
276897.6 721766.8	1467	Sycamore <i>Acer pseudoplatanus</i>	Mature	16	2	470			4	6	5	6	Fair	20 to 40 yrs	B
276895.6 721772.8	1468	Oak <i>Quercus robur</i> <i>Significant specimen with some large deadwood</i>	Mature	25	2	1220			8	14	10	14	Fair	20 to 40 yrs	A
276892 721779.6	1469	Oak <i>Quercus robur</i> <i>Tree has shed major part of scaffold to East</i>	Mature	16	2	780			5	3	8	9	Poor	20 to 40 yrs	B
276878.8 721737	1470	Sycamore <i>Acer pseudoplatanus</i>	Young	4	1	120			3	3	3	3	Fair	10 to 20 yrs	C
276875.6 721730.6	1471	Ash <i>Fraxinus excelsior</i>	Young	5	1	200			3	3	3	3	Fair	10 to 20 yrs	C
276868.4 721727.4	1472	Sycamore <i>Acer pseudoplatanus</i>	Young	5	2	200			3	3	3	3	Fair	10 to 20 yrs	C
276864 721721.6	1473	Ash <i>Fraxinus excelsior</i>	Young	6	2	150			3	3	3	3	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276856 721714.4	1474	Sorbus <i>Sorbus aucuparia</i>	Young	6	2	220			3	3	3	3	Fair	10 to 20 yrs	C
276851.2 721708	1475	Prunus <i>Prunus padus</i>	Semi-mature	7	2	200			4	4	4	4	Fair	20 to 40 yrs	B
276844 721704	1476	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	6	2	200			3	3	3	3	Fair	10 to 20 yrs	C
276838.4 721700	1477	Sorbus <i>Sorbus aucuparia</i>	Young	5	2	170			2	2	2	2	Fair	10 to 20 yrs	C
276832.8 721692.8	1478	Sorbus <i>Sorbus aucuparia</i>	Young	5	2	60	60	60	2	2	2	2	Poor	10 to 20 yrs	C
276825.6 721688.8	1479	Norway Maple <i>Acer platanoides</i> <i>Twin co dominant stems with compression forks and included bark</i>	Young	7	1	180	190		3	3	3	3	Poor	10 to 20 yrs	C
276818.1 721679.7	1480	Sorbus <i>Sorbus aucuparia</i>	Young	4	2	120	130		2	2	2	2	Poor	10 to 20 yrs	C
276794.1 721658.9	1481	Beech <i>Fagus sylvatica</i>	Semi-mature	11	1	370			8	3	8	5	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276797.3 721645.3	1482	Birch <i>Betula pendula</i>	Mature	19	1	270			5	5	5	5	Fair	20 to 40 yrs	B
276790.9 721638.1	1483	Birch <i>Betula pendula</i>	Mature	19	2	260			5	5	5	5	Fair	20 to 40 yrs	B
276761.6 721810.7	1484	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	15	3	630			6	6	6	6	Fair	10 to 20 yrs	C
276760.8 721806.9	1485	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	3	230			5	2	5	6		20 to 40 yrs	B
276765.2 721808.1	1486	Prunus <i>Prunus padus</i>	Mature	16	4	580			5	5	5	5	Fair	20 to 40 yrs	B
276773.6 721799.3	1487	Goat Willow <i>Salix caprea</i>	Mature	17	1	770			6	6	6	6	Fair	20 to 40 yrs	B
276717.4 721810.1	1488	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	7	3	170			2	3	3	3	Fair	20 to 40 yrs	B
276723.2 721802.6	G1488	Holly <i>Ilex aquifolium</i> 8 trees	Semi-mature	15	2	190	190		5	9	5	9	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276731.6 721796.6	1489	Hemlock <i>Tsuga mertensiana</i>	Semi-mature	20	0	370			4	3	3	5	Fair	20 to 40 yrs	B
276729.9 721795.9	1490	Hemlock <i>Tsuga mertensiana</i>	Mature	20	4	700			3	4	6	4	Fair	20 to 40 yrs	B
276732.9 721793.7	1491	Hemlock <i>Tsuga mertensiana</i> <i>Topped</i>	Mature	7	3	590			4	4	4	4	Fair	10 to 20 yrs	C
276745.9 721798.3	1492	Noble Fir <i>Abies procera</i>	Mature	20	2	740			6	6	6	6	Fair	20 to 40 yrs	B
276744.9 721780.3	1493	Noble Fir <i>Abies procera</i>	Mature	19	3	810			7	7	7	7	Fair	20 to 40 yrs	B
276747.9 721781.3	1404	Holly <i>Ilex aquifolium</i>	Semi-mature	15	5	320	280		4	5	5	5	Fair	20 to 40 yrs	B
276754.8 721752.2	1495	Beech <i>Fagus sylvatica</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	17	2	520			8	8	6	8	Fair	10 to 20 yrs	C
276765.9 721745.3	1496	Beech <i>Fagus sylvatica</i>	Mature	17	0	820			6	7	4	3	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276762.1 721740.1	1497	Beech <i>Fagus sylvatica</i> <i>Co-dominant stems with compression forks and included bark</i>	Mature	20	3	650	620		8	8	8	8	Fair	10 to 20 yrs	C
276766.5 721735.5	1498	Beech <i>Fagus sylvatica</i> <i>Co dominant stems with compression forks and included bark</i>	Semi-mature	18	2	230	230		7	5	7	1	Fair	10 to 20 yrs	C
276767.5 721728.7	1400	Oriental Spruce <i>Picea orientalis</i>	Semi-mature	16	3	360			4	4	4	4	Poor	10 to 20 yrs	C
276771.1 721725.3	1500	Norway Spruce <i>Picea abies</i>	Semi-mature	15	3	360			4	4	4	4	Poor	10 to 20 yrs	C
276765.3 721740.9	1501	Larch <i>Larix decidua</i>	Mature	22	>5	410			5	5	4	5	Fair	20 to 40 yrs	B
276649 721749	1502	Beech <i>Fagus sylvatica</i>	Semi-mature	16	3	320			8	6	6	8	Fair	20 to 40 yrs	B
276644.6 721742.2	1503	Norway Maple <i>Acer platanoides</i>	Semi-mature	17	5	380			7	6	7	5	Fair	20 to 40 yrs	B
276652.2 721741	1504	Norway Maple <i>Acer platanoides</i>	Mature	20	2	620			9	9	9	9	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276657.4 721739.8	1505	Norway Maple <i>Acer platanoides</i>	Mature	20	4	600			8	7	7	6	Fair	20 to 40 yrs	B
276662.6 721739	1506	Beech <i>Fagus sylvatica</i>	Mature	22	2	500			8	8	8	8	Fair	20 to 40 yrs	B
276665.8 721738	1507	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	19	2	320			5	5	5	5	Fair	20 to 40 yrs	B
276669 721731	5473	Wild Cherry <i>Prunus avium</i>	Semi-mature	16	5	210			7	3	1	3	Poor	10 to 20 yrs	C
276668.6 721725.8	5477	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	5	470			8	8	8	8	Fair	20 to 40 yrs	B
276671.2 721725.9	5478	Prunus <i>Prunus padus</i>	Mature	19	5	300			7	0	0	7	Fair	20 to 40 yrs	B
276672 721728.3	5479	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Mature	19	0	710	630		8	6	3	6	Fair	20 to 40 yrs	B
276675 721708.3	5480	Copper Beech <i>Fagus sylvatica</i> 'Purpurea' Significant specimen	Mature	22	2	1030			9	9	9	9	Fair	20 to 40 yrs	A

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276668.3 721699.1	5481	Leyland Cypress <i>Leylandii</i>	Mature	18	1	920			4	4	4	4	Fair	20 to 40 yrs	B
276656.9 721719.1	5476	Sycamore <i>Acer pseudoplatanus</i>	Mature	20	4	620			7	11	9	5	Fair	20 to 40 yrs	B
276653.3 721720.3	5475	Lime <i>Tilia europaea</i>	Mature	22	0	1020			5	6	7	7	Fair	20 to 40 yrs	B
276662.4 721724	5474	Oak <i>Quercus robur</i>	Mature	20	3	720			16	11	3	7	Fair	20 to 40 yrs	B
276687.3 721712.6	1508	Ash <i>Fraxinus excelsior</i>	Mature	25	5	680			10	8	9	8	Fair	20 to 40 yrs	B
276689.7 721711.6	1509	Sycamore <i>Acer pseudoplatanus</i>	Mature	19	2	610			8	7	9	7	Fair	20 to 40 yrs	B
276692.3 721711.6	1510	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	2	650			10	8	12	8	Fair	20 to 40 yrs	B
276693.9 721711	1511	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	2	520			12	9	8	6	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276702.5 721702.4	1512	Red Oak <i>Quercus rubra</i>	Mature	17	3	820			9	8	8	9	Poor	<10 yrs	U
276707.7 721697.8	1513	Leyland Cypress <i>Leylandii</i>	Mature	19	0	660	480		4	4	4	44	Fair	20 to 40 yrs	B
276728.5 721682.8	G1514	A Group <i>Western Red Cedar, 2x Leyland Cypress, Norway Maple, Hawthorn</i>	Semi-mature	18	0	470			8	16	16	8	Fair	20 to 40 yrs	B
276713.1 721670.8	1515	Tulip Tree <i>Liriodendron tulipifera</i>	Mature	18	2	710			5	5	5	5	Fair	20 to 40 yrs	B
276689.9 721690.1	1516	Noble Fir <i>Abies procera</i> <i>Significant specimen</i>	Mature	23	0	980			7	7	7	7	Fair	20 to 40 yrs	A
276715.8 721591	G1517	Beech <i>Fagus sylvatica</i> <i>Group of 8 Beech</i>	Mature	17	1	690			20	20	20	20	Fair	20 to 40 yrs	B
276725.8 721598.2	1518	Larch <i>Larix decidua</i>	Semi-mature	22	>5	420			10	7	1	7	Fair	20 to 40 yrs	B
276730.2 721603.4	1519	Silver Fir <i>Abies alba</i>	Mature	19	1	790			6	6	6	6	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276735 721620.6	1520	Western Hemlock <i>Tsuga heterophylla</i> Significant specimen	Mature	28	1	1310			9	9	9	9	Fair	20 to 40 yrs	A
276737.8 721605	G1521	Birch <i>Betula pendula</i> 2 trees	Mature	20	4	350			7	9	6	9	Fair	20 to 40 yrs	B
276749.4 721617.8	G1522	Beech <i>Fagus sylvatica</i> 3 Beech trees	Mature	20	0	710			10	10	10	10	Fair	20 to 40 yrs	B
276752.6 721623	1523	Beech <i>Fagus sylvatica</i>	Semi-mature	14	2	350	320		3	3	3	3	Fair	20 to 40 yrs	B
276746.6 721613.4	1524	Poplar <i>Populus canadensis</i>	Mature	23	>5	670			5	5	5	5	Fair	20 to 40 yrs	B
276759.4 721625.8	1525	Poplar <i>Populus canadensis</i>	Mature	30	5	980			7	9	8	7	Poor	10 to 20 yrs	C
276755.9 721627	1527	Beech <i>Fagus sylvatica</i>	Mature	20	1	610			8	9	8	7	Fair	20 to 40 yrs	B
276763.5 721630.2	1526	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	25	1	790			11	8	8	11	Poor	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276767.1 721629.4	1528	Lime <i>Tilia europaea</i>	Mature	22	0	370	360	280	6	6	6	6	Fair	20 to 40 yrs	B
276756.7 721642.2	1529	Norway Maple <i>Acer platanoides</i>	Mature	17	2	400	410	420	8	8	8	8	Fair	20 to 40 yrs	B
276781.1 721630.2	1530	Ash <i>Fraxinus excelsior</i>	Mature	18	3	320			6	6	6	6	Poor	10 to 20 yrs	C
276703.5 721606.6	1531	Beech <i>Fagus sylvatica</i>	Mature	17	2	520	230		4	8	7	7	Fair	20 to 40 yrs	B
276701.1 721610.6	1532	Beech <i>Fagus sylvatica</i>	Mature	20	3	790			7	9	7	9	Fair	20 to 40 yrs	B
276699.1 721614.2	1533	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	2	580			6	6	6	1	Fair	20 to 40 yrs	B
276696.5 721618	1534	Lime <i>Tilia europaea</i>	Mature	22	1	400	320	220	5	8	6	8	Fair	20 to 40 yrs	B
276694.1 721622	1535	Copper Beech <i>Fagus sylvatica</i> 'Purpurea'	Mature	21	1	660			9	9	6	5	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276690.5 721624.8	1536	Lime <i>Tilia europaea</i>	Mature	19	1	580	470		7	7	5	6	Fair	20 to 40 yrs	B
276795.4 721942.9	1537	Prunus <i>Prunus padus</i>	Semi-mature	10	2	200	230		5	5	5	5	Fair	20 to 40 yrs	B
276773 721958.1	1538	Goat Willow <i>Salix caprea</i>	Semi-mature	15	2	240	250	200	7	7	7	7	Fair	20 to 40 yrs	B
276767.8 721984.5	G1539	Birch <i>Betula pendula</i> Birch & Sycamore	Semi-mature	9	1	170			7	9	6	8	Fair	10 to 20 yrs	C
276776.9 721995.7	1540	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	2	290			6	6	6	6	Fair	20 to 40 yrs	B
276786.9 721988.5	1541	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Mature	22	2	620			9	9	9	9	Fair	20 to 40 yrs	B
276786.5 721997.7	1542	Hemlock <i>Tsuga heterophylla</i>	Semi-mature	20	2	310			4	4	6	6	Fair	20 to 40 yrs	B
276790.5 721997.7	G1543	Lime <i>Tilia europaea</i> 3 trees	Mature	22	1	580			6	14	6	6	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276791.3 721993.7	1544	Spruce <i>Picea</i>	Mature	22	0	750			9	4	5	5	Fair	20 to 40 yrs	B
276795.9 721993	1545	Lime <i>Tilia europaea</i>	Mature	19	5	480			4	7	4	4	Fair	20 to 40 yrs	B
276794.7 721995	1546	Leyland Cypress <i>Leylandii</i>	Semi-mature	8	0	200			3	7	3	0	Fair	10 to 20 yrs	C
276795.9 721991.6	1547	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature		2	240			3	7	3	0	Fair	20 to 40 yrs	C
276796.3 721988	1548	Lime <i>Tilia europaea</i>	Mature	23	0	440	370		5	9	5	5	Fair	20 to 40 yrs	B
276788.3 721984.8	1549	Lime <i>Tilia europaea</i>	Mature	22	0	760			5	7	5	6	Fair	20 to 40 yrs	B
276789.9 721982.2	1550	Beech <i>Fagus sylvatica</i>	Mature	22	2	740			0	8	0	0	Fair	20 to 40 yrs	B
276790.5 721978	1551	Lime <i>Tilia europaea</i>	Mature	22	0	790			5	5	5	5	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	SULE	B55837 Quality
276798.7 721981.6	1552	Lime <i>Tilia europaea</i>	Mature	22	0	690			7	8	7	7	Fair	20 to 40 yrs	B
276824.5 721927.4	1553	Swamp Cypress <i>Metasequoia glyptostroboides</i>	Mature	20	4	810			6	6	6	6	Fair	20 to 40 yrs	B
276059.6 721892.1	1554	Common Ash <i>Fraxinus excelsior</i>	Mature	17	4	350	320		8	9	9	8	20 to 40 yrs	Fair	B
276056 721889.3	1555	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	4	610			8	6	8	8	20 to 40 yrs	Fair	B
276052 721884.5	1556	Willow <i>Salix caprea</i>	Mature	5	0	720			3	5	3	2	10 to 20 yrs	Poor	C
276055.6 721876.1	G1557	Ash <i>Fraxinus excelsior</i> 4 trees Ash die back	Young	11	2	80			4	5	6	5	10 to 20 yrs	Poor	C
276048 721874.9	1558	Sycamore <i>Acer pseudoplatanus</i>	Mature	17	2	550			7	7	8	7	20 to 40 yrs	Fair	B
276042.4 721866.1	1559	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	19	>5	570	250		9	10	9	6	<10 yrs	Poor	U
276038.4 721862.9	1560	Ash <i>Fraxinus excelsior</i> Ash die back	Mature	19	>5	560			8	7	8	7	10 to 20 yrs	Fair	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
276035.3 721859.9	1561	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	19	3	410	290		9	7	9	8	20 to 40 yrs	Fair	B
276026.5 721856.3	1562	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	21	2	710			10	8	10	9	10 to 20 yrs	Fair	C
275985.2 721836.2	1563	Oak <i>Quercus robur</i>	Mature	16	4	640			9	9	7	7	20 to 40 yrs	Fair	B
275985.2 721833	1564	Alder <i>Alnus glutinosa</i>	Mature	12	1	200	190		2	5	6	2	20 to 40 yrs	Fair	B
275976.4 721833.4	1565	Oak <i>Quercus robur</i>	Mature	16	1	520	600		8	6	9	8	20 to 40 yrs	Fair	B
275976.8 721828.6	1566	Common Alder <i>Alnus glutinosa</i>	Dead	5	0	230	160		0	2	3	2	n/a	Dead	U
275972.8 721828.2	1567	Beech <i>Fagus sylvatica</i>	Semi-mature	8	0	140			1	2	5	2	10 to 20 yrs	Poor	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275967.9 721827.6	1568	Beech <i>Fagus sylvatica</i>	Semi-mature	16	0	340			5	4	6	5	20 to 40 yrs	Fair	B
275963.5 721831.2	G1569	Oak <i>Quercus robur</i> <i>Coppice group re grown</i>	Mature	16	3	420	300	140	8	7	10	6	20 to 40 yrs	Fair	B
275959.1 721830	1570	Common Beech <i>Fagus sylvatica</i>	Mature	17	1	430	310	270	9	8	9	8	20 to 40 yrs	Fair	B
275965.9 721823.6	G1571	Alder <i>Alnus glutinosa</i> <i>Alder & Sycamore</i>	Semi-mature	13	3	240	240	170	3	6	6	6	20 to 40 yrs	Fair	B
275961.9 721824.4	1572	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	13	5	170	160		1	2	8	4	10 to 20 yrs	Poor	C
275958.3 721826	1573	Alder <i>Alnus glutinosa</i>	Mature	14	2	370	260		1	2	7	5	10 to 20 yrs	Poor	C
275953.5 721826	1574	Birch <i>Betula pendula</i>	Semi-mature	14	5	220			3	4	4	4	20 to 40 yrs	Fair	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275947.1 721828.8	G1575	Alder <i>Alnus glutinosa</i> <i>3x Alder, Birch, Rowan</i>	Semi-mature	9	0	220		170	3	8	7	8	10 to 20 yrs	Poor	C
275941.1 721828.4	1576	Oak <i>Quercus robur</i>	Semi-mature	12	2	260			5	5	6	3	20 to 40 yrs	Fair	B
275935.9 721829.2	1577	Alder <i>Alnus glutinosa</i>	Semi-mature	12	0	190	170	90	4	3	5	3	20 to 40 yrs	Fair	B
275933.9 721829.6	1578	Oak <i>Quercus robur</i>	Young	4	0	120	100		0	2	6	3	10 to 20 yrs	Fair	C
275933.9 721830	1579	Ash <i>Fraxinus excelsior</i>	Young	5	0	100			0	1	4	1	<10 yrs	Poor	U
275932.7 721832	G1580	Oak <i>Quercus robur</i> <i>Coppice re grown</i>	Mature	16	2	250	250	220	6	7	7	7	20 to 40 yrs	Fair	B
275932.1 721829.7	1581	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	9	2	200	180	160	1	3	6	3	10 to 20 yrs	Poor	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275930.1 721831.7	1582	Oak <i>Quercus robur</i>	Semi-mature	12	4	190	150		2	2	7	5	20 to 40 yrs	Fair	B
275927.3 721832.1	1583	Alder <i>Alnus glutinosa</i>	Semi-mature	12		190	140	90	2	3	5	4	10 to 20 yrs	Poor	C
275924.7 721831.9	1584	Alder <i>Alnus glutinosa</i>	Semi-mature	7	4	190			1	2	4	2	10 to 20 yrs	Poor	C
275924.1 721835.3	1585	Oak <i>Quercus robur</i>	Semi-mature	10	3	250			1	2	7	5	20 to 40 yrs	Fair	B
275910.7 721837.1	G1586	Oak <i>Quercus robur</i> <i>Riverside group consisting mainly of Oak with occasional Rowan & Alder. Structurally poor trees suppressed under canopy of Pines to North. Approximately 18 trees</i>	Semi-mature	7	0	180			5	10	6	10	10 to 20 yrs	Fair	C
275941.3 721837.5	1587	Scots Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Semi-mature	20	3	330			3	5	7	5	20 to 40 yrs	Fair	B
275940.9 721839.9	1588	Pine <i>Pinus sylvestris</i>	Semi-mature	20	3	420			3	4	3	2	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275937.9 721839.9	1589	Silver Fir <i>Abies alba</i> <i>Tree on woodland edge</i>	Semi-mature	20	2	300			4	4	4	4	20 to 40 yrs	Fair	B
275934.3 721840.5	1590	Larch <i>Larix decidua</i> <i>Tree on woodland edge</i>	Semi-mature	20	3	350			4	4	5	4	20 to 40 yrs	Fair	B
275931.1 721839.9	1591	Larch <i>Larix decidua</i> <i>Tree on woodland edge</i>	Semi-mature	20	4	360			5	5	7	5	20 to 40 yrs	Fair	B
275928.7 721841.3	1592	Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Semi-mature	20	5	370			3	5	7	4	20 to 40 yrs	Fair	B
275924.5 721840.3	1593	Pine <i>Pinus sylvestris</i>	Semi-mature	18	2	340			2	5	8	3	20 to 40 yrs	Fair	B
275923.7 721842.3	1594	Pine <i>Pinus sylvestris</i>	Semi-mature	20	5	370			4	4	4	4	20 to 40 yrs	Fair	B
275919.5 721842.3	1595	Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Semi-mature	20	5	380			3	4	9	4	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275915.7 721844.5	1596	Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Semi-mature	20	3	300			4	3	4	3	20 to 40 yrs	Fair	B
275911.1 721842.7	1597	Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Semi-mature	20	4	400			2	5	9	5	20 to 40 yrs	Fair	B
275904.6 721848.4	1598	Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Mature	21	5	600			5	6	8	5	20 to 40 yrs	Fair	B
275902.2 721854.4	1599	Larch <i>Larix decidua</i>	Semi-mature	20	4	620			5	6	9	5	20 to 40 yrs	Fair	B
275897.4 721849.6	1600	Pine <i>Pinus sylvestris</i> <i>Tree on woodland edge</i>	Semi-mature	17	5	310			3	5	7	4	20 to 40 yrs	Fair	B

New batch of tree tags

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275934.7 721860.2	W3001	Large group plantation <i>A Woodland</i> <i>Mixed conifer plantation. Pine, Larch, Spruce. Stem diameters vary <70 - >600mm</i>	Semi-mature	20	3	350			30	30	15	30	20 to 40 yrs	Fair	B
275889.5 721858.4	3002	Pine <i>Pinus sylvestris</i>	Semi-mature	20	4	650			7	7	8	4	20 to 40 yrs	Fair	B
275883.1 721860.4	3003	Pine <i>Pinus sylvestris</i>	Mature	20	2	630			6	5	7	6	20 to 40 yrs	Fair	B
275877.5 721858.8	3004	Birch <i>Betula pendula</i>	Semi-mature	13	5	300			4	4	7	4	20 to 40 yrs	Fair	B
275878.7 721855.2	3005	Birch <i>Betula pendula</i> <i>Ivy clad bole</i>	Semi-mature	13	>5	230			0	2	6	4	20 to 40 yrs	Fair	B
275873.1 721854.4	3006	Alder <i>Alnus glutinosa</i>	Semi-mature	5	2	180	70		0	3	6	2	10 to 20 yrs	Fair	C
275867.9 721855.2	3007	Oak <i>Quercus robur</i>	Semi-mature	14	1	240	180	70	0	7	8	6	20 to 40 yrs	Fair	B
275868.3 721863.2	3008	Silver Birch <i>Betula pendula</i>	Mature	17	>5	280			4	4	5	4	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275863.9 721856	G3009	Common Alder <i>Alnus glutinosa</i> <i>Riverside group 2 trees</i>	Semi-mature	12	1	210			1	3	8	3	20 to 40 yrs	Fair	B
275858.7 721856.8	3010	Birch <i>Betula pendula</i>	Mature	13	5	280	210		0	3	8	3	20 to 40 yrs	Fair	B
275854.7 721856.8	G3011	Alder <i>Alnus glutinosa</i> <i>Birch & Alder, stems adjacent</i>	Semi-mature	9	3	180			0	1	7	4	20 to 40 yrs	Fair	B
275872.3 721873.2	3013	Spruce <i>Picea abies</i>	Semi-mature	19	2	420			4	4	4	4	20 to 40 yrs	Fair	B
275874.7 721867.6	3012	Oak <i>Quercus robur</i>	Semi-mature	14	1	380			0	6	8	3	20 to 40 yrs	Fair	B
275877.5 721868.8	3014	Birch <i>Betula pendula</i>	Mature	17	>5	300			3	5	7	5	20 to 40 yrs	Fair	B
275883.5 721868.4	3015	Birch <i>Betula pendula</i> <i>Decay / defect in bole</i>	Mature	14	>5	310			0	1	7	4	10 to 20 yrs	Poor	C
275887.9 721866	3016	Oak <i>Quercus robur</i>	Semi-mature	15	5	310			4	3	6	3	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275899.2 721862.5	3017	Oak <i>Quercus robur</i>	Semi-mature	13	>5	140	110	70	0	4	8	4	20 to 40 yrs	Fair	B
275877.5 721865	G3018	Alder <i>Alnus glutinosa</i> <i>Riverside group 2 trees</i>	Semi-mature	12	3	100			1	3	6	3	20 to 40 yrs	Fair	B
275873.3 721869	3019	Oak <i>Quercus robur</i>	Mature	16	>5	310			4	4	6	4	20 to 40 yrs	Fair	B
275876.9 721873.4	3020	Spruce <i>Picea abies</i>	Semi-mature	19	3	250			2	2	3	3	20 to 40 yrs	Fair	B
275881.7 721875.6	3021	Spruce <i>Picea abies</i>	Semi-mature	20	1	450			3	4	3	4	20 to 40 yrs	Fair	B
275888.1 721870.2	G3022	A Group <i>Birch, Oak, Goat Willow</i>	Semi-mature	13	2	150			6	6	6	6	10 to 20 yrs	Fair	C
275880.7 721869.2	G3023	A Group <i>Birch, Alder, Goat Willow</i>	Semi-mature	12	4	140			5	5	5	5	10 to 20 yrs	Fair	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275873.9 721870.8	G3024	Spruce <i>Picea abies</i> <i>Spruce & Birch</i>	Young	9	4	120			4	4	4	4	10 to 20 yrs	Fair	C
275863.3 721877	3025	Spruce <i>Picea abies</i>	Semi-mature	19	3	370			5	4	3	4	20 to 40 yrs	Fair	B
275859.7 721877.6	3026	Spruce <i>Picea abies</i>	Semi-mature	20	3	450			5	5	5	5	20 to 40 yrs	Fair	B
275856.1 721871.6	3027	Spruce <i>Picea abies</i>	Semi-mature	20	1	370			4	4	6	4	20 to 40 yrs	Fair	B
275857.3 721868.3	3028	Oak <i>Quercus robur</i>	Semi-mature	13	5	350			5	5	8	5	20 to 40 yrs	Fair	B
275860.1 721868.7	3029	Oak <i>Quercus robur</i>	Semi-mature	5	2	140			0	3	9	3	10 to 20 yrs	Fair	C
275861.7 721866.3	G3030	Alder <i>Alnus glutinosa</i> <i>Riverside group Birch & Alder</i>	Semi-mature	10	2	130	130		1	5	6	5	20 to 40 yrs	Fair	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275864.3 721870.2	3031	Oak <i>Quercus robur</i>	Semi-mature	14	>5	310			0	4	8	4	20 to 40 yrs	Fair	B
275865.3 721869.8	3032	Birch <i>Betula pendula</i>	Mature	18	>5	270			1	4	6	4	20 to 40 yrs	Fair	B
275864.3 721873.4	G3033	Spruce <i>Picea abies</i> 6 trees	Semi-mature	13	2	230			5	5	5	5	20 to 40 yrs	Fair	B
275852.5 721873	3034	Spruce <i>Picea abies</i>	Semi-mature	19	2	360			4	4	4	4	20 to 40 yrs	Fair	B
275849.9 721875.8	3035	Spruce <i>Picea abies</i>	Semi-mature	20	1	380			4	3	3	3	20 to 40 yrs	Fair	B
275845.2 721876.5	3037	Spruce <i>Picea abies</i>	Semi-mature	20		440			4	3	3	3	20 to 40 yrs	Fair	B
275847 721876.5	3036	Spruce <i>Picea abies</i>	Semi-mature			330			4	3	3	3	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275848.4 721872.5	3038	Oak <i>Quercus robur</i> <i>Suppressed crown</i>	Semi-mature	14	2	330			3	4	7	4	10 to 20 yrs	Poor	C
275848 721867.4	3039	Oak <i>Quercus robur</i>	Semi-mature	13	5	310			0	5	7	3	20 to 40 yrs	Fair	B
275853.4 721869.2	3040	Oak <i>Quercus robur</i>	Semi-mature	11	3	230			0	4	7	2	20 to 40 yrs	Fair	B
275851.4 721870	3041	Birch <i>Betula pendula</i>	Mature	16		200			3	4	6	4	20 to 40 yrs	Fair	B
275855.2 721868.4	3042	Oak <i>Quercus robur</i>	Semi-mature	10	1	260	160		0	7	8	3	20 to 40 yrs	Fair	B
275851.7 721866.4	G3043	Oak <i>Quercus robur</i> <i>Riverside group. Oak, Alder, Birch</i>	Semi-mature	7	0	150			3	8	8	9	10 to 20 yrs	Fair	C
275849.5 721872.1	G3044	Spruce <i>Picea abies</i> <i>4 trees</i>	Semi-mature	19	0	230			5	5	5	5	20 to 40 yrs	Fair	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275837 721876.1	3045	Spruce <i>Picea abies</i>	Semi-mature	20	>5	340			4	4	4	4	20 to 40 yrs	Fair	B
275828.6 721875.3	3046	Spruce <i>Picea abies</i>	Semi-mature	20		440			5	4	4	5	20 to 40 yrs	Fair	B
275823.8 721872.9	3047	Spruce <i>Picea abies</i>	Semi-mature	20	3	360			5	4	4	5	20 to 40 yrs	Fair	B
275818.2 721870.9	3048	Birch <i>Betula pendula</i>	Semi-mature	15	>5	160			4	3	4	2	20 to 40 yrs	Fair	B
275813.8 721870.5	3049	Spruce <i>Picea abies</i>	Semi-mature	20	1	330			5	4	5	1	20 to 40 yrs	Fair	B
275809.4 721872.1	3050	Pine <i>Pinus sylvestris</i> <i>Root plate failing</i>	Semi-mature	20	>5	390			6	7	1	1	<10 yrs	Poor	U
275805 721874.9	3051	Spruce <i>Picea abies</i>	Mature	20	1	390			5	4	5	2	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275805 721874.9	3052	Spruce <i>Picea abies</i>	Semi-mature	20	4	430			4	2	5	4	20 to 40 yrs	Fair	B
275803.6 721866.3	G3053	Oak <i>Quercus robur</i> <i>Riverside group. 3 trees</i>	Semi-mature	18	5	340	140		4	6	8	5	20 to 40 yrs	Fair	B
275807.7 721862.8	3054	Birch <i>Betula pendula</i>	Mature	19	2	420	190		2	5	10	5	20 to 40 yrs	Fair	C
275812.3 721862.1	3055	Birch <i>Betula pendula</i>	Mature	18	5	380			0	4	9	4	20 to 40 yrs	Fair	B
275812.3 721862.1	3056	Birch <i>Betula pendula</i>	Mature	18	3	290			1	6	9	2	20 to 40 yrs	Fair	B
275812.9 721866.1	3057	Spruce <i>Picea abies</i>	Semi-mature	20	1	410			2	4	4	1	20 to 40 yrs	Fair	B
275813.1 721868.9	3058	Spruce <i>Picea abies</i>	Semi-mature	20	2	390			2	4	2	3	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275820.3 721867.9	3059	Spruce <i>Picea abies</i>	Semi-mature	20	2	460			3	4	5	4	20 to 40 yrs	Fair	B
275825.3 721868.4	3060	Oak <i>Quercus robur</i>	Semi-mature	16	3	320			4	5	9	5	20 to 40 yrs	Fair	B
275821.4 721864.4	G3061	Alder <i>Alnus glutinosa</i> 3 trees	Semi-mature	9	2	160			1	4	8	2	10 to 20 yrs	Fair	C
275823.9 721864.3	G3062	Oak <i>Quercus robur</i> <i>Riverside group. Oak & Birch</i>	Semi-mature	11	1	230			1	8	8	6	20 to 40 yrs	Fair	B
275834.1 721869.2	3063	Birch <i>Betula pendula</i>	Dead	13	4	280			1	3	5	3	n/a	Dead	U
275835.9 721868.5	3064	Birch <i>Betula pendula</i>	Mature	16	3	250			4	4	7	2	20 to 40 yrs	Fair	B
275841.3 721867.5	3065	Oak <i>Quercus robur</i>	Semi-mature	13	3	190	150	140	4	4	8	4	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275839.9 721868.5	3066	Spruce <i>Picea abies</i>	Semi-mature	20	1	460			3	3	5	3	20 to 40 yrs	Fair	B
275840.3 721871.1	3067	Larch <i>Larix decidua</i>	Semi-mature	19	>5	330			2	4	3	1	20 to 40 yrs	Fair	B
275831.7 721870.5	3068	Larch <i>Larix decidua</i>	Mature	19	>5	400			2	3	5	2	20 to 40 yrs	Fair	B
275829.5 721873.3	3069	Spruce <i>Picea abies</i>	Semi-mature	20	4	410			3	4	4	3	20 to 40 yrs	Fair	B
275827.9 721871.7	W3070	Spruce <i>Picea abies</i> <i>Semi mature stand of Spruce with occasional Larch & Birch</i>	Semi-mature	18	3	260			5	16	5	16	20 to 40 yrs	Fair	B
275792.7 721879.8	3073	Birch <i>Betula pendula</i>	Mature	18	3	330			1	4	6	4	20 to 40 yrs	Fair	B
275789.9 721871.2	G3074	Alder <i>Alnus glutinosa</i> <i>2 trees</i>	Semi-mature	9		180	150		1	4	6	4	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275787.7 721880.9	3075	Spruce <i>Picea abies</i> <i>Tree on woodland edge. Crown suppressed</i>	Semi-mature	11	1	290			4	3	4	3	10 to 20 yrs	Fair	C
275785.3 721882.5	G3076	Oak <i>Quercus robur</i> <i>2 trees, adjacent stems</i>	Semi-mature	15	3	200			3	3	7	3	20 to 40 yrs	Fair	B
275780.1 721881.7	3077	Oak <i>Quercus robur</i>	Semi-mature	18	3	340			2	7	9	4	20 to 40 yrs	Fair	B
275778.5 721884.5	3078	Oak <i>Quercus robur</i>	Semi-mature	9	5	210			4	1	1	4	20 to 40 yrs	Fair	B
275775.7 721880.9	3079	Birch <i>Betula pendula</i>	Semi-mature	17	3	220			2	3	5	3	20 to 40 yrs	Fair	B
275777.3 721878.5	3080	Alder <i>Alnus glutinosa</i>	Mature	16	2	300	250		0	5	8	2	20 to 40 yrs	Fair	B
275773.8 721882.7	G3081	Birch <i>Betula pendula</i> <i>2 adjacent stems</i>	Semi-mature	15	5	220			4	5	7	2	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275772.5 721890.1	3082	Spruce <i>Picea abies</i>	Semi-mature	20	5	510			5	4	5	4	20 to 40 yrs	Fair	B
275766.9 721886.1	3083	Spruce <i>Picea abies</i>	Semi-mature	7	0	270			1	4	9	4	20 to 40 yrs	Fair	B
275766.1 721889.2	3084	Birch <i>Betula pendula</i>	Mature	21	5	470	200		5	7	9	5	20 to 40 yrs	Fair	B
275765.3 721888	3085	Alder <i>Alnus glutinosa</i>	Semi-mature	10	2	190	160		0	4	5	1	20 to 40 yrs	Fair	B
275760 721889.2	G3086	Birch <i>Betula pendula</i> 2 trees	Semi-mature	5	2	100			0	3	4	3	10 to 20 yrs	Fair	C
275758.8 721894.8	3087	Oak <i>Quercus robur</i>	Semi-mature	13		130	150		1	3	8	4	20 to 40 yrs	Fair	B
275756 721896.8	3088	Birch <i>Betula pendula</i>	Mature	16	5	310			3	2	7	5	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275751.6 721897.2	G3089	Oak <i>Quercus robur</i> 4 trees	Semi-mature	18	0	290			5	7	10	7	20 to 40 yrs	Fair	B
275741.1 721914.7	3090	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	15	2	310			5	4	4	6	10 to 20 yrs	Poor	C
275745.5 721905.9	3091	Sycamore <i>acer psuedoplatanus</i>	Semi-mature	8	2	180			2	1	3	5	10 to 20 yrs	Fair	C
275749.5 721906.3	3092	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	20	1	430			3	4	5	5	20 to 40 yrs	Fair	B
275746.1 721902.8	G3093	Alder <i>Alnus glutinosa</i>	Mature	14	3	170	170	160	5	8	8	8	20 to 40 yrs	Fair	B
275748.5 721900	3094	Birch <i>Betula pendula</i>	Mature	17	2	180	150		3	3	7	3	20 to 40 yrs	Fair	B
275751.7 721903	3095	Birch <i>Betula pendula</i> Target canker on stem	Mature	20		380	140		7	8	9	8	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275769.3 721895.7	3096	Larch <i>Larix decidua</i> <i>Tree on woodland edge</i>	Semi-mature	20		350			3	4	5	4	20 to 40 yrs	Fair	B
275765.7 721896.9	3097	Larch <i>Larix decidua</i>	Semi-mature	20	5	280			4	4	4	4	20 to 40 yrs	Fair	B
275771.1 721906.1	W3098	Larch <i>Larix decidua</i> <i>Stand of Larch with occasional Birch & Spruce, extending to North</i>	Semi-mature	20	5	230			10	10	10	10	20 to 40 yrs	Fair	B
275788.9 721893	W3099	Spruce <i>Picea abies</i> <i>Stand of Spruce with occasional Pine & Larch, extending to north</i>	Semi-mature	20	5	270			10	20	7	20	20 to 40 yrs	Fair	B
275750.1 721913.2	3101	Birch <i>Betula pendula</i>	Mature	17	4	240			5	3	3	5	20 to 40 yrs	Fair	B
275754.1 721910.2	G3102	Birch <i>Betula pendula</i> <i>Birch & Alder. 5 trees</i>	Semi-mature	16	4	170			5	7	4	5	20 to 40 yrs	Fair	B
275759.3 721916.2	3103	Birch <i>Betula pendula</i>	Mature	19	>5	330			5	5	5	5	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275754.3 721919.6	G3104	Birch <i>Betula pendula</i> 5 trees	Semi-mature	17	1	260			6	6	6	6	20 to 40 yrs	Fair	B
275742.9 721913.8	3105	Alder <i>Alnus glutinosa</i>	Mature	14	4	270	240		8	5	4	8	20 to 40 yrs	Fair	B
275741.9 721912.4	3106	Alder <i>Alnus glutinosa</i>	Semi-mature	7	1	160			1	3	5	5	10 to 20 yrs	Fair	C
275743.3 721917.4	3107	Ash <i>Fraxinus excelsior</i>	Dead	6	3	75			2	2	2	2	n/a	Dead	U
275736.7 721916.2	3108	Alder <i>Alnus glutinosa</i>	Semi-mature	5	0	190	140	50	5	3	4	6	20 to 40 yrs	Fair	B
275739.5 721922	3109	Hazel <i>Corylus avellana</i> Coppice re grown	Semi-mature	7	0	140			1	4	5	5	20 to 40 yrs	Fair	B
275740.7 721924.2	3110	Birch <i>Betula pendula</i> Tree on woodland edge	Mature	22	3	520			3	5	7	5	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275741.7 721925	3111	Norway Spruce <i>Picea abies</i> <i>Tree within woodland group</i>	Semi-mature	18	3				4	4	2	2	20 to 40 yrs	Fair	B
275752.1 721926.2	3112	Norway Spruce <i>Picea abies</i> <i>Tree within woodland group</i>	Mature	22	1	710			5	5	5	5	20 to 40 yrs	Fair	B
275749.1 721928.4	3113	Norway Spruce <i>Picea abies</i> <i>Tree within woodland group</i>	Mature	22	>5	700			5	5	4	4	20 to 40 yrs	Fair	B
275732.9 721928.4	3114	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	15	3	200	170	180	5	6	8	8	20 to 40 yrs	Fair	B
275736.5 721934.8	3115	Sitka Spruce <i>Picea sitchensis</i> <i>Tree within woodland group</i>	Mature	22	>5	890			6	5	5	6	20 to 40 yrs	Fair	B
275731.3 721933.5	3116	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	17	3	420			4	1	5	6	20 to 40 yrs	Fair	B
275724.5 721932.9	3117	Sitka Spruce <i>Picea sitchensis</i> <i>Suppressed crown</i>	Semi-mature	9	0	260			3	2	4	5	10 to 20 yrs	Fair	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275740.9 721927.2	G3118	Sitka Spruce <i>Picea sitchensis</i> <i>Spruce with occasional Birch. Part of plantation stand extending to north</i>	Semi-mature	18	2	220			7	13	7	13	20 to 40 yrs	Fair	B
275720.1 721934.8	3119	Alder <i>Alnus glutinosa</i>	Young	5	2	60	60	60	2	3	3	3	10 to 20 yrs	Poor	C
275714.9 721937.6	3120	Alder <i>Alnus glutinosa</i>	Semi-mature	14	2	230	130		5	4	4	6	20 to 40 yrs	Fair	B
275722.5 721943.6	3121	Sitka Spruce <i>Picea sitchensis</i> <i>Tree within woodland group</i>	Semi-mature	21	1	470			3	4	4	4	20 to 40 yrs	Fair	B
275723.7 721946.8	3122	Sitka Spruce <i>Picea sitchensis</i>	Mature	22	3	880			6	5	5	5	20 to 40 yrs	Fair	B
275718.5 721948.8	3123	Spruce <i>Picea sitchensis</i>	Mature	22	3	780			4	3	3	4	20 to 40 yrs	Fair	B
275718.1 721946	3124	Oak <i>Quercus robur</i>	Semi-mature	18	>5	320			0	4	8	4	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275713.7 721947.2	3125	Alder <i>Alnus glutinosa</i>	Semi-mature	14	>5	230			4	0	4	7	20 to 40 yrs	Fair	B
275709.9 721955.5	3126	Birch <i>Betula pendula</i>	Mature	20	>5	370	360		7	1	5	13	20 to 40 yrs	Fair	B
275713.1 721954.1	3127	Sitka Spruce <i>Picea sitchensis</i>	Mature	22	1	750			4	4	6	5	20 to 40 yrs	Fair	B
275716.7 721952.9	3128	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	21	>5	410			5	2	5	2	20 to 40 yrs	Fair	B
275720.9 721952.9	3129	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	21	5	580			1	4	7	4	20 to 40 yrs	Fair	B
275723.9 721959.3	G3130	Birch <i>Betula pendula</i> <i>Birch, Fir & Spruce. Crowns suppressed under larger trees within woodland plantation extending to east</i>	Semi-mature	16		240			6	6	4	5	10 to 20 yrs	Fair	C
275723.5 721953.9	3131	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	21	>5	430			6	3	3	2	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275705.7 721962.7	3132	Birch <i>Betula pendula</i>	Mature	15	5	430			6	6	6	6	20 to 40 yrs	Fair	B
275706.3 721971.8	3133	Copper Beech <i>Fagus sylvatica 'Purpurea'</i> <i>Compression forks and included bark</i>	Semi-mature	10	3	320			6	6	6	6	20 to 40 yrs	Fair	B
275717.5 721970.6	3134	Sitka Spruce <i>Picea sitchensis</i> <i>Tree on woodland edge</i>	Mature	22	3	730			7	4	6	6	20 to 40 yrs	Fair	B
275719.1 721968.2	3135	Sitka Spruce <i>Picea sitchensis</i> <i>Tree on woodland edge</i>	Semi-mature	20	5	500			5	2	4	6	20 to 40 yrs	Fair	B
275721.1 721964.2	3136	Birch <i>Betula pendula</i>	Mature	20		270			4	4	4	4	20 to 40 yrs	Fair	B
275716.3 721963.8	3137	Birch <i>Betula pendula</i>	Mature	16	3	280	170		5	4	5	7	20 to 40 yrs	Fair	B
275723.3 721972.5	3138	Silver Fir <i>Abies alba</i>	Semi-mature	22	2	350			7	4	3	4	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275720.1 721972.5	3139	Silver Fir <i>Abies alba</i>	Semi-mature	18	2	310			4	2	1	2	20 to 40 yrs	Fair	B
275720.1 721968.9	3140	Spruce <i>Picea sitchensis</i>	Semi-mature	20	2	340			3	3	3	2	20 to 40 yrs	Fair	B
275726.9 721968.1	3141	Spruce <i>Picea sitchensis</i>	Semi-mature	21	2	360			4	4	4	4	20 to 40 yrs	Fair	B
275728.5 721968.9	3142	Larch <i>Larix decidua</i>	Semi-mature	22	>5	460			8	6	6	5	20 to 40 yrs	Fair	B
275727.3 721971.7	3143	Birch <i>Betula pendula</i> <i>Suppressed crown</i>	Semi-mature	12	5	160			7	3	0	2	10 to 20 yrs	Fair	C
275729.9 721968.1	3144	Birch <i>Betula pendula</i>	Semi-mature	13	>5	210			3	3	4	3	20 to 40 yrs	Fair	B
275735.2 721968.4	3145	Larch <i>Larix decidua</i>	Semi-mature	22	>5	310			5	2	5	5	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275737.2 721968.4	3146	Birch <i>Betula pendula</i>	Semi-mature	13	>5	290			5	5	5	2	20 to 40 yrs	Fair	B
275736.2 721980.8	3147	Silver Fir <i>Abies alba</i>	Mature	22	6	660			8	3	7	7	20 to 40 yrs	Fair	B
275739.6 721981.4	3148	Silver Fir <i>Abies alba</i>	Mature	22	3	490			8	6	5	2	20 to 40 yrs	Fair	B
275744.4 721986.8	3149	Oak <i>Quercus robur</i>	Semi-mature	12	0	260			6	5	4	5	20 to 40 yrs	Fair	B
275754.4 721986.1	3150	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Mature	17	3	340			6	6	4	6	20 to 40 yrs	Fair	B
275763.8 721981.2	3151	Larch <i>Larix decidua</i> <i>Tree on woodland edge</i>	Semi-mature	22	4	530			7	6	6	6	20 to 40 yrs	Fair	B
275769.8 721986.8	3152	Fir <i>Abies alba</i> <i>Tree on woodland edge</i>	Semi-mature	22	2	580			6	5	6	8	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275752.2 721976.4	3153	Larch <i>Larix decidua</i> <i>Tree within woodland group</i>	Semi-mature	18	>5	350			7	7	2	2	20 to 40 yrs	Fair	B
275755.4 721975.2	3154	Larch <i>Larix decidua</i> <i>Tree within woodland group</i>	Semi-mature	20	>5	360			7	6	4	4	20 to 40 yrs	Fair	B
275758.2 721973.2	W3155	A Woodland <i>Mixed conifer plantation. Spruce, Fir & Larch with intermittent Birch extending up hillside to East</i>	Semi-mature	20	5	210			10	30	10	10	20 to 40 yrs	Fair	B
275765 721992.8	3156	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Mature	18	>5	360			8	4	6	8	20 to 40 yrs	Fair	B
275764.6 721996.8	3157	Birch <i>Betula pendula</i> <i>Tree on woodland edge</i>	Mature	13	0	310			6	4	5	7	20 to 40 yrs	Fair	B
275759.4 722004.8	3158	Rowan <i>Sorbus aucuparia</i>	Mature	8	2	180	90	80	4	4	4	4	20 to 40 yrs	Fair	B
275757.8 722000.4	3159	Goat Willow <i>Salix caprea</i>	Semi-mature	5	0	160			6	1	0	4	10 to 20 yrs	Fair	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275772.6 722014.4	W3160	A Woodland <i>Mixed conifer plantation. Spruce, Fir, Larch with intermittent Birch & Oak. Extending up hillside to East.</i>	Semi-mature	20	5	250			20	20	20	20	20 to 40 yrs	Fair	B
275755 722011.9	G3161	Alder <i>Alnus glutinosa</i>	Young	5	1	80			2	8	2	8	10 to 20 yrs	Fair	C
275757.6 722007.7	G3162	Birch <i>Betula pendula</i>	Semi-mature	12	2	150			4	4	4	6	20 to 40 yrs	Fair	B
275759.2 722010.5	3163	Oak <i>Quercus robur</i>	Semi-mature	14	1	330			4	5	5	5	20 to 40 yrs	Fair	B
275760 722019.3	3164	Oak <i>Quercus robur</i>	Semi-mature	16	1	550			8	8	8	8	20 to 40 yrs	Fair	B
275752 722018.7	G3165	Leyland Cypress <i>Lelandii</i> 2 trees	Semi-mature	4	0	230			4	4	4	4	10 to 20 yrs	Fair	C
275753 722020.9	3165	Birch <i>Betula pendula</i>	Semi-mature	10	2	130			2	2	2	2	10 to 20 yrs	Fair	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275755.1 722024.5	3166	Silver Fir <i>Abies alba</i>	Semi-mature	8	0	160			3	3	3	3	20 to 40 yrs	Fair	B
275762.9 722028.9	3167	Birch <i>Betula pendula</i>	Mature	20	5	480			5	5	5	5	20 to 40 yrs	Fair	B
275766.9 722029.7	3168	Sorbus <i>Sorbus aucuparia</i> <i>Tree within woodland group</i>	Mature	9	2	180	140		4	4	4	4	20 to 40 yrs	Fair	B
275773.1 722034.3	3169	Oak <i>Quercus robur</i>	Semi-mature	15	2	320	270		3	4	8	7	20 to 40 yrs	Fair	B
275776.1 722037.3	G3170	Oak <i>Quercus robur</i> <i>3 stems</i>	Semi-mature	12	3	190			4	3	4	6	20 to 40 yrs	Fair	B
275771.3 722030.1	3171	Birch <i>Betula pendula</i>	Semi-mature	15		170			2	2	4	4	20 to 40 yrs	Fair	B
275773.7 722030.9	3172	Birch <i>Betula pendula</i>	Semi-mature	17	>5	200			3	3	3	3	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275773.7 722027.7	3173	Birch <i>Betula pendula</i> <i>Tree within woodland group</i>	Mature	20	>5	310			3	4	5	5	20 to 40 yrs	Fair	B
275768 722043.6	G3174	Birch <i>Betula pendula</i> <i>Linear group 6 trees</i>	Mature	18	5	240			8	4	8	4	20 to 40 yrs	Fair	B
275755.1 722034.7	3175	Pine <i>Pinus sylvestris</i>	Mature	21	3	720			9	7	4	7	20 to 40 yrs	Fair	B
275752.7 722032.5	3176	Pine <i>Pinus sylvestris</i>	Mature	21	1	580			4	6	4	6	20 to 40 yrs	Fair	B
275748.9 722030	3177	Pine <i>Pinus sylvestris</i>	Semi-mature	21	4	360			4	5	4	5	20 to 40 yrs	Fair	B
275745.5 722026.4	3178	Pine <i>Pinus sylvestris</i>	Mature	21	3	630	270		3	6	6	6	20 to 40 yrs	Fair	B
275742.3 722023.8	3179	Japanese Maple <i>Acer palmatum</i>	Semi-mature	4	0	100			2	2	2	2	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275734.5 722021.8	3180	Common Laburnum <i>Laburnum anagyroides</i>	Semi-mature			80	80	80	3	3	3	3	20 to 40 yrs	Fair	B
275724.7 722019.7	H3181	Beech <i>fagus sylvatica</i> ' <i>Garden hedge</i>	Semi-mature	2	0	80			1	7	1	7	10 to 20 yrs	Fair	C
275726.3 722027.7	3182	Alder <i>Alnus glutinosa</i> <i>Stems topped out below power lines</i>	Mature	13	1	300	260	90	1	4	6	4	10 to 20 yrs	Fair	B
275728.7 722029.7	3183	Alder <i>Alnus glutinosa</i> <i>Crown previously reduced</i>	Mature	8	1	270	180		4	4	2	3	20 to 40 yrs	Fair	B
275735.9 722030.5	3184	Laburnum <i>Laburnum anagyroides</i>	Semi-mature	5	1	80	40	40	2	2	2	2	20 to 40 yrs	Fair	B
275739.9 722031.7	3185	Cheal's Weeping Chen <i>Prunus Cheals Weeping'</i>	Semi-mature	3	0	130			2	2	2	2	20 to 40 yrs	Fair	B
275741.1 722040.9	G3186	Willow <i>salix caprea</i> <i>Stems gnawed by beavers</i>	Young	4	0	140			6	4	6	4	10 to 20 yrs	Poor	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275744.3 722047.7	G3187	Alder <i>Alnus glutinosa</i>	Semi-mature	9	1	160	80		6	4	6	6	10 to 20 yrs	Fair	C
275746.6 722051.9	3188	Alder <i>Alnus glutinosa</i>	Mature	9	0	250	100		5	4	5	6	20 to 40 yrs	Fair	B
275753.2 722047.3	3189	White Poplar <i>Populus alba</i>	Mature	16	3	360			4	5	5	6	<10 yrs	Poor	C
275775.4 722054.4	3190	Goat Willow <i>Salix caprea</i>	Mature	12	3	290	200	190	6	3	7	7	20 to 40 yrs	Fair	B
275759.4 722063	3191	Ash <i>Fraxinus excelsior</i>	Mature	19	5	310			4	6	4	6	20 to 40 yrs	Fair	B
275758 722063.2	3192	Holly <i>Ilex aquifolium</i>	Mature	10	5	250			3	1	2	3	20 to 40 yrs	Fair	B
275766.5 722058.9	G3193	Norway Spruce <i>Picea abies</i> 11 trees	Semi-mature	20	5	240			4	8	4	8	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275760.7 722060.9	3194	Spruce <i>Picea abies</i> <i>Tree within group</i>	Mature	24	1	660			4	6	7	6	20 to 40 yrs	Fair	B
275762.9 722059.1	3195	Spruce <i>Picea abies</i> <i>Tree within group</i>	Semi-mature	22	2	580			5	3	5	3	20 to 40 yrs	Fair	B
275766.7 722056.7	3196	Spruce <i>Picea abies</i> <i>Tree within group</i>	Semi-mature	22	1	580			2	4	6	4	20 to 40 yrs	Fair	B
275771.3 722055.3	3197	Spruce <i>Picea abies</i> <i>Tree within group</i>	Semi-mature	20	1	660			3	3	6	6	20 to 40 yrs	Fair	B
275772.5 722053.9	3198	Spruce <i>Picea abies</i> <i>Tree within group</i>	Semi-mature	20		630			5	7	7	2	20 to 40 yrs	Fair	B
275757.7 722055.9	3199	Larch <i>Larix decidua</i>	Mature	19	2	620			7	7	7	7	20 to 40 yrs	Fair	B
275756.7 722059.3	3200	Birch <i>Betula pendula</i>	Mature	20	>5	360			5	6	6	7	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275753.1 722056.1	3201	Birch <i>Betula pendula</i>	Mature	20	2	400			6	6	6	6	20 to 40 yrs	Fair	B
275755.5 722062.5	3202	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	23	>5	540			8	8	8	8	20 to 40 yrs	Fair	B
275752.9 722060.9	3203	Grey Alder <i>Alnus incana</i>	Mature	15	3	280			4	3	4	6	20 to 40 yrs	Fair	B
275754.9 722058.7	G3204	Holly <i>Ilex aquifolium</i> <i>Understorey group. Holly, Hazel, Rowan</i>	Young	7	1	80	80		7	6	7	6	10 to 20 yrs	Fair	C
275748 722066.3	3205	Common Alder <i>Alnus glutinosa</i>	Semi-mature	5	2	130			3	1	1	3	10 to 20 yrs	Fair	C
275749.8 722065.2	3206	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	1	130	140	100	5	4	4	3	20 to 40 yrs	Fair	B
275745.1 722059.7	G3207	Alder <i>Alnus glutinosa</i>	Mature	15	2	300			5	2	5	5	10 to 20 yrs	Poor	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275746.3 722059.1	3208	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	18	2	280	180	160	6	6	7	4	10 to 20 yrs	Poor	C
275734.6 722046	3209	Ash <i>Fraxinus excelsior</i>	Semi-mature	5	2	200			3	0	1	5	<10 yrs	Poor	U
275736 722047	3210	Alder <i>Alnus glutinosa</i>	Mature	16	5	320	260		8	7	4	7	20 to 40 yrs	Fair	B
275734 722044.2	3211	Alder <i>Alnus glutinosa</i>	Mature	17	2	280	230	230	3	7	7	6	10 to 20 yrs	Poor	C
275728 722038	3212	Alder <i>Alnus glutinosa</i> <i>Coppice re grown</i>	Mature	12	2	230	230	200	7	7	7	7	20 to 40 yrs	Fair	B
275720.3 722026	3213	Alder <i>Alnus glutinosa</i>	Mature	10	2	170	170	100	4	4	4	4	<10 yrs	Poor	U
275704.6 722008.4	3214	Alder <i>Alnus glutinosa</i>	Mature	13	2	260	240	160	8	7	6	6	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275701.6 722003.9	3215	Alder <i>Alnus glutinosa</i>	Mature	13	4	370			5	5	1	3	<10 yrs	Poor	U
275700.2 722002.1	3216	Alder <i>Alnus glutinosa</i>	Mature	16	2	350	270		6	7	7	8	10 to 20 yrs	Poor	C
275692 721985.7	3217	Alder <i>Alnus glutinosa</i>	Mature	16	2	340			5	6	6	7	20 to 40 yrs	Fair	B
275692 721977.1	3218	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	17	2	330	280	260	7	7	7	7	<10 yrs	Poor	U
275692 721963.1	3219	Alder <i>Alnus glutinosa</i>	Mature	15	2	250	250		4	4	4	5	<10 yrs	Poor	U
275693.2 721959.1	3220	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	16	3	300	190	120	5	5	6	9	<10 yrs	Poor	U
275696 721953.9	3221	Alder <i>Alnus glutinosa</i>	Mature	17	2	470	370		8	8	9	8	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275699.2 721950.7	3222	Alder <i>Alnus glutinosa</i>	Mature	16	>5	250	190		7	8	7	3	20 to 40 yrs	Fair	B
275695.2 721949.5	3223	Alder <i>Alnus glutinosa</i>	Mature	17	3	240	240		2	1	6	8	20 to 40 yrs	Fair	B
275698.8 721943.5	3224	Alder <i>Alnus glutinosa</i>	Dead	17	5	300	280		7	6	3	6	n/a	Dead	U
275702.8 721937.9	G3225	Alder <i>Alnus glutinosa</i>	Mature	17	5	320			8	7	6	9	20 to 40 yrs	Fair	B
275705.6 721935.5	3226	Alder <i>Alnus glutinosa</i>	Mature	17	3	350	330		6	7	7	7	<10 yrs	Poor	U
275707.2 721935.9	3227	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	16	>5	270	170	180	5	7	7	5	<10 yrs	Poor	U
275708 721933.1	3228	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	14	3	150	160		0	7	9	1	10 to 20 yrs	Poor	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275712.8 721931.7	3229	Alder <i>Alnus glutinosa</i>	Mature	17	4	310	290		6	7	6	6	20 to 40 yrs	Fair	B
275717.2 721928.5	3230	Alder <i>Alnus glutinosa</i>	Dead	14	>5	200			6	0	0	5	n/a	Dead	U
275718 721926.9	3231	Alder <i>Alnus glutinosa</i> <i>Woodpecker holes</i>	Mature	16	5	320			7	5	3	6	20 to 40 yrs	Fair	B
275724.4 721920	G3232	Alder <i>Alnus glutinosa</i>	Mature	17	2	330	320	300	7	8	7	9	20 to 40 yrs	Fair	B
275727.4 721917.6	3233	Alder <i>Alnus glutinosa</i>	Dead	13	2	350			0	2	5	2	n/a	Dead	U
275730.2 721915.4	3234	Alder <i>Alnus glutinosa</i> <i>Woodpecker holes</i>	Mature	13	2	350	190		4	6	5	4	10 to 20 yrs	Poor	C
275738.3 721905.1	3235	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	4	440	140		8	7	7	6	10 to 20 yrs	Poor	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275739.3 721903.7	3236	Alder <i>Alnus glutinosa</i>	Semi-mature	6	0	140	100		0	6	5	2	20 to 40 yrs	Fair	B
275627 721991.3	3237	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with compression forks and included bark</i>	Mature	15	2	280	240	170	7	7	5	5	10 to 20 yrs	Fair	C
275631 721979.3	3238	Elm <i>Ulmus glabra</i>	Semi-mature	17	1	330	240		8	8	5	3	20 to 40 yrs	Fair	B
275638.2 721963.3	3239	Alder <i>Alnus glutinosa</i>	Mature	15	0	230	250	200	7	7	5	3	20 to 40 yrs	Fair	B
275637.1 721964.4	3240	Alder <i>Alnus glutinosa</i>	Semi-mature	15	2	240	50		7	4	1	4	20 to 40 yrs	Fair	B
275639.3 721961.8	3241	Birch <i>Betula pendula</i>	Mature	21	2	380			8	8	5	8	20 to 40 yrs	Fair	B
275640.1 721960	3242	Birch <i>Betula pendula</i>	Mature	21	3	400			7	8	7	6	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275638.7 721957.8	3243	Birch <i>Betula pendula</i>	Mature	19	>5	240			4	4	6	6	20 to 40 yrs	Fair	B
275645.3 721953.6	3244	Alder <i>Alnus glutinosa</i> <i>Tree on group edge</i>	Semi-mature	13	1	150	120		5	4	3	5	20 to 40 yrs	Fair	B
275648.1 721954.6	3245	Alder <i>Alnus glutinosa</i> <i>Root plate failing</i>	Semi-mature	11	0	230	180	140	1	8	6	1	<10 yrs	Poor	U
275645.5 721959	G3246	Birch <i>Betula pendula</i> <i>Fallen stems, root plate failure</i>	Semi-mature	3	0	230	240	120	4	14	5	0	<10 yrs	Poor	U
275648.3 721951.8	3247	Alder <i>Alnus glutinosa</i>	Semi-mature	7	2	140	90		4	4	3	4	20 to 40 yrs	Fair	C
275651.1 721951.8	3248	Birch <i>Betula pendula</i> <i>Multi stemmed tree with compression forks and included bark</i>	Semi-mature	17		190	130	150	4	6	6	4	10 to 20 yrs	Fair	C
275652.3 721950.2	3249	Alder <i>Alnus glutinosa</i>	Mature	8	0	220			4	7	5	5	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275652.3 721949	3250	Alder <i>Alnus glutinosa</i>	Semi-mature	10	1	140			3	4	3	3	20 to 40 yrs	Fair	B
275655.7 721946.1	3251	Ash <i>Fraxinus excelsior</i>	Semi-mature	7	0	190			2	5	3	0	10 to 20 yrs	Poor	C
275657.1 721947.3	3252	Birch <i>Betula pendula</i> <i>Lesser stem pinched by crossing stem of adjacent Ash</i>	Semi-mature	19	<5	280	160		5	6	5	7	10 to 20 yrs	Fair	C
275659.5 721944.3	3253	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	7	0	200	150		3	5	3	1	<10 yrs	Poor	U
275658.3 721943.3	3254	Alder <i>Alnus glutinosa</i>	Semi-mature	10	3	75	60	60	2	4	3	2	10 to 20 yrs	Fair	C
275661.5 721937.3	3255	Birch <i>Betula pendula</i>	Mature	22	>5	380			7	8	7	8	20 to 40 yrs	Fair	B
275660.1 721938.3	G3256	Birch <i>Betula pendula</i> <i>5 trees. Birch Alder</i>	Semi-mature	17	3	150			8	5	8	6	20 to 40 yrs	Fair	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275661.3 721941.3	3257	Alder <i>Alnus glutinosa</i>	Mature	14	4	230	190	140	5	7	5	1	20 to 40 yrs	Fair	B
275663.3 721939.5	3258	Alder <i>Alnus glutinosa</i>	Mature	9	3	280			1	4	3	0	10 to 20 yrs	Poor	C
275664.9 721935.5	3259	Alder <i>Alnus glutinosa</i>	Mature	14	0	140	170	140	3	8	3	4	20 to 40 yrs	Fair	B
275667.5 721932.5	G3260	Birch <i>Betula pendula</i> 2 trees	Mature	22	5	360			9	7	8	7	20 to 40 yrs	Fair	B
275669.7 721931.1	3261	Birch <i>Betula pendula</i> <i>Twin co dominant stems with compression forks and included bark</i>	Mature	22	>5	150	150		8	7	8	7	10 to 20 yrs	Fair	C
275672.1 721926.9	G3262	Birch <i>Betula pendula</i> 2 trees Birch Alder	Mature	20	5	230	160		7	7	7	7	20 to 40 yrs	Fair	B
275669.9 721936.5	3263	Alder <i>Alnus glutinosa</i> <i>Bark exudation</i>	Semi-mature	7	2	200			3	6	5	0	10 to 20 yrs	Poor	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275671.3 721934.5	3264	Alder <i>Alnus glutinosa</i> <i>Stem leaning south</i>	Mature	14	1	350			2	6	7	2	10 to 20 yrs	Fair	C
275672.9 721933.3	3265	Alder <i>Alnus glutinosa</i>	Mature	17	1	360	330	300	9	8	9	7	20 to 40 yrs	Fair	B
275685 721920.4	3266	Alder <i>Alnus glutinosa</i>	Mature	16	3	270	120		7	7	6	5	20 to 40 yrs	Fair	B
275689.8 721915.8	3267	Alder <i>Alnus glutinosa</i> <i>Stem leaning southeast</i>	Semi-mature	13	2	180			1	4	7	4	10 to 20 yrs	Fair	C
275690.2 721915.4	3268	Alder <i>Alnus glutinosa</i> <i>Stems leaning southeast</i>	Semi-mature	5	1	140	160		1	4	8	2	10 to 20 yrs	Fair	C
275692 721913.4	3269	Birch <i>Betula pendula</i> <i>Bark wound</i>	Semi-mature	17	1	260	130		6	4	4	4	10 to 20 yrs	Fair	C
275700.1 721906.4	G3270	Alder <i>Alnus glutinosa</i> <i>2 adjacent trees</i>	Mature	17	2	370	370		9	9	9	8	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275696.3 721907	3271	Alder <i>Alnus glutinosa</i> <i>Stem leaning southeast</i>	Semi-mature	12	2	160			3	3	6	3	10 to 20 yrs	Fair	C
275703.9 721899.4	3272	Alder <i>Alnus glutinosa</i> <i>Stem leaning southeast. Root plate failure foreseeable</i>	Mature	16	1	440			0	9	16	5	10 to 20 yrs	Fair	C
275735.3 721902.7	3273	Ash <i>Fraxinus excelsior</i>	Semi-mature	7	3	140			3	0	3	3	<10 yrs	Poor	U
275732.7 721902.7	3274	Alder <i>Alnus glutinosa</i>	Mature	13	1	260	130	80	4	5	7	5	10 to 20 yrs	Poor	C
275726.1 721902.1	G3275	Alder <i>Alnus glutinosa</i> <i>Stems submerged. Somewhat sparse crowns</i>	Mature	14	1	340		190	4	6	9	6	10 to 20 yrs	Fair	C
275717.1 721898.7	3276	Alder <i>Alnus glutinosa</i>	Young	4	0	100			2	2	2	2	10 to 20 yrs	Fair	C
275701.8 721886	3277	Willow <i>Salix caprea</i> <i>Stem gnawed by beavers</i>	Semi-mature	9	1	180			4	5	4	3	10 to 20 yrs	Fair	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275692 721881.4	G3278	Alder <i>Alnus glutinosa</i>	Mature	16	2	350	290	200	4	5	6	5	<10 yrs	Poor	U
275693.2 721883.8	3279	Alder <i>Alnus glutinosa</i>	Semi-mature	9	3	110	110	70	4	7	1	1	10 to 20 yrs	Fair	C
275695.8 721882	3280	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	5	160	110		5	5	3	3	<10 yrs	Poor	U
275693.8 721886.2	3281	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Young	9	3	100			3	3	1	3	<10 yrs	Poor	U
275685.6 721894.6	3282	Alder <i>Alnus glutinosa</i>	Mature	18	2	420	410		9	8	9	9	20 to 40 yrs	Fair	B
275688.6 721888.8	3283	Hawthorn <i>crataegus monogyna</i>	Mature	7	0	220	170		3	3	3	3	20 to 40 yrs	Fair	B
275679.2 721881.8	3284	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Erosion within rooting area</i>	Mature			300	270	140	4	4	7	9	<10 yrs	Poor	U

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275676.8 721882.2	3285	Alder <i>Alnus glutinosa</i>	Mature	5	0	240	190		0	4	7	4	20 to 40 yrs	Fair	B
275677.8 721883.6	3286	Alder <i>Alnus glutinosa</i> <i>Basal decay</i>	Mature	15	4	340	330	270	7	6	5	6	10 to 20 yrs	Poor	C
275674.6 721884.4	3287	Alder <i>Alnus glutinosa</i>	Semi-mature	9	0	120			3	1	3	4	20 to 40 yrs	Fair	B
275672.6 721885	3288	Alder <i>Alnus glutinosa</i> <i>Erosion within rooting area</i>	Mature	16	4	280			0	5	5	3	<10 yrs	Poor	U
275670.6 721886.2	3289	Alder <i>Alnus glutinosa</i> <i>Somewhat sparse crown. Erosion within rooting area</i>	Mature	17	4	250	200	130	7	5	7	5	10 to 20 yrs	Poor	C
275669.4 721887	3290	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	13	3	160	100	110	5	3	6	3	<10 yrs	Poor	U
275664.8 721891.4	3291	Alder <i>Alnus glutinosa</i>	Mature	14	1	780			9	8	9	7	10 to 20 yrs	Poor	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275654.9 721895.8	3292	Ash <i>Fraxinus excelsior</i> <i>Coppice re grown. Ash die back</i>	Mature	18	3	310	300	250	9	7	9	6	10 to 20 yrs	Poor	C
275652.5 721897	3293	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	14	<5	320	280	230	9	5	9	5	<10 yrs	Poor	U
275650.9 721900	3294	Alder <i>Alnus glutinosa</i>	Mature	13	2	180	140	130	5	4	7	3	20 to 40 yrs	Fair	B
275648.3 721901.8	3295	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	17	5	320	280	260	9	7	9	8	<10 yrs	Poor	U
275647.7 721902.8	3296	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	16	<5	290	270		9	0	6	9	10 to 20 yrs	Fair	C
275645.5 721905.2	3297	Alder <i>Alnus glutinosa</i>	Semi-mature	6	1	200			6	3	4	4	20 to 40 yrs	Fair	B
275644.3 721906.4	3298	Alder <i>Alnus glutinosa</i> <i>Somewhat sparse crown</i>	Mature	15	3	210	190	170	5	3	8	4	10 to 20 yrs	Poor	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275642.1 721909	3299	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	13	1	340	220		9	5	9	7	10 to 20 yrs	Poor	C
275641.3 721909.8	3300	Alder <i>Alnus glutinosa</i>	Semi-mature	13	5	200			4	6	7	6	20 to 40 yrs	Fair	B
275638.1 721913.6	3301	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	13	4	280	220	200	8	6	5	7	10 to 20 yrs	Fair	C
275637.1 721918.1	3302	Alder <i>Alnus glutinosa</i>	Mature	14	1	320	280		2	6	9	6	20 to 40 yrs	Fair	B
275625.3 721931.1	3303	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	16	2	320	200	190	9	8	5	6	<10 yrs	Poor	U
275623.7 721930.9	3304	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Stem submerged</i>	Semi-mature	9	1	240			0	6	5	0	<10 yrs	Poor	U
275622.3 721934.9	3305	Alder <i>Alnus glutinosa</i>	Mature	15	2	300	160	150	7	7	7	5	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275620.9 721936.9	3306	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	16	2	250	170	160	5	8	6	3	<10 yrs	Poor	U
275617.7 721940.3	3307	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	18	>5	380			8	8	9	7	10 to 20 yrs	Poor	C
275618.1 721939.1	3308	Alder <i>Alnus glutinosa</i>	Semi-mature	8	2	190	90	100	4	4	5	1	10 to 20 yrs	Poor	C
275617.1 721941.9	3309	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	1	360	280		1	7	9	6	10 to 20 yrs	Poor	C
275639.5 721941.7	3310	Alder <i>Alnus glutinosa</i>	Dead	15	>5	310			5	1	1	1	n/a	Dead	U
275616.9 721944.5	3311	Alder <i>Alnus glutinosa</i>	Mature	10	2	260			9	5	2	5	20 to 40 yrs	Fair	B
275613.3 721945.9	3312	Alder <i>Alnus glutinosa</i>	Mature	4	0	150	100		0	2	3	2	<10 yrs <i>Decay</i>	Poor	U

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275602.2 721958.3	3313	Alder <i>Alnus glutinosa</i> <i>Somewhat sparse crown. Rooting area eroded</i>	Semi-mature	9	2	180	160		4	6	6	2	10 to 20 yrs	Poor	C
275600.6 721959.1	3314	Alder <i>Alnus glutinosa</i>	Mature	15	1	440			8	7	7	7	20 to 40 yrs	Fair	B
275598.2 721961.1	3315	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>		14	2	220	160	180	8	6	3	6	<10 yrs	Poor	U
275593 721965.9	3316	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	6	2	180	120		6	3	3	4	<10 yrs	Poor	U
275588.2 721970.7	3317	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	8	2	280	180	170	7	6	5	7	<10 yrs	Poor	U
275551 722008.8	3318	Alder <i>Alnus glutinosa</i> <i>Rooting area eroded</i>	Semi-mature	5	1	160	140		6	3	4	2	10 to 20 yrs	Fair	C
275553.4 722004	3319	Alder <i>Alnus glutinosa</i> <i>Rooting area eroded</i>	Mature	15	2	290	170		7	8	6	2	10 to 20 yrs	Fair	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275557.4 721999.6	3320	Alder <i>Alnus glutinosa</i>	Dead	16	5	320	300		5	5	4	4	n/a	Dead	U
275560.6 721995.6	3321	Alder <i>Alnus glutinosa</i> <i>Rooting area eroded</i>	Semi-mature	12	2	190	170		5	5	5	0	10 to 20 yrs	Poor	C
275568.6 721988	G3322	Alder <i>Alnus glutinosa</i> <i>Fallen stems</i>	Mature	5	0	260			7	10	6	10	<10 yrs	Poor	U
275589.8 722008.8	3223	Oak <i>Quercus robur</i>	Semi-mature	13	2	370			9	4	7	9	20 to 40 yrs	Fair	B
275591.8 722006.4	3224	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	18	3	380	370	360	9	9	9	9	10 to 20 yrs	Fair	C
275592.2 722001.6	3225	Oak <i>Quercus robur</i>	Mature	16	2	460	380		6	7	9	9	20 to 40 yrs	Fair	B
275593 721998.8	3226	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	2	280			0	3	13	6	10 to 20 yrs	Fair	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275592.6 722006	3227	Crab Apple <i>Malus sylvestris</i>	Semi-mature	5		100			3	3	3	3	10 to 20 yrs	Fair	C
275597.7 721995.9	3327	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	1	300			5	5	6	6	20 to 40 yrs	Fair	B
275605.1 721988.1	3328	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14		270	170	170	6	6	6	6	20 to 40 yrs	Fair	B
275612.3 721990	G3329	Alder <i>Alnus glutinosa</i>	Young	11	3	100			10	8	10	8	10 to 20 yrs	Fair	C
275605.3 721985	3330	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	3	200	180		5	6	6	5	20 to 40 yrs	Fair	B
275597.6 722013.1	G3331	Alder <i>Alnus glutinosa</i>	Young	9	2	120			8	5	8	5	10 to 20 yrs	Fair	C
275602.4 722024.9	3332	Birch <i>Betula pendula</i> <i>Tree on group edge</i>	Mature	22	4	400			12	12	5	8	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275601.4 722023.7	3333	Birch <i>Betula pendula</i> <i>Tree on group edge</i>	Mature	17	2	320			9	3	3	11	20 to 40 yrs	Fair	B
275605.6 722018.1	3334	Birch <i>Betula pendula</i> <i>Tree within group</i>	Mature	20	4	370			8	4	9	12	20 to 40 yrs	Fair	B
275608.8 722012.1	3335	Birch <i>Betula pendula</i> <i>Tree on group edge</i>	Mature	14	2	250	200		4	7	7	7	20 to 40 yrs	Fair	B
275605.4 722019.5	G3336	Birch <i>Betula pendula</i> <i>Group of approximately 10 Birch trees growing in a line along embankment edge</i>	Mature	20	3	350			12	9	12	9	20 to 40 yrs	Fair	B
275617.3 721995.8	3337	Oak <i>Quercus robur</i> <i>Tree may be retained following removal of middle stem which has failed at compression fork</i>	Mature	19	0	450	440	300	10	15	9	14	20 to 40 yrs	Fair	B
275621.7 721989.6	3338	Elm <i>Ulmus glabra</i> <i>Multi stemmed tree with one or more dead stems</i>	Semi-mature	12	2	260			6	6	5	5	<10 yrs	Poor	U
275627.3 721979.9	3339	Sorbus <i>Sorbus aucuparia</i>	Mature	9	3	270			4	4	1	1	<10 yrs	Poor	U

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275628.9 721977.7	G3340	Elm <i>Ulmus glabra</i> 2 trees, stems adjacent	Semi-mature	19	0	300	180		8	9	9	4	20 to 40 yrs	Fair	B
275612.5 721983.6	3341	Alder <i>Alnus glutinosa</i>	Mature	17	3	480			7	9	9	9	20 to 40 yrs	Fair	B
275607.8 721984.5	3342	Willow <i>Salix caprea</i> Cracked stems layering	Mature	5	0	310	200	260	9	9	9	9	10 to 20 yrs	Poor	C
275622.8 721975.4	3343	Ash <i>Fraxinus excelsior</i> Basal decay	Mature	22	3	460	350	330	14	9	9	14	<10 yrs	Poor	U
275624.6 721972.2	3344	Ash <i>Fraxinus excelsior</i> Basal defect. Ash die back	Mature	18	2	510			8	12	12	14	10 to 20 yrs	Fair	C
275627.2 721972.2	3345	Alder <i>Alnus glutinosa</i>	Mature	15	1	410			5	5	5	5	20 to 40 yrs	Fair	B
275638.5 721954.8	3346	Alder <i>Alnus glutinosa</i>	Semi-mature	7	2	200			6	5	3	2	20 to 40 yrs	Fair	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275635.9 721953.4	3347	Alder <i>Alnus glutinosa</i>	Mature	16	1	250	240	240	7	7	7	7	20 to 40 yrs	Fair	B
275639.1 721948.8	G3348	Alder <i>Alnus glutinosa</i> <i>3 coppice stools. Multi stemmed tree with one or more dead stems</i>	Mature	16	2	240	230	200	8	9	8	8	10 to 20 yrs	Poor	C
275646.7 721938.8	3349	Alder <i>Alnus glutinosa</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	17	4	250	250	230	8	8	8	8	<10 yrs	Poor	U
275647.3 721937	3350	Alder <i>Alnus glutinosa</i>	Mature	17	1	330	300	250	7	8	8	9	20 to 40 yrs	Fair	B
275654.2 721927.7	3351	Alder <i>Alnus glutinosa</i> <i>2 trees. Multi stemmed tree with one or more dead stems</i>	Mature	16	1	180	160		9	6	9	8	<10 yrs	Poor	U
275657 721917.5	3352	Hawthorn <i>crataegus monogyna</i>	Mature	5	0	200	100		3	1	5	5	10 to 20 yrs	Fair	C
275665 721917.5	3353	Alder <i>Alnus glutinosa</i>	Mature	17	1	330	330		6	7	8	8	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275693.1 721897.7	G3354	Alder <i>Alnus glutinosa</i> <i>Linear group growing along top of embankment, southwest edge. 6 trees</i>	Semi-mature	15	2	200			8	8	8	8	20 to 40 yrs	Fair	B
275700.1 721899.9	3355	Alder <i>Alnus glutinosa</i> <i>Linear group growing along top of embankment, northeast edge. 6 trees</i>	Semi-mature	15	2	200			8	8	8	8	20 to 40 yrs	Fair	B
275692.3 721908.7	3356	Birch <i>Betula pendula</i> <i>Fallen tree root plate failure</i>	Semi-mature	6	3	190			1	9	6	0	<10 yrs	Poor	U
275688.7 721902.3	3357	Birch <i>Betula pendula</i>	Mature	20	>5	360			4	11	7	2	20 to 40 yrs	Fair	B
275688.3 721901.5	3358	Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	180	170		3	2	6	6	20 to 40 yrs	Fair	B
275686.1 721903.7	3359	Alder <i>Alnus glutinosa</i>	Semi-mature	14	4	150	140	130	5	4	5	5	20 to 40 yrs	Fair	B
275683.9 721907.7	3360	Birch <i>Betula pendula</i>	Semi-mature	16		190			3	6	0	2	10 to 20 yrs	Fair	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275680.3 721910.9	3361	Birch <i>Betula pendula</i>	Dead	14	2	360			5	5	5	5	n/a	Dead	U
275691.1 721905.5	3362	Birch <i>Betula pendula</i>	Semi-mature	17	>5	220			5	8	5	0	20 to 40 yrs	Fair	B
275692.1 721906.3	3363	Alder <i>Alnus glutinosa</i>	Semi-mature	14	4	180	120		4	7	5	1	20 to 40 yrs	Fair	B
275686.3 721912.1	3364	Birch <i>Betula pendula</i>	Mature	21	>5	270			7	7	7	7	20 to 40 yrs	Fair	B
275682.9 721915.3	G3365	Alder <i>Alnus glutinosa</i> 5 trees	Mature	16					8	8	8	8	20 to 40 yrs	Fair	B
275675.9 721911.5	3366	Alder <i>Alnus glutinosa</i> Multi stemmed tree with one or more dead stems	Mature	16	0	370			7	7	7	7	<10 yrs	Poor	U
275679.5 721915.3	3367	Birch <i>Betula pendula</i> 3 trees	Semi-mature	19	>5	200			9	9	9	9	20 to 40 yrs	Fair	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275679.5 721917.3	3368	Alder <i>Alnus glutinosa</i>	Semi-mature	16		240	180	100	9	9	6	6	20 to 40 yrs	Fair	B
275677.5 721919.3	3369	Birch <i>Betula pendula</i>	Mature	17	1	300			8	8	7	7	20 to 40 yrs	Fair	B
275672.1 721919.5	3370	Alder <i>Alnus glutinosa</i>	Mature	17	2	340			8	8	8	8	20 to 40 yrs	Fair	B
275660.1 721930.7	G3371	Alder <i>Alnus glutinosa</i> <i>Linear group growing along top of embankment southwest edge approximately 7 trees</i>	Semi-mature	15	0	250			15	6	15	9	20 to 40 yrs	Fair	B
275676.5 721922.5	3372	Alder <i>Alnus glutinosa</i>	Semi-mature	13		170	170		6	7	4	4	20 to 40 yrs	Fair	B
275660.9 721924.3	3373	Alder <i>Alnus glutinosa</i>	Mature	17	0	310			8	1	4	11	20 to 40 yrs	Fair	B
275656.3 721936.1	3374	Birch <i>Betula pendula</i>	Semi-mature	14	>5	110			0	2	6	6	10 to 20 yrs	Fair	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Age Class	Height (m)	Crown Height	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	SULE	Condition Class	Category
275648.6 721942.5	3375	Alder <i>Alnus glutinosa</i>	Semi-mature	9	3	120			4	4	4	4	10 to 20 yrs	Fair	C
275649.2 721940.7	3376	Alder <i>Alnus glutinosa</i>	Semi-mature	16	2	250			5	5	5	5	20 to 40 yrs	Fair	B
275644 721949.3	3377	Alder <i>Alnus glutinosa</i>	Young	5	1	100	90		2	2	2	2	10 to 20 yrs	Fair	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277327.2 721440.8	3378	Common Lime <i>Tilia europaea</i> <i>Significant tree in landscape. Epicormic growth on base/stem</i>	Mature	23	2	710			8	7	8	6		20 to 40 yrs	A
277320.1 721435.3	3379	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	20	5	670			9	6	7	6	Poor	10 to 20 yrs	C
277319.4 721427.1	3380	Sycamore <i>Acer pseudoplatanus</i> <i>Significant tree in landscape. Ivy clad bole into lower crown</i>	Mature	22	5	980			10	10	10	7	Fair	20 to 40 yrs	A
277314.3 721427.2	3381	Sycamore <i>Acer pseudoplatanus</i> <i>Significant tree in landscape. Ivy clad bole into lower crown</i>		25	5	640			9	9	8	9	Fair	20 to 40 yrs	A
277308 721418.1	3382	Lime <i>Tilia europaea</i> <i>Significant tree in landscape. Ivy clad bole into lower crown. Basal swelling with epicormic growth</i>	Mature	25	5	920			9	8	9	9	Fair	20 to 40 yrs	B
277296 721416.6	3383	Sycamore <i>Acer pseudoplatanus</i> <i>Significant tree in landscape. Ivy clad bole into lower crown</i>	Mature	17		590			9	8	8	9	Fair	20 to 40 yrs	A
277298.1 721408.3	3384	Red Oak <i>Quercus rubra</i> <i>Significant tree in landscape with some deadwood/die back in crown. Ivy clad bole into lower crown</i>	Mature	24	>5	770			9	10	10	9	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277280.4 721394.5	3385	Lime <i>Tilia europaea</i> <i>Ivy clad bole into lower crown</i>	Mature	22	2	880			7	7	7	7	Poor	10 to 20 yrs	C
277270 721396.2	3386	Lime <i>Tilia europaea</i> <i>Significant tree in landscape</i>	Mature	25	2	940			9	8	6	7	Fair	20 to 40 yrs	A
277268.6 721388.9	3387	Lime <i>Tilia europaea</i> <i>Significant tree in landscape. Significant specimen. Crown raised above driveway</i>	Mature	30	2	1100			8	9	9	9	Fair	20 to 40 yrs	A
277260.2 721396.5	3388	Common Silver Fir <i>Abies alba</i> <i>Significant tree in landscape</i>	Mature	32	2	950			9	7	8	7	Fair	20 to 40 yrs	A
277254.9 721396.4	3389	Common Silver Fir <i>Abies alba</i> <i>Significant tree in landscape</i>	Mature	34	4	890			9	6	7	6	Fair	20 to 40 yrs	A
277250.5 721396.3	3390	Common Silver Fir <i>Abies alba</i> <i>Significant tree in landscape</i>	Mature	34	2	910			9	7	8	7	Fair	20 to 40 yrs	A
277246.7 721396.2	3391	Common Silver Fir <i>Abies alba</i> <i>Significant tree in landscape</i>	Mature	34	9	690			8	7	8	7	Fair	20 to 40 yrs	A

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality
277246.9 721389.2	3392	Common Silver Fir <i>Abies alba</i> <i>Significant tree in landscape</i>	Mature	34	5	1120			7	8	9	8		20 to 40 yrs	A
277238.1 721393.6	3393	Common Silver Fir <i>Abies alba</i> <i>Significant tree in landscape. Some deadwood</i>	Mature	34	5	1130			10	8	8	11	Fair	20 to 40 yrs	A
277237.3 721387.6	3394	Lime <i>Tilia europaea</i>	Mature	18	1	490			5	5	5	5	Fair	20 to 40 yrs	B
277230.9 721388.8	3395	Common Silver Fir <i>Abies alba</i> <i>Significant specimen. Significant tree in landscape</i>	Mature	34	2	1150			9	9	9	9	Fair	20 to 40 yrs	A
277226.7 721391.8	3396	Copper Beech <i>Fagus sylvatica 'Purpurea'</i> <i>Significant tree in landscape</i>	Mature	20		790			8	8	8	8	Fair	20 to 40 yrs	A
277226.3 721386.4	3397	Beech <i>Fagus sylvatica</i> <i>Crown suppressed under adjacent Fir</i>	Mature	17	2	760			4	4	7	6	Fair	20 to 40 yrs	B
277220.7 721391.8	3398	Holly <i>Ilex aquifolium</i>	Semi-mature	4		140	120		2	2	2	2	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277208.3 721387.4	G3399	Birch <i>Betula pendula</i> 2 trees	Young	6	2	120			2	4	2	4	Fair	10 to 20 yrs	C
277189.3 721382	H3400	Beech <i>Fagus sylvatica</i> Garden hedge	Semi-mature	2	0	100			1	15	1	15	Fair	20 to 40 yrs	B
277174.3 721361.7	G3401	Sycamore <i>Acer pseudoplatanus</i> 4 trees	Semi-mature	12	2	150	200		5	6	6	6	Fair	10 to 20 yrs	C
277171.5 721367.3	G3402	Sycamore <i>Acer pseudoplatanus</i> 3 trees	Semi-mature	12	2	3400			6	5	5	5	Fair	20 to 40 yrs	B
277167.9 721365.7	G3403	Sycamore <i>Acer pseudoplatanus</i> Approximately 5 trees	Semi-mature	12	2	230			6	6	5	5	Fair	20 to 40 yrs	B
277169.5 721359.3	3404	Elder <i>Sambucus nigra</i>	Mature	5	2	290			1	5	4	1	Fair	10 to 20 yrs	C
277166.3 721360.9	3405	Common Silver Fir <i>Abies alba</i>	Mature	22	2	670			5	5	5	5	Poor	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277150.3 721351.7	3406	Grand Fir <i>Abies grandis</i> <i>Significant tree in landscape</i>	Mature	39	1	990			8	5	8	7	Fair	20 to 40 yrs	A
277158.7 721356.1	3407	Ash <i>Fraxinus excelsior</i> <i>Understorey group. Ash, Elder, Hazel, Sycamore</i>	Semi-mature	9	1	240			6	8	7	8	Fair	10 to 20 yrs	C
277143.9 721348.2	3408	Oak <i>Quercus robur</i> <i>Mature tree is retreating, Epicormic growth & die back in upper crown</i>	Mature	19	3	1100			9	9	9	9	Fair	10 to 20 yrs	A
277147.9 721345.8	3409	Sweet Chestnut <i>Castanea sativa</i> <i>Significant specimen</i>	Mature	22	2	1240			11	11	11	11	Fair	20 to 40 yrs	A
277142.3 721347.9	3410	Common Beech <i>Fagus sylvatica</i>	Mature	18	3	610	310		9	6	6	8	Fair	20 to 40 yrs	B
277142.1 721350.5	3411	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	9	3	320			7	7	0	2	Fair	20 to 40 yrs	B
277145.7 721353.1	3412	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	2				5	5	2	3	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277142.9 721347.1	3413	Beech <i>Fagus sylvatica</i>	Semi-mature	14	3	220			2	1	5	5	Fair	20 to 40 yrs	B
277144.1 721345.5	3414	Beech <i>Fagus sylvatica</i>	Semi-mature	16	3	420			5	5	5	8	Fair	20 to 40 yrs	B
277146.5 721344.3	3415	Common Silver Fir <i>Abies alba</i>	Semi-mature	13	>5	350			5	4	4	5	Fair	20 to 40 yrs	B
277145.1 721344.1	3416	Beech <i>Fagus sylvatica</i> <i>Suppressed crown</i>	Semi-mature	5	1	260			3	2	3	5	Fair	10 to 20 yrs	C
277149.9 721341.9	3417	Lime <i>Tilia europaea</i>	Mature	28	2	1020			3	8	8	6	Fair	20 to 40 yrs	B
277148.1 721340.1	3418	Fir <i>Abies alba</i>	Mature	31	3	620			6	5	7	6	Fair	20 to 40 yrs	B
277146.5 721338.7	3419	Fir <i>Abies alba</i>	Mature	20	3	510			5	3	6	7	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277147.3 721336.7	3420	Fir <i>Abies alba</i> <i>Crown suppressed under adjacent trees</i>	Mature	12	4	730			7	5	5	9	Fair	20 to 40 yrs	B
277148.3 721335.3	3421	Fir <i>Abies alba</i>	Mature	15	5	660			4	7	6	8	Fair	20 to 40 yrs	B
277150.7 721332.5	3422	Fir <i>Abies alba</i> <i>Decay base/bole</i>	Mature	12	2	720			6	6	9	9	Poor	<10 yrs	U
277151.9 721330.9	3423	Fir <i>Abies alba</i> <i>Ivy clad bole into lower crown</i>	Mature	20	>5	880			8	9	8	9	Fair	20 to 40 yrs	B
277154.1 721328.7	G3424	Elder <i>Sambucus nigra</i> <i>2 trees. Ivy clad</i>	Mature	6	1	150	120		5	5	5	2	Fair	10 to 20 yrs	C
277156.1 721326.1	3425	Fir <i>Abies alba</i> <i>Ivy clad bole into lower crown</i>	Mature	17	1	740			7	8	8	8	Fair	20 to 40 yrs	B
277170.7 721344.7	G3426	Cherry <i>Prunus avium</i> <i>6 Cherry & 1 Pear tree in garden</i>	Young	6	1	120			9	9	9	9	Fair	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277190.1 721342.1	3427	Irish Yew <i>Taxus baccata 'Fastigiata'</i>	Semi-mature	6	0	500			3	3	3	3	Fair	20 to 40 yrs	B
277184.9 721329.7	H3428	Beech <i>Fagus sylvatica</i> Garden hedge	Semi-mature	4	0	130			1	15	1	15	Fair	20 to 40 yrs	B
277169 721308.2	3428	Sycamore <i>Acer pseudoplatanus</i>	Mature	15	2	320	280	270	7	7	7	7	Fair	20 to 40 yrs	B
277170.8 721311.6	3429	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16	2	260	130		5	4	2	2	Fair	20 to 40 yrs	B
277169.2 721313.2	3430	Elder <i>Sambucus nigra</i>	Semi-mature	6	1	220			5	2	0	2	Fair	10 to 20 yrs	C
277171.6 721309.2	G3431	Lawson Cypress/Chamaecyp <i>3 trees</i>	Mature	20	0	810			9	9	9	9	Fair	20 to 40 yrs	B
277192.3 721315.7	3433	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	6	1	210	200	150	3	3	3	3	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277192.9 721314.5	H3434	Common Box <i>Buxus sempervirens</i> Hedgerow outgrown consisting of Box with Cherry Plumb, Privet & self-set Sycamores	Semi-mature	5	0	100			2	10	2	10	Fair	10 to 20 yrs	C
277203.3 721325.1	3435	Swamp cypress <i>Metasequoia glyptostrobdes</i> Somewhat sparse crown	Semi-mature	17	3	650			6	6	6	6	Fair	20 to 40 yrs	B
277201.4 721333	3436	Swamp cypress <i>Metasequoia glyptostrobdes</i> Tree shrub multi stemmed	Semi-mature	9	3	180	180	180	5	5	5	5	Fair	20 to 40 yrs	B
277206 721320.4	3437	Apple <i>Malus hupehensis</i> Suppressed crown	Semi-mature	5	2	100	120		3	2	3	2	Fair	10 to 20 yrs	C
277209.2 721320.4	3438	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	7	1	230	230		4	4	4	4	Poor	10 to 20 yrs	C
277212.2 721327.2	3439	Cherry <i>Prunus avium</i> 2 trees	Semi-mature	7	2	230	180		6	4	6	4	Fair	20 to 40 yrs	B
277216.8 721324	G3440	Sycamore <i>Acer pseudoplatanus</i> 9 stems	Semi-mature	18	2	320	170		9	9	9	9	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277227.8 721326.9	3441	European Larch <i>Larix decidua</i>	Mature	20	3	770			10	9	9	5	Fair	20 to 40 yrs	B
277224.7 721327.6	3442	Larch <i>Larix decidua</i>	Mature	20	2	780			10	6	6	8	Fair	20 to 40 yrs	B
277223.9 721323.8	3443	Larch <i>Larix decidua</i> <i>Stems leaning south</i>	Mature	19	3	800			5	7	10	8	Fair	20 to 40 yrs	B
277209.4 721341.2	3444	Hawthorn <i>Crataegus monogyna</i>	Semi-mature	6	1	100	100	100	2	2	2	2	Fair	20 to 40 yrs	B
277222 721343	3445	Hupeh Crab <i>Malus hupehensis</i>	Semi-mature	6	2	250			2	3	4	3	Fair	20 to 40 yrs	B
277258.3 721348.7	3446	Larch <i>Larix decidua</i>	Mature	22	2	520			7	7	7	7	Fair	20 to 40 yrs	B
277246.3 721334.9	3447	Box <i>Buxus sempervirens</i> <i>Garden hedge</i>	Semi-mature	3	0	100			1	10	1	10	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277247.1 721369.7	3448	Horse Chestnut <i>Aesculus hippocastanum</i>	Mature	25	3	1330			12	10	12	11	Fair	20 to 40 yrs	B
277254.3 721367.9	G3449	<i>2 trees topped/re-grown</i>	Mature	7	0	480			6	7	6	7	Fair	20 to 40 yrs	B
277255.7 721366.5	3450	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15	2	240	210	180	3	4	6	4	Fair	20 to 40 yrs	B
277257.5 721374.5	3451	Grand Fir <i>Abies grandis</i>	Semi-mature	13	2	350			4	4	4	2	Fair	20 to 40 yrs	B
277254.9 721372.7	3452	Ash <i>Fraxinus excelsior</i>	Semi-mature	13	2	90	90		3	3	3	3	Fair	10 to 20 yrs	C
277268.9 721377.9	H3453	Beech <i>Fagus sylvatica</i> <i>Garden hedge with occasional outgrown trees</i>	Semi-mature	7	0	180			2	9	2	9	Fair	20 to 40 yrs	B
277291.3 721416	H3453a	Beech <i>Fagus sylvatica</i> <i>Garden hedge</i>	Semi-mature	2	0	140			1	20	1	20	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277301.3 721407.2	H3454	Beech <i>Fagus sylvatica</i> Garden hedge	Semi-mature	2	0	140			1	20	1	20	Fair	20 to 40 yrs	B
277373.7 721458.7	3455	Copper Beech <i>Fagus sylvatica</i> 'Purpurea' Significant specimen	Mature	23	6	1210			9	9	9	9	Fair	20 to 40 yrs	A
277366.9 721459.2	3456	Tibetan Cherry <i>Prunus serrula</i>	Young	4	2	100			2	2	1	1	Fair	10 to 20 yrs	C
277370.7 721460.6	3457	Prunus <i>Prunus avium</i>	Young	4	2	100			2	2	1	1	Fair	10 to 20 yrs	C
277371.3 721440.7	H3458	Beech <i>Fagus sylvatica</i> Garden hedge	Semi-mature	2	0	109			10	1	10	1	Fair	20 to 40 yrs	B
277378.5 721441.5	H3459	Beech <i>Fagus sylvatica</i> Garden hedge	Semi-mature	2	0	120			10	1	10	1	Fair	20 to 40 yrs	B
277376.1 721418.7	3460	Weeping Willow <i>Salix chrysocoma</i>	Semi-mature	5	0	220			1	2	3	2	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277384.1 721427.1	3461	Weeping Willow <i>Salix chrysocoma</i> <i>Tree on edge of group extending east</i>	Semi-mature	10	2	280			3	3	3	3	Fair	20 to 40 yrs	B
277387.5 721398	G3462	Portuguese Laurel <i>Laurocerasus lucitanica</i> <i>Minor fire damage to foliage of 1 stem</i>	Semi-mature	7	1	260			4	4	4	4	Fair	20 to 40 yrs	B
277392.3 721384.4	3463	Common Holly <i>Ilex aquifolium</i>	Semi-mature	5	2	270	170		2	2	2	2	Fair	20 to 40 yrs	B
277394.7 721376	3464	Common Holly <i>Ilex aquifolium</i>	Semi-mature	5	2	160	160		2	2	2	2	Fair	20 to 40 yrs	B
277395.5 721359.6	3465	Birch <i>Betula pendula</i>	Mature	21	3	570			7	7	7	7	Fair	20 to 40 yrs	B
277399.5 721360	3466	Birch <i>Betula pendula</i>	Mature	18	3	600			7	7	7	5	Fair	20 to 40 yrs	B
277392.3 721346	H3467	Beech <i>Fagus sylvatica</i>	Semi-mature	2	0	120			16	1	16	1	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277391.8 721316.2	3468	Birch <i>Betula pendula</i>	Mature	21	4	440			7	7	7	7	Fair	20 to 40 yrs	B
277388.2 721312	3469	Sorbus <i>Sorbus aucuparia</i>	Mature	9	2	130	130	130	3	3	3	3	Fair	20 to 40 yrs	B
277386.2 721297.2	3470	Beech <i>Fagus sylvatica</i>	Semi-mature	21	2	480			8	8	8	8	Fair	20 to 40 yrs	B
277386.6 721299.6	H3471	Beech <i>Fagus sylvatica</i> Garden hedge	Semi-mature	1	0	120			10	1	10	1	Fair	20 to 40 yrs	B
277388.2 721287.2	3472	Ash <i>Fraxinus excelsior</i>	Mature	25	4	430			9	7	8	9	Fair	20 to 40 yrs	B
277391.8 721286	3473	Larch <i>Larix decidua</i>	Semi-mature	24	3	340			7	7	7	7	Fair	20 to 40 yrs	B
277394.2 721290	3474	Birch <i>Betula pendula</i>	Mature	19	3	370			8	5	2	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277393.8 721286.6	3475	Birch <i>Betula pendula</i>	Mature	19	5	350			6	8	6	4	Fair	20 to 40 yrs	B
277387.4 721281.6	3476	Whitebeam <i>Sorbus aria</i>	Mature	10	1	360	150	140	5	5	5	5	Fair	20 to 40 yrs	B
277386.6 721269.6	3477	Birch <i>Betula pendula</i>	Mature	20	3	370			7	7	7	7	Fair	20 to 40 yrs	B
277385.4 721273.2	3478	Elm <i>Ulmus glabra</i> Stem leaning slightly west	Semi-mature	17	2	380			7	4	4	9	Fair	20 to 40 yrs	B
277381.8 721273.2	3479	Holly <i>Ilex aquifolium</i>	Semi-mature	5	2	210			3	3	3	3	Fair	20 to 40 yrs	B
277380.6 721269.2	3480	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	6	2	130	130		3	1	3	4	Fair	20 to 40 yrs	B
277379.4 721266	3481	Elder <i>Sambucus nigra</i>	Semi-mature	8	3	250			3	1	3	5	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277378.2 721263.1	3482	Holly <i>Ilex aquifolium</i>	Semi-mature	6	0	220			2	2	3	4	Fair	20 to 40 yrs	B
277377.8 721259.1	3483	Holly <i>Ilex aquifolium</i>	Mature	8	0	320	240		5	5	5	5	Fair	20 to 40 yrs	B
277376.4 721253.9	3484	Ash <i>Fraxinus excelsior</i> <i>Re grown from fallen stump</i>	Mature	15	5	410	90		5	5	5	5	Fair	20 to 40 yrs	B
277378.2 721253.1	G3485	Holly <i>Ilex aquifolium</i> <i>Approximately 6 trees</i>	Semi-mature	8	2	220			6	6	6	4	Fair	20 to 40 yrs	B
277373.8 721249.9	3486	Ash <i>Fraxinus excelsior</i>	Young	9	3	140			3	0	3	6	Fair	10 to 20 yrs	C
277373.2 721254.4	3487	Gray Willow <i>Salix cinerea</i>	Semi-mature	5	0	150	160		3	2	3	4	Fair	10 to 20 yrs	C
277373.6 721247.6	3488	Ash <i>Fraxinus excelsior</i>	Mature	22	4	410	370		8	8	8	8	Fair	20 to 40 yrs	B
277374.4 721248	3489	Holly <i>Ilex aquifolium</i>	Mature	9	0	260	180	120	5	5	4	5	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277379.8 721248.2	G3490	Ash <i>Fraxinus excelsior</i> 2 trees. Ash die back	Semi-mature	18	5	190			7	1	7	6	Fair	10 to 20 yrs	C
277379 721245.8	3491	Mountain Ash <i>Sorbus aucuparia</i>	Semi-mature	9	1	150	80	80	3	1	3	5	Fair	10 to 20 yrs	C
277376.6 721237.2	3492	Elder <i>Sambucus nigra</i>	Mature	6	1	160			1	2	4	2	Poor	10 to 20 yrs	C
277375.4 721234.2	3493	Hawthorn <i>Crataegus monogyna</i>	Mature	7	1	140	120		3	2	3	3	Fair	20 to 40 yrs	B
277376 721233.6	3294	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	5	1	90	90	100	3	3	3	0	Fair	10 to 20 yrs	C
277370.8 721223.2	3495	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	12	1	260	240		6	5	2	5	Fair	10 to 20 yrs	C
277373.6 721216.6	3496	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	18	2	470			7	8	7	7	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277372.4 721219.2	G3497	Willow <i>Salix cinerea</i>	Semi-mature	4	0	150			3	1	3	4	Fair	10 to 20 yrs	C
277370.4 721213.2	3498	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15	3	280	170		5	5	5	5	Fair	20 to 40 yrs	B
277370.2 721210.2	3499	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	13	2	420	280		7	7	7	7	Fair	10 to 20 yrs	C
277370.7 721202.4	3500	Ash <i>Fraxinus excelsior</i> Ash die back. Ivy clad bole into lower crown	Semi-mature	17	3	470			7	7	5	7	Fair	10 to 20 yrs	C
276688.8 722110.8	3501	Birch <i>Betula pendula</i>	Semi-mature	5	2	230			2	2	3	3	Fair	20 to 40 yrs	B
276687.2 722113.1	3502	Birch <i>Betula pendula</i>	Semi-mature	5	2	170	120	120	2	2	2	2	Fair	20 to 40 yrs	B
276701.3 722113.1	3503	White Spruce <i>Picea glauca</i>	Semi-mature	5	0	140			2	2	2	2	Fair	20 to 40 yrs	B
276674.1 722102.2	3504	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	5	2	70	40	40	2	2	2	2	Fair	20 to 40 yrs	B
276674.1 722095.2	3505	Hawthorn <i>Crataegus monogyna</i>	Semi-mature	5	2	120	100	90	3	3	3	3	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276670.5 722087.2	3506	Birch <i>Betula pendula</i>	Semi-mature	8	2	140			3	3	3	3	Fair	20 to 40 yrs	B
276674.4 722085.9	3507	Tibetan Cherry <i>Prunus serrula</i>	Semi-mature	6	2	330			4	4	4	4	Fair	20 to 40 yrs	B
276672.5 722079.2	3508	Norway Maple <i>Acer platanoides</i>	Semi-mature	5	2	110			2	2	2	2	Fair	10 to 20 yrs	C
276679.2 722080.8	3509	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	4	2	100			2	2	2	1	Poor	10 to 20 yrs	C
276664.8 722077.3	3510	Alder <i>Alnus glutinosa</i>	Semi-mature	10	1	210			4	4	4	4	Fair	20 to 40 yrs	B
276677.3 722083	H9511	Leyland Cypress <i>Leylandia</i> <i>Garden hedge</i>	Semi-mature	2	0	100			7	1	7	1	Fair	10 to 20 yrs	C
276646.7 722096.9	3511	Jacquemont's Birch <i>Betula utilis</i> var.	Semi-mature	7	2	130	80	80	3	4	3	2	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276645.7 722083.4	3512	Birch <i>Betula pendula</i>	Semi-mature	6	3	100	100	60	3	3	3	3	Fair	20 to 40 yrs	B
276646 722074.7	3513	Birch <i>Betula pendula</i>	Semi-mature	6	3	90	90	70	3	3	3	3	Fair	20 to 40 yrs	B
276639.9 722076.3	3514	Birch <i>Betula pendula</i>	Semi-mature	6	3	80	80		3	3	3	3	Fair	20 to 40 yrs	B
276652 722066.9	3515	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	0	310	220	170	4	5	8	6	Poor	10 to 20 yrs	C
276651.1 722074.2	3516	Silver Birch <i>Betula pendula</i>	Mature	22	3	350			5	5	6	5	Fair	20 to 40 yrs	B
276629.6 722067.8	3517	Crack Willow <i>Salix fragilis</i> <i>Topped & re-grown</i>	Semi-mature	3	1	270			2	2	2	2	Poor	10 to 20 yrs	C
276600.4 722082.6	3518	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Semi-mature	13	1	430			7	7	7	7	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276584.1 722084.5	3519	Copper Beech <i>Fagus sylvatica 'Purpurea'</i>	Semi-mature	13	1	430			7	7	6	6	Fair	20 to 40 yrs	B
276574.1 722087.7	3520	Ash <i>Fraxinus excelsior</i>	Semi-mature	17	3	250			6	5	5	7	Fair	20 to 40 yrs	B
276574.5 722080.7	3521	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	18	0	280			4	6	8	6	Fair	10 to 20 yrs	C
276584.4 722096.7	3522	Alder <i>Alnus glutinosa</i>	Semi-mature	12	3	230			5	5	3	5	Fair	20 to 40 yrs	B
276590.1 722089.7	3523	Willow <i>Salix cinerea</i>	Mature	24	5	510			7	8	8	6	Fair	20 to 40 yrs	B
276586.3 722099.9	3524	Bhutan Pine <i>Pinus wallichiana</i>	Semi-mature	10	2	360	240		5	4	5	4	Fair	20 to 40 yrs	B
276586.7 722104.1	3525	Ash <i>Fraxinus excelsior</i>	Young	6	2	110			3	3	1	2	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276595.3 722092.9	G3526	Pine <i>Pinus sylvestris</i> 5 trees	Semi-mature	8	2	260			7	7	7	7	Fair	20 to 40 yrs	B
276597.5 722090.6	G3527	Birch <i>Betula pendula</i> 3 trees	Semi-mature	10	3	150			4	6	4	6	Fair	20 to 40 yrs	B
276601.7 722103.1	3528	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	4	1	120			2	2	2	2	Fair	10 to 20 yrs	C
276608.4 722105.3	3529	Katsura <i>Cercidiphyllum japonicum</i>	Semi-mature	7	0	130	130	90	3	4	3	2	Fair	20 to 40 yrs	B
276564.5 722097.9	3530	Weeping Willow <i>Salix chrysocoma</i>	Young	4	0	170			3	3	3	3	Fair	10 to 20 yrs	C
276569.3 722095	3531	Cherry <i>Prunus avium</i>	Semi-mature	6	1	400			5	5	5	5	Fair	20 to 40 yrs	B
276576.9 722096.6	3532	Crab Apple <i>Malus sylvestris</i>	Semi-mature	5	1	70	60	60	3	2	4	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276577.3 722090.2	H3533	<i>Garden hedges: Beech & Cypress</i>	Semi-mature	3	0	100			8	1	6	8	Fair	10 to 20 yrs	B
276568.3 722079.7	3534	Common Laburnum <i>Laburnum anagyroides</i>	Semi-mature	4	0	70	70	70	2	0	2	4	Fair	20 to 40 yrs	B
276560.9 722084.8	3535	Apple <i>Malus</i>	Semi-mature	4	1	180	140		3	3	4	3	Poor	10 to 20 yrs	C
276559 722089.9	3536	Birch <i>Betula pendula</i>	Semi-mature	4	0	200			2	2	2	2	Fair	20 to 40 yrs	B
276557 722086.1	H3537	<i>Garden hedge</i>	Semi-mature	3	0	130			1	6	5	1	Fair	20 to 40 yrs	B
276556.9 722094.4	G3538	Chinese Juniper <i>Juniperus chinensis</i> <i>2 trees</i>	Semi-mature	5	0	140			2	2	2	2	Fair	10 to 20 yrs	C
276552.7 722095	3539	Apple <i>Malus</i>	Semi-mature	4	1	160			2	2	2	2	Poor	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276552.7 722091.7	3540	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	12	2	230			5	4	3	4	Poor	10 to 20 yrs	C
276554 722084.3	3541	Oak <i>Quercus robur</i>	Semi-mature	13	3	280	320	130	7	7	8	9	Fair	20 to 40 yrs	B
276546.9 722087.8	3542	Red Snakebark Maple <i>Acer capillipes</i>	Semi-mature	6	1	120	60		3	3	3	3	Fair	20 to 40 yrs	B
276532 722087.2	3543	Norway Maple <i>Acer platanoides</i>	Semi-mature	6	1	160			3	3	2	1	Fair	20 to 40 yrs	B
276531.9 722084.9	3544	Norway Maple <i>Acer platanoides</i>	Semi-mature	8	1	170	90	90	4	4	4	4	Fair	10 to 20 yrs	C
276526.8 722084.3	3545	Oak <i>Quercus robur</i> <i>Twin co dominant stems with compression forks and included bark</i>	Mature	17	3	390	290		5	7	6	7	Fair	10 to 20 yrs	C
276527.4 722091.5	3546	Oak <i>Quercus robur</i>	Semi-mature	15	2	370			7	7	6	6	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276517.9 722090.1	3547	Norway Maple <i>Acer platanoides</i>	Semi-mature	17	5	270	240	160	6	6	5	5	Fair	20 to 40 yrs	B
276513.9 722085	3548	Oak <i>Quercus robur</i> <i>Multi stemmed tree with failure of bark included union</i>	Semi-mature	16	3	320	190	180	7	7	7	7	Fair	10 to 20 yrs	C
276511.2 722078.9	3549	Oak <i>Quercus robur</i>	Semi-mature	16	6	290			2	8	8	5	Fair	20 to 40 yrs	B
276506.9 722081.1	3550	Oak <i>Quercus robur</i>	Semi-mature	20	4	400			6	8	8	8	Fair	20 to 40 yrs	B
276502.7 722082.7	3551	Oak <i>Quercus robur</i>	Semi-mature	18	5	370	260		9	7	5	7	Fair	20 to 40 yrs	B
276507.2 722084.3	3552	Oak <i>Quercus robur</i>	Semi-mature	17	6	260			6	4	5	4	Fair	20 to 40 yrs	B
276501.4 722077.9	3553	Alder <i>Alnus glutinosa</i>	Semi-mature	10	2	160	150	120	4	2	4	4	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276497 722078.5	3554	Norway Maple <i>Acer platanoides</i>	Semi-mature	8	2	140	140		4	3	3	5	Fair	10 to 20 yrs	C
276497 722076.9	G3555	Ash <i>Fraxinus excelsior</i> <i>Erosion within rooting area</i>	Semi-mature	6	0	130			2	2	5	3	Poor	<10 yrs	U
276493.8 722076.9	3556	Hazel <i>Corylus avellana</i>	Young	4	1	75	60		1	2	3	3	Fair	10 to 20 yrs	C
276489 722075.6	3557	Norway Maple <i>Acer platanoides</i>	Semi-mature	12	5	180	170		3	4	4	3	Fair	20 to 40 yrs	B
276487 722074.7	3558	Alder <i>Alnus glutinosa</i>	Semi-mature	11	5	150	80	70	3	2	5	3	Fair	20 to 40 yrs	B
276484.5 722073.1	3559	Ash <i>Fraxinus excelsior</i> <i>Erosion within rooting area</i>	Semi-mature	9	0	140	70	70	2	3	5	3	Poor	<10 yrs	U
276482.2 722071.5	3560	Alder <i>Alnus glutinosa</i>	Semi-mature	10	3	170			4	3	5	3	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276479.7 722071.1	3561	Alder <i>Alnus glutinosa</i>	Semi-mature	6	0	130	60	40	1	3	5	2	Fair	10 to 20 yrs	C
276477.1 722069.9	3562	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Erosion within rooting area</i>	Semi-mature	10	1	140	120	40	1	2	4	4	Poor	10 to 20 yrs	C
276468.1 722066.3	3563	Alder <i>Alnus glutinosa</i>	Semi-mature	9	5	140			1	2	2	1	Poor	<10 yrs	U
276463 722063	3564	Alder <i>Alnus glutinosa</i>	Semi-mature	12	5	140	140	130	4	6	6	5	Fair	20 to 40 yrs	B
276457.9 722061.4	3565	Ash <i>Fraxinus excelsior</i>	Young	7	4	100			1	1	2	1	Poor	<10 yrs	U
276455.3 722056.8	3566	Alder <i>Alnus glutinosa</i>	Semi-mature	7	2	110	100	60	0	2	4	2	Fair	20 to 40 yrs	B
276449.5 722056.1	3567	Ash <i>Fraxinus excelsior</i>	Young	6	2	70	70		1	2	2	1	Poor	<10 yrs	U

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276446.5 722053.5	3568	Alder <i>Alnus glutinosa</i>	Semi-mature	9		130	140	40	3	4	5	3	Fair	20 to 40 yrs	B
276443.9 722052.5	3569	Ash <i>Fraxinus excelsior</i>	Young	12	5	75			2	2	2	2	Fair	10 to 20 yrs	C
276442 722050.3	3570	Alder <i>Alnus glutinosa</i>	Semi-mature	7	1	800	60	30	1	2	4	2	Fair	10 to 20 yrs	C
276437.5 722048.7	3571	Alder <i>Alnus glutinosa</i>	Semi-mature	10	3	110	90	90	2	3	4	2	Fair	20 to 40 yrs	B
276434 722044.8	3572	Alder <i>Alnus glutinosa</i>	Semi-mature	12	5	100			3	3	3	3	Fair	20 to 40 yrs	B
276407.4 722024.4	3573	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Twin co dominant stems with compression forks and included bark</i>	Semi-mature	13	2	240	190		7	6	7	7		10 to 20 yrs	C
276403.5 722022.1	3574	Beech <i>Fagus sylvatica</i>	Semi-mature	13	1	370			6	6	5	5	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276401.9 722018.6	3575	Beech <i>Fagus sylvatica</i>	Semi-mature	11	1	250	220		4	4	5	5	Poor	10 to 20 yrs	C
276397.5 722016.4	3576	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	8	1	240	60		5	3	4	5	Fair	20 to 40 yrs	B
276400.7 722014.4	3577	Poplar <i>Populus x canadensis</i>	Semi-mature	19	5	300			4	5	5	3	Fair	20 to 40 yrs	B
276402.3 722011.9	3578	Beech <i>Fagus sylvatica</i>	Semi-mature	12	1	260			5	5	5	4	Fair	20 to 40 yrs	B
276399.4 722012.2	3579	Poplar <i>Populus x canadensis</i>	Semi-mature	17	5	240			4	4	4	4	Fair	20 to 40 yrs	B
276398.1 722007.5	3580	Beech <i>Fagus sylvatica</i>	Semi-mature	12	1	230			4	4	5	4	Fair	20 to 40 yrs	B
276393 722004	3581	Poplar <i>Populus x canadensis</i>	Semi-mature	18	>5	300			4	4	5	4	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276391.7 722000.4	3582	Beech <i>Fagus sylvatica</i>	Semi-mature	12	1	190			4	4	4	4	Fair	20 to 40 yrs	B
276397.5 722001.1	G3583	Alder <i>Alnus glutinosa</i> <i>Natural regeneration</i>	Young	12	6	100			7	7	7	7	Fair	10 to 20 yrs	C
276391.1 722008.1	3584	Scots Pine <i>Pinus sylvestris</i>	Semi-mature	15	1	510			6	6	6	6	Fair	20 to 40 yrs	B
276394.7 722008	3585	Poplar <i>Populus x canadensis</i>	Semi-mature	18	>5	200			4	3	3	3	Fair	20 to 40 yrs	B
276397.5 722010.9	3586	Poplar <i>Populus x canadensis</i>	Semi-mature	14	>5	170			3	3	3	3	Fair	20 to 40 yrs	B
276394.7 722014	3587	Poplar <i>Populus x canadensis</i>	Semi-mature	16	>5	320			5	5	4	4	Fair	20 to 40 yrs	B
276407.3 722020.4	3588	Sorbus <i>Sorbus aucuparia</i>	Dead	6	1	140	90		2	2	3	3	Dead	n/a	U
276408.2 722021	3589	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	8	1	150	70		2	4	4	3	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
277790.6 722013.4	3591	Cherry Laurel <i>Prunus laurocerasus</i>	Semi-mature	6	0	110	70	80	2	2	3	2	Fair	10 to 20 yrs	C
277797.5 722012.3	3592	Birch <i>Betula pendula</i>	Semi-mature	10	3	160			1	1	2	2	Poor	<10 yrs	U
277798.4 722012.1	3593	Wild Cherry <i>Prunus avium</i>	Semi-mature	8	3	100			2	3	4	2	Fair	10 to 20 yrs	C
277800.4 722013.3	3594	Birch <i>Betula pendula</i>	Semi-mature	9	3	110			1	2	3	1	Fair	10 to 20 yrs	C
277803.2 722013.6	3595	Elm <i>Ulmus glabra</i>	Semi-mature	6	3	110	110		1	2	3	2	Poor	<10 yrs	U
277843.8 722020.5	3596	Hawthorn <i>Crataegus mongyna</i>	Dead	4	2	100	120		1	1	1	1	Dead	10 to 20 yrs	U
277848.5 722021.5	3597	Leyland Cypress <i>Leylandii</i>	Semi-mature	6	1	130	90	60	2	3	3	3	Fair	10 to 20 yrs	C
276097 721953.9	3598	Scots Pine <i>Pinus sylvestris</i>	Semi-mature	16	4	370			4	3	4	5	Fair	20 to 40 yrs	B
276091.6 721948.2	3599	Larch <i>Larix decidua</i>	Young	4	1	130			2	2	2	2	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277368.9 721196.4	3601	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	17	2	380			6	7	7	7	Fair	10 to 20 yrs	C
277368.5 721173.8	G3602	Hawthorn <i>Crataegus monogyna</i> <i>Hedgerow remnant</i>	Mature	5	0	130	130	130	5	4	9	4	Fair	20 to 40 yrs	B
277367.7 721167.4	3603	Sorbus <i>Sorbus aucuparia</i> <i>Tree within hedgerow remnant group. Decay base/bole</i>	Mature	5	0	280	150	170	4	4	4	4	Fair	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality
277366.1 721161.8	3604	Hawthorn <i>Crataegus monogyna</i> Part of remenant hedgerow group	Mature	7	0	200	140	130	4	4	5	4	Fair	20 to 40 yrs	B
277366.1 721154.2	3605	Sorbus <i>Sorbus aucuparia</i> Part of remenant hedgerow group	Mature	6	2	340	130		4	5	4	3	Poor	10 to 20 yrs	C
277366.5 721147	G3606	Hawthorn <i>Crataegus monogyna</i> Remenant hedgerow group. Hawthorn & Rowan	Mature	5	0	120	130	120	5	4	5	4	Fair	20 to 40 yrs	B
276890.9 721848.5	G3606a	Alder <i>Alnus glutinosa</i> Alder & Sycamore	Semi-mature	10	0	270	180	150	6	5	5	4	Fair	20 to 40 yrs	B
276885.7 721852.5	3607	Alder <i>Alnus glutinosa</i>	Mature	18	2	330	300	240	7	7	7	4	Fair	20 to 40 yrs	B
276882.1 721854.9	3608	Alder <i>Alnus glutinosa</i>	Mature	17	3	250	180	170	8	5	6	5	Fair	20 to 40 yrs	B
276878.1 721860.9	G3609	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	16	0	150	130	70	9	7	1	2	Fair	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276872.1 721866.9	3610	Sycamore <i>Acer pseudoplatanus</i>	Mature	23	5	490	380	370	10	8	7	8	Fair	20 to 40 yrs	B
276863.7 721876.1	3611	Goat Willow <i>Salix caprea</i> <i>Suppressed crown</i>	Semi-mature	13	2	210	100		5	2	1	3	Poor	10 to 20 yrs	U
276863.7 721879.3	G3612	Ash <i>Fraxinus excelsior</i> <i>Group of approximately 5 trees growing out of river bank. Ash die back</i>	Semi-mature	18	0	240			10	9	1	9	Fair	10 to 20 yrs	C
276860.1 721877.3	3613	Hybrid Black Poplar <i>Populus x canadensis</i>	Mature	28	>5	760			8	8	8	5	Fair	20 to 40 yrs	B
276858.1 721880.3	3614	Poplar <i>Populus x canadensis</i>	Mature	28	>5	730			8	6	8	6	Fair	20 to 40 yrs	B
276857.5 721881.3	3615	Beech <i>Fagus sylvatica</i>	Semi-mature	12	1	150			5	3	2	4	Fair	10 to 20 yrs	C
276856.9 721882.9	3616	Poplar <i>Populus x canadensis</i>	Mature	28	>5	620			8	6	8	6	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276855.1 721884.9	3617	Poplar <i>Populus x canadensis</i>	Mature	28	>5	720			8	5	8	8	Fair	20 to 40 yrs	B
276855.1 721887.3	3618	Larch <i>Larix decidua</i> <i>Crown suppressed under adjacent tree</i>	Semi-mature	14	0	270			6	3	0	3	Fair	20 to 40 yrs	B
276854.1 721890.5	3619	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature			13			6	3	1	3	Fair	10 to 20 yrs	C
276851.3 721890.5	3620	Poplar <i>Populus x canadensis</i>	Mature	28	>5	690			8	6	7	7	Fair	20 to 40 yrs	B
276849.9 721892.9	3621	Holly <i>Ilex aquifolium</i>	Semi-mature	7	1	260	210	160	5	5	3	5	Fair	20 to 40 yrs	B
276849.5 721894.9	3622	Red Oak <i>Quercus rubra</i>	Semi-mature	17	>5	300			9	6	4	4	Fair	20 to 40 yrs	B
276847.3 721896.7	3623	Oak <i>Quercus rubra</i>	Mature	19	5	420			9	6	6	8	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276869.9 721857.2	3624	Birch <i>Betula pendula</i>	Mature	21	7	610			8	1	9	8	Fair	20 to 40 yrs	B
276871.1 721855.8	3625	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	3	710	520		9	7	10	7	Fair	20 to 40 yrs	B
276871.5 721855	3626	Sycamore <i>Acer pseudoplatanus</i>	Mature	22	3	480			11	9	9	6	Fair	20 to 40 yrs	B
276872.1 721853.6	3627	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	22	9	460	300		8	9	7	8		20 to 40 yrs	B
276874.1 721847.4	3628	Birch <i>Betula pendula</i> <i>Epicormic growth</i>	Mature	19	6	610			7	6	7	6	Poor	10 to 20 yrs	C
276874.6 721844.6	3629	Bird Cherry <i>Prunus padus</i> <i>Stem leaning west</i>	Semi-mature	14	2	310			5	1	5	9	Fair	20 to 40 yrs	B
276876.8 721840.2	3630	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	24	>6	480			7	7	7	7	Fair	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276875.4 721839	3631	Horse Chestnut <i>Aesculus hippocastanum</i>	Mature	18	1	610			5	7	7	7	Fair	20 to 40 yrs	B
276871.6 721838	G3632	Birch <i>Betula pendula</i> 3 trees	Mature	21	3	410			9	8	8	9	Fair	20 to 40 yrs	B
276869.4 721832.4	G3633	A Group <i>Holly, Beech, Willow in understory group</i>	Semi-mature	5	0	160			4	4	4	4	Fair	10 to 20 yrs	C
276854.7 721847.7	5634	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	1	250			4	4	5	4	Fair	20 to 40 yrs	B
276864.5 721838.7	5635	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	1	270			4	2	4	5	Fair	20 to 40 yrs	B
276863.3 721843.9	5636	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	3	250			4	2	3	4	Fair	20 to 40 yrs	B
276861.9 721855	3637	Grey Willow <i>Salix cinerea</i> 2 fallen stems	Mature	12	0	360	260	270	7	2	8	8		10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276860.3 721861	3638	Copper Beech <i>Fagus sylvatica 'Purpurea'</i> <i>Defect in stem</i>	Mature	20	2	380			5	7	7	7	Poor	10 to 20 yrs	C
276861.1 721864.2	3639	Beech <i>Fagus excelsior</i>	Mature	21	0	560	310	270	8	7	7	9	Fair	20 to 40 yrs	B
276863.3 721866.9	3640	Birch <i>Betula pendula</i>	Mature	19	8	600			7	7	7	7	Fair	20 to 40 yrs	B
276863.3 721868.3	3641	Beech <i>Fagus sylvatica</i>	Mature	22	1	540	260	270	9	9	9	9	Fair	20 to 40 yrs	B
276844.6 721876.9	3642	Sycamore <i>Acer pseudoplatanus</i> <i>Twin co dominant stems with compression forks and included bark</i>	Mature	23	3	570	380		9	7	8	9	Fair	10 to 20 yrs	C
276847.2 721883.3	3643	Birch <i>Betula pendula</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	22	4	270	250	250	7	7	6	6	Poor	<10 yrs	U
276846.2 721884.5	3644	Birch <i>Betula pendula</i> <i>Multi stemmed tree with one or more dead stems</i>	Mature	19	5	200	180	170	7	7	2	4	Poor	<10 yrs	U

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276838.8 721888.7	3645	Poplar <i>Populus x canadensis</i>	Mature	28	>5	640			8	8	8	8	Fair	20 to 40 yrs	B
276831.5 721886.4	3646	Common Beech <i>Fagus sylvatica</i>	Mature	23	3	620	480		9	8	9	7	Fair	20 to 40 yrs	B
276824.3 721883.4	3647	Common Beech <i>Fagus sylvatica</i> <i>Compression forks and included bark</i>	Mature	23	4	520			9	6	8	6	Fair	20 to 40 yrs	B
276821.9 721882.2	3648	Beech <i>Fagus sylvatica</i> <i>Compression forks and included bark</i>	Mature	23	5	630			8	5	8	8	Fair	20 to 40 yrs	B
276826.5 721877.8	3649	Poplar <i>Populus x canadensis</i>	Mature	28	>5	590			8	8	8	6	Fair	20 to 40 yrs	B
276821.9 721876.4	3650	Poplar <i>Populus x canadensis</i>	Mature	28	>5	650			8	5	8	5	Fair	20 to 40 yrs	B
276819.3 721876	3651	Poplar <i>Populus x canadensis</i> <i>Ivy clad bole</i>	Mature	28	>5	630			8	6	8	7	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276818.2 721877.6	3653	Poplar <i>Populus x canadensis</i>	Mature	28	>5	480			8	7	7	8	Fair	20 to 40 yrs	B
276816.8 721874.8	3654	Poplar <i>Populus x canadensis</i> <i>Crown somewhat suppressed under adjacent trees</i>	Mature	22	>5	310			0	4	8	4	Fair	20 to 40 yrs	B
276825.8 721861.8	3655	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Tree on group edge</i>	Semi-mature	14	0	290			6	6	6	6	Fair	10 to 20 yrs	C
276838.6 721863.1	3652	Birch <i>Betula pendula</i>	Mature	17	1	320			2	6	7	4	Fair	20 to 40 yrs	B
276836.2 721863.5	3656	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Tree on group edge</i>	Semi-mature	14	2	140	160		5	4	5	5	Fair	10 to 20 yrs	C
276830.6 721870.5	G3657	Willow <i>Salix cinerea</i> 14 Willow & 1 Birch	Semi-mature	13	1	160			9	9	9	9	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276814.9 721872.6	3658	Poplar <i>Populus x canadensis</i>	Mature	28	>5	340			7	7	6	6	Fair	20 to 40 yrs	B
276812.7 721869	3659	Poplar <i>Populus x canadensis</i>	Mature	28	>5	580			8	8	8	6	Fair	20 to 40 yrs	B
276811.9 721873.2	3660	Poplar <i>Populus x canadensis</i>	Mature	28	>5	300			4	4	4	4	Fair	20 to 40 yrs	B
276809.7 721874.6	3661	Poplar <i>Populus x canadensis</i>	Mature	28	>5	450			4	7	4	4	Fair	20 to 40 yrs	B
276808.9 721876	3662	Poplar <i>Populus x canadensis</i>	Mature	28	>5	350			7	6	4	4	Fair	20 to 40 yrs	B
276806.9 721875.4	3663	Poplar <i>Populus x canadensis</i>	Mature	28	>5	410			3	4	4	3	Fair	20 to 40 yrs	B
276802.9 721872.5	G3664	Poplar <i>Populus x canadensis</i> 3 trees	Mature	28	>5	420			5	5	6	7	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276804.9 721871.9	3665	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Mature	24	2	470	320		6	6	5	5	Fair	20 to 40 yrs	B
276802.2 721874.1	G3666	Poplar <i>Populus x canadensis</i> 3 trees	Mature	28	>5	580			9	7	9	7	Fair	20 to 40 yrs	B
276805.2 721870.1	3667	Poplar <i>Populus x canadensis</i>	Mature	28	>5	570			4	6	7	8	Fair	20 to 40 yrs	B
276808.8 721879.2	G3668	Poplar <i>Populus x canadensis</i> 2 trees	Mature	28	>5	350			8	8	8	8	Fair	20 to 40 yrs	B
276809 721880.1	3669	Ash <i>Fraxinus excelsior</i>	Semi-mature	15	>5	15			7	3	1	3	Fair	10 to 20 yrs	C
276815.7 721880	G3670	Sycamore <i>Acer pseudoplatanus</i> Mid canopy group. Sycamore, Lime & smaller Leylandii	Semi-mature	13	3	190			6	8	8	7	Fair	20 to 40 yrs	B
276812.7 721870.2	3671	Willow <i>Salix cinerea</i> Fallen stems	Semi-mature	8	0	190	150	150	2	2	8	2	Fair	20 to 40 yrs	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276811.2 721876.2	3672	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	16	3	190			3	3	3	3	Fair	20 to 40 yrs	B
276804.3 721873.9	3673	Poplar <i>Populus x canadensis</i>	Mature	28	>5	260			3	3	3	3	Fair	20 to 40 yrs	B
276794.9 721880.2	3674	Poplar <i>Populus x canadensis</i>	Mature	28	>5	470			7	7	7	7	Fair	20 to 40 yrs	B
276796.2 721882.4	3675	Tibetan Cherry <i>Prunus serrula</i>	Semi-mature	16	>5	260			7	4	2	4	Fair	20 to 40 yrs	B
276792.8 721881.9	3676	Holly <i>Ilex aquifolium</i>	Semi-mature	11	1	250	150		3	3	3	3	Fair	20 to 40 yrs	B
276791.5 721884.2	3677	Common Beech <i>Fagus sylvatica</i>	Mature	22	4	340	270	200	7	6	6	7	Fair	20 to 40 yrs	B
276792.2 721883.1	3678	Swamp cypress <i>Metasequoia glyptostrobdes</i> <i>Crown suppressed under adjacent trees</i>	Semi-mature	9	4	160			3	1	2	1	Fair	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276796.6 721880	3679	Swamp cypress <i>Metasequoia glyptostrobdes</i> <i>Swamp cypress Metasequoia glyptostrobdes. Crown suppressed under adjacent trees</i>	Semi-mature	12	5	250			4	2	2	2	Fair	10 to 20 yrs	C
276797.4 721880.9	3680	Poplar <i>Populus x canadensis</i>	Mature	28	>6	360			6	6	6	6	Fair	20 to 40 yrs	B
276802.7 721878.7	3681	Leyland Cypress <i>Leylandii</i>	Semi-mature	24	3	490			6	6	4	3	Fair	20 to 40 yrs	B
276802.2 721877.5	3682	Leyland Cypress <i>Leylandii</i>	Semi-mature	24	1	420			3	4	4	2	Fair	20 to 40 yrs	B
276799.8 721878.2	3683	Leyland Cypress <i>Leylandii</i> <i>Crown suppressed</i>	Semi-mature	17	1	260			3	1	3	2		10 to 20 yrs	C
276797 721878	G3684	Leyland Cypress <i>Leylandii</i> <i>4 trees</i>	Semi-mature	17		210			4	6	4	7	Fair	10 to 20 yrs	C
276789.5 721885.8	3685	Ash <i>Fraxinus excelsior</i>	Semi-mature	21	3	340			6	5	8	8	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276791.6 721890.1	3686	Sycamore <i>Acer pseudoplatanus</i> <i>Damaging adjacent wall</i>	Semi-mature	8	2	160	130		4	0	1	5	Fair	<10 yrs	U
276793.8 721887.7	3687	Sycamore <i>Acer pseudoplatanus</i> <i>Ivy clad bole into lower crown</i>	Semi-mature	18	4	400			8	3	4	6	Fair	20 to 40 yrs	B
276795.8 721886.7	3688	Common Beech <i>Fagus sylvatica</i>	Semi-mature	19	4	270	190		8	4	6	4	Fair	20 to 40 yrs	B
276797.6 721885.7	3689	Common Beech <i>Fagus sylvatica</i>	Semi-mature	19	3	310	190		8	6	6	4	Fair	20 to 40 yrs	B
276804.2 721884.7	G3690	Common Beech <i>Fagus sylvatica</i> <i>3 trees</i>	Semi-mature	18	5	260			5	6	5	6	Fair	20 to 40 yrs	B
276808.8 721890.9	3691	Holly <i>Ilex aquifolium</i>	Semi-mature	10	0	280			4	4	3	4	Fair	20 to 40 yrs	B
276813.2 721891.9	3692	Birch <i>Betula pendula</i>	Mature	24	>5	470			8	8	8	8	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276817.6 721893.1	3693	Common Beech <i>Fagus sylvatica</i>	Semi-mature	19	1	300			7	6	6	6	Fair	20 to 40 yrs	B
276823.2 721895.3	3694	Birch <i>Betula pendula</i>	Mature	22	5	620			8	8	7	7	Fair	20 to 40 yrs	B
276826.6 721895.3	3695	Prunus <i>Prunus avium</i> Stems leaning east	Semi-mature	17	>5	250			7	9	5	0	Fair	10 to 20 yrs	C
276844.3 721901.2	3696	Cherry <i>Prunus avium</i>	Mature	17	2	360			7	8	3	7	Poor	10 to 20 yrs	C
276839.9 721901.7	3697	Prunus <i>Prunus avium</i>	Semi-mature	7	3	180			4	4	3	3	Fair	10 to 20 yrs	C
276835.5 721900.5	3698	Prunus <i>Prunus avium</i>	Semi-mature	13	3	160			3	4	3	2	Poor	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
275919 721899.6	3701	Sitka Spruce <i>Picea sitchensis</i>	Mature	20	1	600			5	4	4	7	Fair	20 to 40 yrs	B
275912.9 721899.3	3702	Sitka Spruce <i>Picea sitchensis</i>	Mature	22	1	780			8	4	7	8	Fair	20 to 40 yrs	B
275917 721892.8	3703	Sitka Spruce <i>Picea sitchensis</i>	Mature	22	2	570			4	6	5	3	Fair	20 to 40 yrs	B
275923.8 721897.2	3704	Norway Spruce <i>Picea abies</i>	Mature	20	0	610			6	6	5	2	Fair	20 to 40 yrs	B
275923.4 721895	3705	Lodgepole Pine <i>Pinus contorta var latifolia</i>	Mature	24	>5	720			5	5	5	5	Poor	10 to 20 yrs	C
275914.9 721896.3	3706	Sitka Spruce <i>Picea sitchensis</i>	Mature	26	5	730			7	7	6	6	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
275909.8 721887.7	3707	Sitka Spruce <i>Picea sitchensis</i>	Mature	26		510			6	4	6	5	Fair	20 to 40 yrs	B
275907.1 721885.7	3708	Sitka Spruce <i>Picea sitchensis</i>	Mature	24	2	550			7	6	6	6	Fair	20 to 40 yrs	B
275912 721874.9	3709	Larch <i>Larix decidua</i>	Mature	24	6	640			7	8	7	5	Fair	20 to 40 yrs	B
275903.5 721879.7	3710	Sitka Spruce <i>Picea sitchensis</i>	Mature	25	2	630			4	6	8	7	Fair	20 to 40 yrs	B
275901.5 721883.4	3711	Sitka Spruce <i>Picea sitchensis</i>	Mature	24	3	640			4	5	5	4	Fair	20 to 40 yrs	B
275900.4 721887.9	3712	Sitka Spruce <i>Picea sitchensis</i>	Mature	25	4	580			8	5	4	5	Fair	20 to 40 yrs	B
275897 721886.5	3713	Sitka Spruce <i>Picea sitchensis</i>	Mature	23	3	460			6	4	4	6	Fair	20 to 40 yrs	B

Eastling Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
275888.1 721877.2	3714	Norway Spruce <i>Picea abies</i>	Semi-mature	20	0	440			4	4	4	4	Fair	20 to 40 yrs	B
275888.6 721882	3715	Norway Spruce <i>Picea abies</i>	Semi-mature	20		460			5	5	4	4	Fair	20 to 40 yrs	B
275886.9 721884	3716	Norway Spruce <i>Picea abies</i>	Semi-mature	21	6	460			4	3	2	3	Fair	20 to 40 yrs	B
275878.9 721883	W3717	Norway Spruce <i>Picea abies</i> <i>Plantation group</i>	Semi-mature	21	2	400			9	9	7	15		20 to 40 yrs	B
275894.6 721901.4	3717	Birch <i>Betula pendula</i>	Young	8	2	120			2	2	2	2	Fair	10 to 20 yrs	C
275900.1 721908.2	3718	Sycamore <i>Acer pseudoplatanus</i>	Young	10	1	140			3	3	3	3	Fair	10 to 20 yrs	C
275926.9 721879.8	3719	Pine <i>Pinus sylvestris</i>	Semi-mature	22	>5	210			3	3	3	3	Fair	20 to 40 yrs	B

Eastling Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
275936.1 721888	G3720	Spruce <i>Picea abies</i> <i>Young Spruce among Rhododendron</i>	Young	6	0	75			5	6	5	5	Fair	10 to 20 yrs	C
275933 721879.1	3721	Noble Fir <i>Abies procera</i> <i>Significant specimen</i>	Mature	27	6	990			8	9	9	9	Fair	20 to 40 yrs	A
275931.7 721882.5	3722	Noble Fir <i>Abies procera</i>	Mature	23	5	660			9	7	5	7	Fair	20 to 40 yrs	B
275936.4 721883.9	3723	Larch <i>Larix decidua</i>	Mature	24	3	650			9	7	7	8	Fair	20 to 40 yrs	B
275944.6 721881.2	3724	Larch <i>Larix decidua</i>	Mature	21	10	670			11	9	9	8	Fair	20 to 40 yrs	B
275948 721884.6	3725	Noble Fir <i>Abies procera</i> <i>Significant specimen</i>	Mature	27	2	740			11	9	8	9	Fair	20 to 40 yrs	A
275955.5 721879.1	3726	Larch <i>Larix decidua</i>	Mature	23	0	670			10	9	7	5	Fair	20 to 40 yrs	B

Eastling Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
275952.8 721873.7	3727	Noble Fir <i>Abies procera</i>	Mature	26	>5	820			8	8	8	8	Fair	20 to 40 yrs	B
275956.8 721875.7	3728	Larch <i>Larix decidua</i>	Mature	24	3	450			6	7	6	3	Fair	20 to 40 yrs	B
275965.7 721890	3729	Sycamore <i>Acer ssp.</i>	Young	4	1	80			3	3	3	3	Fair	10 to 20 yrs	C
275975.2 721879.3	3730	Tibetan Cherry <i>Prunus serrula</i>	Semi-mature	8	1	160	130	150	4	4	4	4	Fair	20 to 40 yrs	B
275981.3 721875.2	3731	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	7	2	110	60		2	2	2	2	Poor	<10 yrs	U
275963.7 721867.7	3732	Larch <i>Larix decidua</i>	Mature	24	0	660			7	9	8	5	Fair	20 to 40 yrs	B
275960.9 721867.7	3733	Sitka Spruce <i>Picea sitchensis</i>	Mature	23	0	480			3	6	6	4	Fair	20 to 40 yrs	B

Eastling Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
275967.1 721858.7	3734	Larch <i>Larix decidua</i>	Mature	24	5	450			7	7	7	5	Fair	20 to 40 yrs	B
275968.8 721861.1	3735	Mountain Ash <i>Sorbus aucuparia</i>	Semi-mature	6	0	90	50	50	3	4	3	2	Fair	20 to 40 yrs	C
275968.8 721854	3736	Larch <i>Larix decidua</i>	Semi-mature	18	4	280			5	4	0	2	Fair	10 to 20 yrs	C
275969.8 721850.9	3737	Noble Fir <i>Abies procera</i>	Semi-mature	23	2	340			5	5	1	1	Fair	20 to 40 yrs	B
275965.7 721852.9	3738	Holly <i>Ilex aquifolium</i>	Semi-mature	8	2	160	80		4	3	3	4	Fair	10 to 20 yrs	C
275969.8 721848.9	3739	Sitka Spruce <i>Picea sitchensis</i>	Mature	27	2	670			7	4	5	5	Fair	20 to 40 yrs	B
275974.5 721847.5	3740	Holly <i>Ilex aquifolium</i>	Semi-mature	7	1	170	150		2	4	4	2	Fair	20 to 40 yrs	B

Eastling Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
275972.2 721844.4	3741	Noble Fir <i>Abies procera</i> Topped	Mature	21	>5	740			4	6	6	3	Fair	20 to 40 yrs	B
275969.4 721843.4	3742	Noble Fir <i>Abies procera</i> Topped	Mature	21		900			8	5	8	8	Fair	20 to 40 yrs	B
275964.3 721841	3743	Noble Fir <i>Abies procera</i> Significant specimen	Mature	28	4	990			7	8	9	9	Fair	20 to 40 yrs	A
275919.9 721856.7	3745	Noble Fir <i>Abies procera</i>	Mature	26	3	690			8	7	8	9	Fair	20 to 40 yrs	B
275931.8 721848.6	3746	Noble Fir <i>Abies procera</i>	Mature	25	3	810			9	9	8	8	Fair	20 to 40 yrs	B
275914.4 721867.3	3747	Pine <i>Pinus sylvestris</i>	Mature	20	8	550			5	6	7	5	Fair	20 to 40 yrs	B
275909.7 721869.7	3748	Pine <i>Pinus sylvestris</i>	Mature	21	8	470			5	4	6	6	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
275913.4 721880.9	3749	Larch <i>Larix decidua</i>	Mature	22	6	520			6	6	6	6	Fair	20 to 40 yrs	B
275958.5 721944	W3750	A Woodland <i>Mixed conifer plantation extending to north. Spruce, Larch, Fir, Beech, Birch. Holly occasional. Stem diameters vary ca. 200-800mm</i>	Semi-mature	20	2	350			80	50	20	30	Fair	20 to 40 yrs	B
275976.6 721871.8	G3732	Prunus <i>Prunus avium</i>	Veteran	2	1	150			4	4	4	4	Fair	10 to 20 yrs	B
276001.4 721878.3	3751	Mountain Ash <i>Sorbus aucuparia</i>	Semi-mature	7	2	200			3	3	3	3	Fair	20 to 40 yrs	B
276009.6 721873.2	3752	Mountain Ash <i>Sorbus aucuparia</i>	Semi-mature	7	2	200			1	3	3	3	Fair	20 to 40 yrs	B
276017.4 721883.4	G3753	Jacquemont's Birch <i>Betula utilis var. jacquemontii</i>	Semi-mature	9	2	170			5	5	5	5	Fair	20 to 40 yrs	B
276015 721902.9	3754	Weeping Willow <i>Salix chrysocoma</i>	Young	5	1	140			2	2	2	2	Fair	20 to 40 yrs	B

New batch of tags

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277584.1 721947.5	3932	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	6	140			2	2	2	4	Fair	10 to 20 yrs	C
277587 721949.1	3933	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	6	210	100		2	3	3	3	Fair	20 to 40 yrs	B
277592.8 721947.6	3934	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	6	250			3	6	2	2	Fair	20 to 40 yrs	B
277592.2 721946.6	3935	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	5	190			6	6	2	2	Fair	20 to 40 yrs	B
277592.2 721945.7	3936	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	6	140			3	0	1	2	Fair	20 to 40 yrs	B
277593.1 721945.8	3937	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	5	300			5	6	3	2	Fair	20 to 40 yrs	B
277595.4 721949	3938	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	10	4	250			4	7	4	0	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277582.5 721944.1	3939	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	2	390	80		4	6	5	3	Fair	20 to 40 yrs	B
277591.2 721944.5	G3940	Sycamore <i>Acer pseudoplatanus</i> 4 trees	Semi-mature	14	>5	230			7	3	7	5	Fair	20 to 40 yrs	B
277591.8 721943.3	3941	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	5	110			0	2	2	0	Fair	10 to 20 yrs	C
277589.6 721942.7	3942	Sycamore <i>Acer pseudoplatanus</i> Twin co dominant stems with compression forks and included bark	Mature	14	3	270	230		3	2	5	5	Fair	10 to 20 yrs	C
277591.9 721941.7	3943	Sycamore <i>Acer pseudoplatanus</i> Ivy clad bole	Semi-mature	14	3	260	240		3	5	4	2	Fair	20 to 40 yrs	B
277590 721942.2	G3944	Holly <i>Ilex aquifolium</i> Understorey group. Holly, Elder, Elm	Young	4	0	100			3	3	2	3	Fair	10 to 20 yrs	C
277594 721953.9	3945	Elm <i>Ulmus glabra</i>	Semi-mature	14	3	310			5	7	6	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277582.6 721953.1	3946	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	14	5	240			4	5	3	3	Fair	20 to 40 yrs	B
277592.7 721952.4	3947	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	12	5	100			1	0	3	2	Fair	10 to 20 yrs	C
277580.7 721951.9	G3948	Holly <i>Ilex aquifolium</i> Understorey group 6 trees	Semi-mature	10	0	220	210		4	5	5	6	Fair	20 to 40 yrs	B
277581.4 721952.2	3949	Common Yew <i>Taxus baccata</i>	Semi-mature	8	1	180			4	2	1	3	Fair	20 to 40 yrs	B
277573 721947.7	3950	Elm <i>Ulmus glabra</i>	Semi-mature	13	5	220	60		5	5	5	3	Fair	20 to 40 yrs	B
277573.4 721945.2	3951	Elm <i>Ulmus glabra</i>	Semi-mature	13	2	340			4	6	6	4	Fair	20 to 40 yrs	B
277571.7 721945.2	3952	Elm <i>Ulmus glabra</i>	Semi-mature	7	2	220			0	3	6	3	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
277571.9 721946.3	3953	Elm <i>Ulmus glabra</i>	Semi-mature	12	4	260	240		5	5	5	5	Fair	20 to 40 yrs	B
277566.6 721948.3	3954	Ash <i>Fraxinus excelsior</i> <i>Ash die back. Stem intertwined with adjacent Holly</i>	Semi-mature	15	>5	180			2	4	4	1	Fair	10 to 20 yrs	C
277566.8 721948.7	G3955	Holly <i>Ilex aquifolium</i> <i>Understorey group</i>	Semi-mature	6	0	180			5	5	5	5	Fair	20 to 40 yrs	B
277575.2 721948.7	3956	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	>5	180			3	6	4	0	Fair	10 to 20 yrs	C
277575.4 721950.5	3957	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>		15	>5	110			3	2	2	2	Fair	10 to 20 yrs	C
277578.6 721950.9	3958	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	>5	120			3	3	3	3	Fair	10 to 20 yrs	C
277579.6 721944.7	G3959	Hawthorn <i>Crataegus monogyna</i> <i>2 trees</i>	Semi-mature	3	0	70	70	70	4	1	1	3	Poor	<10 yrs	U

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276400.2 721990.8	3960	Alder <i>Alnus glutinosa</i>	Mature	18	5	370	320		7	8	8	6	Fair	20 to 40 yrs	B
276397.7 721993.4	3961	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	15	2	160			3	3	3	3	Fair	10 to 20 yrs	C
276402.2 721994.5	3962	Alder <i>Alnus glutinosa</i>	Mature	17	2	430	150		6	8	6	6	Fair	20 to 40 yrs	B
276402.9 721996.4	3963	Alder <i>Alnus glutinosa</i>	Semi-mature	16	5	220			5	7	3	4	Fair	20 to 40 yrs	B
276404.1 721996.7	3964	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	3	190			5	7	2	3	Fair	10 to 20 yrs	C
276406.4 722001.2	3965	Alder <i>Alnus glutinosa</i> <i>Ash die back</i>		12	6	140			4	3	2	2	Poor	<10 yrs	U
276408 722002.8	3966	Elm <i>Ulmus glabra</i>	Semi-mature	17	4	240			7	7	7	7	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276408.6 722004.7	3967	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	16	2	190			3	6	2	3	Fair	10 to 20 yrs	C
276409.6 722006.3	3968	Alder <i>Alnus glutinosa</i>	Semi-mature	4	0	130			2	6	3	0	Fair	10 to 20 yrs	C
276409.6 722008.3	3969	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	17	2	330			6	6	6	6	Fair	20 to 40 yrs	B
276410.9 722009.9	3970	Alder <i>Alnus glutinosa</i> <i>Decay / defect on one stem</i>	Mature	17	5	470	460	460	8	8	7	8	Fair	20 to 40 yrs	B
276412.1 722012.7	3971	Alder <i>Alnus glutinosa</i>	Mature	11	2	280	280		4	8	4	2	Poor	20 to 40 yrs	C
276412.4 722014.7	3972	Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	11	4	120			3	3	3	3	Poor	<10 yrs	U
276413 722015.6	3973	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	11	1	100			2	2	2	2	Fair	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276414.1 722016.2	3974	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	13	2	270			5	9	5	1	Fair	20 to 40 yrs	B
276415.2 722017.4	3975	Alder <i>Alnus glutinosa</i> <i>Erosion within rooting area. Multi stemmed tree with one or more dead stems</i>	Mature	12	1	270	220	170	5	7	6	3	Poor	<10 yrs	U
276416.2 722018.2	3976	Alder <i>Alnus glutinosa</i>	Mature	12	1	330	230		7	7	2	8	Fair	20 to 40 yrs	B
276416.4 722020.3	3977	Alder <i>Alnus glutinosa</i>	Mature	11	3	200			1	6	5	5	Fair	20 to 40 yrs	B
276416.9 722021.5	3978	Ash <i>Fraxinus excelsior</i> <i>Erosion within rooting area.</i>	Mature	21	>6	470			5	7	5	4	Poor	<10 yrs	U
276417.1 722023.9	3979	Alder <i>Alnus glutinosa</i>	Mature	13	4	310	190		6	4	6	7	Fair	20 to 40 yrs	B
276418.1 722023.8	3980	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	11	0	180			4	4	3	2	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	BS5837 Quality
276417.6 722024.7	3981	Ash <i>Fraxinus excelsior</i>	Semi-mature	14	3	320	180		4	7	4	9	Poor	10 to 20 yrs	C
		<i>Erosion within rooting area. Ash die back</i>													
276419.1 722027.7	3982	Alder <i>Alnus glutinosa</i>	Mature	12	1	380	300	140	6	7	4	7	Poor	<10 yrs	U
		<i>Multi stemmed tree with one or more dead stems</i>													
276420.4 722030.1	3983	Alder <i>Alnus glutinosa</i>	Mature	7	2	200	140	130	5	6	2	3	Poor	<10 yrs	U
		<i>Multi stemmed tree with one or more dead stems</i>													
276423.6 722034	3984	Alder <i>Alnus glutinosa</i>	Mature	10	2	180	140		4	4	3	4	Fair	20 to 40 yrs	B
276425.5 722036.2	3985	Ash <i>Fraxinus excelsior</i>	Semi-mature	12	4	220	160		6	6	5	4	Fair	10 to 20 yrs	C
		<i>Ash die back</i>													
276427.5 722039.1	3986	Ash <i>Fraxinus excelsior</i>	Dead	9	2	220	60		3	3	1	1	Dead	<10 yrs	U
276427.5 722040.7	3987	Ash <i>Fraxinus excelsior</i>	Semi-mature	13	6	120			3	3	3	3	Fair	10 to 20 yrs	C

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276430 722043	3988	Willow <i>Salix cinerea</i>	Mature	9	3	240	240	130	5	4	2	2	Poor	<10 yrs	U
276728.5 722097.8	3989	Norway Maple <i>Acer platanoides</i>	Semi-mature	10	2	310			4	4	4	4	Fair	20 to 40 yrs	B
276729.2 722099.1	3990	Willow <i>Salix cinerea</i>	Semi-mature	5	1	130			2	2	2	2	Fair	10 to 20 yrs	C
276728.5 722108.7	3991	Ash <i>Fraxinus excelsior</i> Ash die back	Semi-mature	7	3	80	80	70	3	3	3	3	Fair	10 to 20 yrs	C
276714.4 722076.7	3992	Alder <i>Alnus glutinosa</i>	Mature	14	1	320	270	180	8	8	7	8	Fair	20 to 40 yrs	B
276706.5 722074.1	3993	Alder <i>Alnus glutinosa</i>	Mature	13	1	410			6	7	8	6	Fair	20 to 40 yrs	B
276702.9 722100.3	43994	Holly <i>Ilex aquifolium</i> Garden hedge	Semi-mature	2	0	750			10	1	10	1	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diameter	Stem 2 (mm)	Stem 3 (mm)	Spread - N (m)	Spread - E (m)	Spread - S (m)	Spread - W (m)	Cond. Class	SULE	855837 Quality
276712.5 722104.8	3995	Cherry <i>Prunus avium</i>	Semi-mature	5	1	140			2	2	2	2	Fair	20 to 40 yrs	B
276717.6 722092.7	H3996	Beech <i>Fagus sylvatica</i> Garden hedge		2	0	750			10	1	10	1	Fair	20 to 40 yrs	B
276698.1 722073.3	3997	Grey Willow <i>Salix cinerea</i>	Semi-mature	9	0	140	140	140	3	7	3	1	Fair	20 to 40 yrs	B
276693.3 722073.3	3998	Ash <i>Fraxinus excelsior</i> Ash die back		19	1	330	220	180	7	7	8	8	Fair	10 to 20 yrs	C
276698.1 722078.4	G3999	Spruce <i>Picea abies</i> 3 trees	Semi-mature	7	0	140			4	3	2	4	Fair	10 to 20 yrs	C
276689.8 722089.7	4000	Sorbus <i>Sorbus aucuparia</i>	Semi-mature	5	2	180			2	2	2	2	Fair	20 to 40 yrs	B

Additional Area

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
276104.3 721957.3	G31	Leyland Cypress <i>Leylandii</i>	Semi-mature	17	0	380			6	6	5	6	Fair	20 to 40 yrs	B
276132.4 721968.1	UT 30	Incense Cedar <i>Calocedrus decurrens</i>	Semi-mature	13	0	390			4	4	4	4	Fair	20 to 40 yrs	B
276132.8 721972.2	UT32	Silver Wattle <i>Acacia dealbata</i>	Semi-mature	6	1	120	120	90	4	4	4	5	Fair	10 to 20 yrs	B
276135.2 721972.5	UT33	Tibetan Cherry <i>Prunus serrula</i>	Young	3	0	60	50		2	1	2	2	Fair	10 to 20 yrs	C
276155.8 721978.8	UT34	Hazel <i>Corylus avellana</i>	Semi-mature	4	0	150			3	3	3	3	Fair	10 to 20 yrs	C
276152.9 721976.3	UT35	Hazel <i>Corylus avellana</i>	Young	3	0	140			2	2	2	2	Fair	10 to 20 yrs	C
276118 721991.1	UT36	Beech <i>Fagus sylvatica</i>	Mature	13	2	660			6	6	6	6	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
276081 721999.7	UT37	Beech <i>Fagus sylvatica</i> <i>Significant specimen. Crown raised above car park.</i>	Mature	21	1	1180			8	8	8	8	Fair	20 to 40 yrs	A
276072.6 721971.3	UT38	Pine <i>Pinus sylvestris</i>	Semi-mature	16	4	360			7	4	6	6		20 to 40 yrs	B
276074.6 721967.5	UT39	Pine <i>Pinus sylvestris</i>	Semi-mature	13	3	350			1	4	4	3	Fair	20 to 40 yrs	B
276076.3 721969.6	UT40	Pine <i>Pinus sylvestris</i> <i>ivy clad bole</i>	Semi-mature	13	3	190			1	4	3	0	Fair	20 to 40 yrs	B
276078.3 721972.6	UT41	Pine <i>Pinus sylvestris</i>	Semi-mature	13	3	270			4	5	2	0	Fair	20 to 40 yrs	B
276059.6 721962.1	H42	Beech <i>Fagus sylvatica</i> <i>Garden hedge</i>	Semi-mature	3		120			1	10	1	10	Fair	20 to 40 yrs	B
276066.8 721957	UT43	Cherry <i>Prunus avium</i>	Mature	18	3	380			8	8	7	7	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
276050.8 721967.2	UT44	Cherry <i>Prunus avium</i>	Mature	16	>5	260			5	5	4	5	Poor	10 to 20 yrs	C
276053.2 721972	UT45	Norway Maple <i>Acer platanoides</i>	Semi-mature	15	2	380			3	5	5	5	Fair	20 to 40 yrs	B
276054.9 721977.7	UT46	Norway Maple <i>Acer platanoides</i> <i>Crown raised above driveway</i>	Semi-mature	15	2	380			4	5	4	5	Fair	20 to 40 yrs	B
276057.9 721984.2	UT47	Norway Maple <i>Acer platanoides</i> <i>Crown raised above driveway</i>	Semi-mature	15	2	440			4	5	5	6	Fair	20 to 40 yrs	B
276057.9 721989	UT48	Cherry <i>Prunus avium</i>	Semi-mature	16	3	360			6	6	4	4	Fair	20 to 40 yrs	B
276048.6 722003.2	UTS49	Rhododendron <i>Rhododendron</i>	Mature	4	0	110	110	110	4	4	4	4	Fair	10 to 20 yrs	C
276048.2 721992	UT50	Larch <i>Larix decidua</i> <i>Crown raised above driveway</i>	Mature	22	1	700			8	6	4	7	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
276046.5 721986.2	UT51	Larch <i>Larix decidua</i>	Mature	22	4	520			5	7	8	7	Fair	20 to 40 yrs	B
276036 721963.8	UT52	Larch <i>Larix decidua</i>	Mature	22	3	500			5	5	5	5	Fair	20 to 40 yrs	B
276039.7 721990.3	UT53	Larch <i>Larix decidua</i>	Mature	22	5	620			5	6	8	7	Fair	20 to 40 yrs	B
276043.1 721993.3	UT55	Rhododendron <i>Rhododendron</i>	Mature	4	0	130	130	130	4	4	4	4	Fair	10 to 20 yrs	C
276042.1 721970.6	UT54	Larch <i>Larix decidua</i>	Mature	23	5	690			8	8	8	8	Fair	20 to 40 yrs	B
276037.8 721964.4	UT56	Common Silver Fir <i>Abies alba</i>	Mature	24	4	770			8	8	9	9	Fair	20 to 40 yrs	B
276030.3 721963.1	UT57	Larch <i>Larix decidua</i>	Mature	22	3	480			6	6	6	6	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
276027.6 721975.6	UTW58	Birch <i>Larix decidua</i> <i>Birch group on edge of mixed conifer plantation</i>	Mature	20		180			9	9	9	9		10 to 20 yrs	B
276028.6 721948.1	UT59	Beech <i>Fagus sylvatica</i>	Mature	21	0	710			9	9	9	7	Fair	20 to 40 yrs	B
276020.5 721947.1	UT60	Beech <i>Fagus sylvatica</i>	Mature	20	2	430			5	7	5	5	Fair	20 to 40 yrs	B
276017.1 721942.8	UT61	Beech <i>Fagus sylvatica</i>	Mature	22	2	540			5	7	5	5	Fair	20 to 40 yrs	B
276006.2 721944.5	UT62	Beech <i>Fagus sylvatica</i>	Mature	22	1	540			5	7	6	4	Fair	20 to 40 yrs	B
276015.4 721963.2	UT63	Norway Spruce <i>Picea abies</i>	Mature	28	2	1200			6	6	6	6	Fair	20 to 40 yrs	B
276016.4 721958.4	UTW64	Larch <i>Larix decidua</i> <i>Woodland edge group. Mixed conifer plantation, Larch dominant. Intermittent Beech present</i>	Semi-mature	20	2	250			10	9	9	20	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
276037.5 721940.7	UT65	Cherry <i>Prunus avium</i> <i>Crown raised above driveway</i>	Mature	16	2	510			5	6	6	4		20 to 40 yrs	B
276040.2 721947.5	UT66	Cherry <i>Prunus avium</i>	Mature	17	4	520			5	6	5	6	Fair	20 to 40 yrs	B
276042.2 721952.6	UT67	Cherry <i>Prunus avium</i> <i>Ivy clad bole into lower crown</i>	Mature	16	4	430			5	6	5	5	Poor	10 to 20 yrs	C
276042.6 721954.7	UTH68	Beech <i>Fagus sylvatica</i> <i>Garden hedge</i>	Semi-mature	3	0	75			12	1	12	1	Fair	20 to 40 yrs	C
276044.5 721957.9	UT69	Cherry <i>Prunus avium</i> <i>Somewhat sparse crown</i>	Semi-mature	14	4	200			4	6	4	4	Poor	10 to 20 yrs	C
276046.7 721963.5	UT70	Cherry <i>Prunus avium</i>	Mature	17	4	480			5	6	6	6	Fair	20 to 40 yrs	B
275997.4 721943.9	UT71	Fir <i>Abies alba</i>	Mature	27	2	810			9	9	12	9	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
276004.9 721932.7	UTH73	Beech <i>Fagus sylvatica</i> Garden hedge	Semi-mature	4	0	75			3	2	3	2	Fair	20 to 40 yrs	B
276004.5 721926.9	UTH72	Beech <i>Fagus sylvatica</i>	Semi-mature	4	0	75			3	2	2	2	Fair	20 to 40 yrs	B
275987.2 721927.6	TU74	Common Oak <i>Quercus robur</i>	Semi-mature	12	1	340			6	6	6	6	Fair	20 to 40 yrs	B
275995.9 721922	UT75	Birch <i>Betula pendula</i> Ingrown washing line	Semi-mature	12	2	150			4	4	4	2	Fair	10 to 20 yrs	C
275984 721923.1	UT76	Whitebeam <i>Sorbus aria</i>	Semi-mature	6	0	150	80		3	4	3	3	Fair	20 to 40 yrs	B
275980.6 721918.3	UT77	Birch <i>Betula pendula</i> Twin co dominant stems with compression forks and included bark	Semi-mature	12	2	160	170		4	4	4	3	Fair	10 to 20 yrs	C
275979.2 721922	UT78	Noble Fir <i>Abies procera</i>	Semi-mature	15	0	690			4	4	5	5	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
275977.5 721929.5	UT79	Noble Fir <i>Abies procera</i> <i>Suppressed crown</i>	Semi-mature	11	0	580			5	4	5	3	Fair	10 to 20 yrs	C
275966 721933.3	UT80	Birch <i>Betula pendula</i>	Mature	22	3	530			7	7	7	7	Fair	20 to 40 yrs	B
275979.9 721933.9	UT81	Larch <i>Larix decidua</i>	Semi-mature	22	2	480			5	7	5	3	Fair	20 to 40 yrs	B
275971.8 721932.2	UT82	Spruce <i>Picea sitchensis</i>	Semi-mature	17	0	320			3	4	4	3	Fair	20 to 40 yrs	B
275971.8 721923.7	UT83	Larch <i>Larix decidua</i>	Mature	24	0	620			5	6	8	7	Fair	20 to 40 yrs	B
275957.8 721920.7	UT84	Noble Fir <i>Abies procera</i>	Semi-mature	15	0	610			5	6	7	5	Fair	20 to 40 yrs	B
275965 721914.2	UT85	Common Horse Chestnut <i>Aesculus hippocastanum</i>	Semi-mature	10	1	270			5	5	5	5	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
275951.4 721925.8	UT86	Larch <i>Larix decidua</i>	Mature	27	0	820			9	9	9	9	Fair	20 to 40 yrs	B
275942.5 721923.5	UT87	Larch <i>Larix decidua</i>	Semi-mature	19	0	560			4	4	6	5	Fair	20 to 40 yrs	B
275934 721923.2	UT88	Spruce <i>Picea sitchensis</i>	Mature	26	3	820			4	5	8	4	Fair	20 to 40 yrs	B
275932 721924.2	UT89	Spruce <i>Picea sitchensis</i>	Dead	16	2	360			4	3	4	3	Dead	n/a	U
275923.1 721927.1	UT90	Spruce <i>Picea sitchensis</i>	Mature	26	0	740			6	6	8	6	Fair	20 to 40 yrs	B
275919.4 721930.5	UT91	Spruce <i>Picea sitchensis</i>	Mature	25	3	830			8	8	8	8	Fair	20 to 40 yrs	B
275902.4 721931.6	UT92	Spruce <i>Picea sitchensis</i>	Mature	23	1	650			8	8	7	7	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diam. (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Sp. N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Cond. Class	Life Expectancy	Category
275897.3 721929.2	UT93	Larch <i>Larix decidua</i>	Mature	24	0	710			6	7	8	5	Fair	20 to 40 yrs	B
275891.5 721930.5	UT94	Spruce <i>Picea sitchensis</i> <i>Fungus: Heterobasidion ananosum. Sounding of bole did not indicate presence of significant decay</i>	Mature	25	3	910			10	8	9	7	Fair	20 to 40 yrs	B
275888.1 721933.9	UT95	Sitka Spruce <i>Picea sitchensis</i>	Mature	26	2	830			8	6	9	9	Fair	20 to 40 yrs	B
275895.9 721912.5	UT96	Birch <i>Betula pendula</i>	Semi-mature	10	3	170			5	4	4	4	Fair	20 to 40 yrs	B
275891.8 721914.6	UT97	Birch <i>Betula pendula</i>	Semi-mature	9	5	160			2	3	3	3	Fair	10 to 20 yrs	C
275903.4 721913.2	UTG98	Cherry Laurel <i>Prunus laurocerasus</i>	Semi-mature	6	0	120	100	110	3	7	6	7	Fair	20 to 40 yrs	B
275930.9 721907.1	UT99	Lodgepole Pine <i>Pinus contorta var latifolia</i>	Semi-mature	15	2	320			7	7	6	5	Fair	20 to 40 yrs	B
275922.4 721901	UT100	Norway Spruce <i>Picea abies</i>	Mature	19	1	470			8	7	3	3	Fair	20 to 40 yrs	B

ADDITIONAL AREAS MILL LADE & TULLYBANOCHTER

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality
277585 722011	3755	Goat Willow <i>Salix caprea</i>	Semi-mature	13	1	270	130		3	4	5	5	Fair	20 to 40 yrs	B
277583.2 722010.3	3756	Goat Willow <i>Salix caprea</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	14	2	190	170		4	5	5	5	Fair	10 to 20 yrs	C
277583.2 722011.7	3757	Goat Willow <i>Salix caprea</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	13	3	180	180		0	3	5	5	Fair	10 to 20 yrs	C
277583.9 722015.4	3758	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Semi-mature	13	2	240			3	3	3	3	Fair	20 to 40 yrs	B
277591.8 722019.7	3759	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Semi-mature	7	2	190			3	3	3	2	Fair	10 to 20 yrs	C
277588.2 722016.3	3760	Norway Maple <i>Acer platanoides</i> <i>Twin co dominant stems with compression forks and included bark</i>	Semi-mature	14	3	230	180		5	5	5	5	Fair	10 to 20 yrs	C
277595.2 722015.6	3761	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	15	3	220			1	4	6	4	Fair	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality
277598.1 722018.8	3762	Silver Birch <i>Betula pendula</i>	Semi-mature	17	5	180			2	3	3	3	Fair	20 to 40 yrs	B
277601.3 722016.8	3763	Silver Birch <i>Betula pendula</i>	Semi-mature	18	3	340			5	5	5	5	Fair	20 to 40 yrs	B
277602.4 722015.4	3764	Silver Birch <i>Betula pendula</i>	Semi-mature	13	3	230			3	4	3	4	Fair	20 to 40 yrs	B
277604.6 722019.1	3765	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Semi-mature	20	0	570			5	5	5	5	Fair	20 to 40 yrs	B
277606 722023.8	3766	Silver Birch <i>Betula pendula</i>	Mature	22	4	260			4	5	5	5	Fair	20 to 40 yrs	B
277603.9 722026	3767	Silver Birch <i>Betula pendula</i>	Dead	8	3	150			2	2	2	2	Dead	n/a	U
277602.8 722027.6	3768	Silver Birch <i>Betula pendula</i>	Semi-mature	19	5	250			3	3	4	4	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	B55837 Quality
277602.1 722029.7	3769	Norway Spruce <i>Picea abies</i>	Semi-mature	10	2	240			4	3	3	3	Fair	20 to 40 yrs	B
277604.6 722031.4	3770	Silver Birch <i>Betula pendula</i>	Semi-mature	17	3	190			0	3	5	2	Fair	10 to 20 yrs	C
277604.8 722030.3	3771	Common Beech <i>Fagus sylvatica</i>	Young	9	2	150			3	3	3	3	Fair	10 to 20 yrs	C
277597.4 722022	3772	Goat Willow <i>Salix caprea</i>	Semi-mature	13	3	190	190		3	4	5	4	Fair	20 to 40 yrs	B
277595.1 722022.5	3773	Goat Willow <i>Salix caprea</i>	Semi-mature	12	3	160	70		5	1	5	6	Fair	10 to 20 yrs	C
277597.8 722019.8	3774	Myrobalan Plum <i>Prunus cerasifera</i>	Semi-mature	8	1	160			2	2	4	3	Fair	10 to 20 yrs	C
277601.6 722040	3775	Silver Birch <i>Betula pendula</i>	Mature	24	>5	320			5	5	3	5	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	B55837 Quality
277597.1 722050.2	3776	European Larch <i>Larix decidua</i>	Semi-mature	24	2	440			7	7	7	7	Fair	20 to 40 yrs	B
277606.1 722049.9	3777	Silver Birch <i>Betula pendula</i>	Mature	20	>5	220			3	3	4	4	Fair	20 to 40 yrs	B
277605.6 722050.9	3778	Silver Birch <i>Betula pendula</i> <i>Ivy clad bole</i>	Mature	24	>5	320			4	5	4	5	Fair	20 to 40 yrs	B
277604.9 722052.4	3779	Silver Birch <i>Betula pendula</i>	Mature	24	>5	350			6	6	3	5	Fair	20 to 40 yrs	B
277605.6 722056.5	3780	Beech	Semi-mature	15	2	210			6	3	5	6	Fair	20 to 40 yrs	B
277604.8 722060.9	G3781	Silver Birch <i>Betula pendula</i> 2 Beech + 2 Birch	Semi-mature	12	2	140			5	4	4	6	Fair	10 to 20 yrs	C
277602.5 722060	3782	Silver Birch <i>Betula pendula</i>	Mature	23	5	250			5	5	5	5	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	B55837 Quality
277599.8 722062	3783	Silver Birch <i>Betula pendula</i>	Semi-mature	18	5	190			4	4	4	4	Fair	20 to 40 yrs	B
277603.4 722068.5	3784	Silver Birch <i>Betula pendula</i>	Mature	24	>5	330			6	6	6	6	Fair	20 to 40 yrs	B
277594.9 722069	3785	Silver Birch <i>Betula pendula</i>	Mature	23	>5	270			6	5	6	5	Fair	20 to 40 yrs	B
277598.4 722069	G3786	Silver Birch <i>Betula pendula</i> <i>Birch group with Fir, Holly understorey</i>	Semi-mature	19	3	140			6	6	6	6	Fair	20 to 40 yrs	B
277592.1 722074.6	3787	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	18	5	480			7	4	7	4	Fair	20 to 40 yrs	B
277597.3 722080.9	3788	Sycamore <i>Acer pseudoplatanus</i>	Semi-mature	18	3	430			5	4	6	6	Fair	20 to 40 yrs	B
277588.2 722094.6	3789	Crab Apple <i>Malus sylvestris</i>	Semi-mature	5	1	140	80		3	1	3	4	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality
277594.8 722102.9	3791	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Semi-mature	4	0	250			2	2	2	2	Fair	20 to 40 yrs	B
277588.7 722133.3	3790	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Semi-mature	5	0	260			4	4	4	4	Fair	20 to 40 yrs	B
277594.2 722129.2	G3792	Lawson Cypress <i>Chamaecyparis lawsoniana</i>	Semi-mature	7	0	160	160		4	4	4	4	Fair	20 to 40 yrs	B
277585.2 722167.5	3793	Common Holly <i>Ilex aquifolium</i>	Mature	7	0	260	70	70	3	3	4	4	Fair	20 to 40 yrs	B
277576.6 722165.3	3794	Crab Apple <i>Malus sylvestris</i>	Semi-mature	5	1	80	80	80	4	4	4	4	Fair	20 to 40 yrs	B
275992.2 721806.7	3795	Norway Spruce <i>Picea abies</i>	Mature	27	3	510			5	5	5	5	Fair	20 to 40 yrs	B
275986.5 721807.4	3796	Common Oak <i>Quercus robur</i>	Dead	12	>5	380			4	1	1	1	Dead	n/a	U

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	B55837 Quality
275994.4 721817.5	3797	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	10	5	240			8	4	0	4	Fair	10 to 20 yrs	C
275962.7 721811	3798	Common Ash <i>Fraxinus excelsior</i> <i>Multi stemmed tree with one or more dead stems</i>	Semi-mature	13	3	220			8	4	3	4	Poor	<10 yrs	U
275972.1 721803.8	3799	Common Oak <i>Quercus robur</i>	Dead	10	>5	510			2	2	2	2	Dead	n/a	U
275968.5 721802.4	3800	Common Beech <i>Fagus sylvatica</i>	Semi-mature	9	0	140			4	1	2	4	Fair	10 to 20 yrs	C
275958.4 721800.9	2101	Silver Birch <i>Betula pendula</i>	Young	7	0	140			4	3	0	2	Fair	10 to 20 yrs	C
275962 721785.1	2102	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	5	450	450		5	7	9	6	Fair	20 to 40 yrs	B
275949 721788	2103	Pissards Plum <i>Prunus atropurpurea</i>	Young	6	1	75			3	3	3	3	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	B55837 Quality
275938.2 721790.8	2104	Sycamore <i>Acer pseudoplatanus</i>	Mature	21	3	670			8	8	6	8	Fair	20 to 40 yrs	B
275939.7 721794.4	2105	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	5	250	240		9	7	3	5	Fair	20 to 40 yrs	B
275936.1 721781.5	2106	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	18	5	320			7	6	7	7	Fair	10 to 20 yrs	C
275927.4 721785.1	H2107	Common Beech <i>Fagus sylvatica</i> <i>Garden hedge</i>	Semi-mature	3	0	110			1	5	1	8	Fair	20 to 40 yrs	B
275912.3 721770.7	H2109	Common Beech <i>Garden hedge</i>	Semi-mature	2		100			0	6	6	0	Fair	20 to 40 yrs	B
275924.5 721808.1	2108	Silver Birch <i>Betula pendula</i>	Mature	19	2	290	270		8	8	7	7	Fair	20 to 40 yrs	B
275921.7 721816.8	2110	Sycamore <i>Acer pseudoplatanus</i>	Mature	18	2	270	210	190	5	6	6	6	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	B55837 Quality
275925.9 721817	G2111	Common Alder <i>Alnus glutinosa</i>	Semi-mature	12	1	150	150	150	7	6	4	4	Fair	20 to 40 yrs	B
275923.4 721819.6	2112	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	14	2	140	140	80	5	4	4	4	Fair	10 to 20 yrs	C
275919.8 721822.4	2113	Common Alder <i>Alnus glutinosa</i>	Semi-mature	12	2	140	100	90	7	3	1	3	Fair	20 to 40 yrs	B
275886.7 721817.6	2114	Silver Birch <i>Betula pendula</i>	Semi-mature	15	2	240			5	4	4	5	Fair	20 to 40 yrs	B
275875.2 721813.3	2115	Wild Cherry <i>Prunus avium</i>	Semi-mature	7	1	130	70		4	4	3	3	Fair	20 to 40 yrs	B
275867.2 721816.9	2116	Common Oak <i>Quercus robur</i>	Semi-mature	12	2	410			8	8	6	7	Fair	20 to 40 yrs	B
275878 721822.6	2117	Silver Birch <i>Betula pendula</i>	Semi-mature	16	2	250			4	5	4	4	Fair	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	B55837 Quality
275877.6 721828.8	2118	Silver Birch <i>Betula pendula</i>	Mature	15	2	310			5	5	5	5	Fair	20 to 40 yrs	B
275884.4 721840.7	2119	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	17	2	260	230		8	6	5	7	Poor	<10 yrs	U
275875.4 721846.5	2120	Common Ash <i>Fraxinus excelsior</i> <i>Erosion within rooting area</i>	Semi-mature	17	1	290	170		8	7	6	3	Poor	<10 yrs	U
275871.8 721849	2121	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	17	4	260	260		8	5	8	8	Fair	10 to 20 yrs	C
275867.9 721852.2	2122	Common Alder <i>Alnus glutinosa</i>	Semi-mature	12	2	150	140		6	4	6	1	Fair	20 to 40 yrs	B
275863.9 721852.2	G2123	Common Alder <i>Alnus glutinosa</i>	Semi-mature	6	2	120			7	6	3	3	Fair	10 to 20 yrs	C
275863.9 721850.8	2124	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Semi-mature	18	4	260			8	6	7	6	Fair	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	BS5837 Quality
275861.1 721852.7	2125	Silver Birch <i>Betula pendula</i>	Semi-mature	15	2	170	160	80	7	5	2	1	Fair	20 to 40 yrs	B
275856.6 721852.2	2126	Silver Birch <i>Betula pendula</i>	Semi-mature	7	1	170	75		4	4	4	2	Fair	10 to 20 yrs	C
275855 721852.5	2127	Silver Birch <i>Betula pendula</i>	Semi-mature	12	2	210			5	4	4	5	Fair	20 to 40 yrs	B
275849.4 721852.4	2128	Common Oak <i>Quercus robur</i>	Semi-mature	11	2	250			8	6	4	5	Fair	20 to 40 yrs	B
275844.5 721853	2129	Silver Birch <i>Betula pendula</i>	Semi-mature	16	2	240			8	5	3	5	Good	20 to 40 yrs	B
275829 721844.1	2130	Common Oak <i>Quercus robur</i>	Mature	24	5	710			12	12	12	12	Good	20 to 40 yrs	B
275820.8 721841.6	2131	Common Alder <i>Alnus glutinosa</i>	Semi-mature	13	5	180			6	1	4	6	Fair	20 to 40 yrs	B

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	B55837 Quality
275812.8 721839.8	2132	Common Alder <i>Alnus glutinosa</i> <i>Erosion within rooting area</i>	Mature	15	>5	300	260		8	7	1	5	Poor	10 to 20 yrs	C
275816.1 721837.6	2133	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15	>5	240			6	4	3	5	Fair	20 to 40 yrs	B
275817 721837.8	2134	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Young	12	5	120			4	2	1	2	Poor	10 to 20 yrs	C
275818.4 721835.8	2135	Common Alder <i>Alnus glutinosa</i>	Semi-mature	14	1	210			4	4	4	4	Fair	20 to 40 yrs	B
275821.3 721834.5	2136	Common Alder <i>Alnus glutinosa</i>	Mature	15	>5	290			5	4	4	4	Fair	20 to 40 yrs	B
275821.5 721836.3	2137	Silver Birch <i>Betula pendula</i>	Mature	16	5	310			7	2	0	7	Fair	20 to 40 yrs	B
275821.9 721832.4	2138	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	23	5	470	350	340	9	9	8	8	Fair	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	B55837 Quality
275870.1 721797	1239	Silver Birch <i>Betula pendula</i>	Semi-mature	10	4	180			4	4	2	4	Fair	10 to 20 yrs	C
275870.5 721801.3	G2140	Silver Birch <i>Betula pendula</i>	Semi-mature	9	1	130	130		5	6	4	5	Fair	10 to 20 yrs	C
275877.3 721798.4	G2141	Silver Birch <i>Betula pendula</i>	Semi-mature	11	3	140			7	6	6	6	Fair	10 to 20 yrs	C
275878.7 721793.7	2142	Common Beech <i>Fagus sylvatica</i>	Semi-mature	17	0	310			5	5	6	6	Good	20 to 40 yrs	B
275871.2 721785.8	2143	Silver Birch <i>Betula pendula</i>	Mature	17	6	270			8	4	3	5	Good	20 to 40 yrs	B
275872.6 721783.3	2144	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15	3	140			2	4	3	1	Fair	10 to 20 yrs	C
275874.1 721781.5	2145	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15	2	130	120	90	3	3	3	3	Fair	10 to 20 yrs	C

Eastings Northings	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 diameter (mm)	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	SULE	B55837 Quality
275877.7 721781.8	2146	Common Alder <i>Ainus glutinosa</i>	Semi-mature	15	6	190			3	3	3	3	Poor	10 to 20 yrs	C
275879.8 721783.6	2147	Silver Birch <i>Betula pendula</i>	Semi-mature	13	3	120			1	3	5	2	Fair	10 to 20 yrs	C
275899.8 721770	2148	Common Beech <i>Fagus sylvatica</i>	Semi-mature	16	3	180	130	150	6	5	6	6	Fair	20 to 40 yrs	B
275899.8 721772.5	2149	Silver Birch <i>Betula pendula</i>	Mature	23	>5	350			5	5	5	5	Good	20 to 40 yrs	B
275902.7 721772.5	2150	Silver Birch <i>Betula pendula</i> Topped	Semi-mature	7	2	260			3	3	3	3		10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	BS5837 Quality
277577.2 722014.5	2001	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Mature	10	1	365			3	1	2	3	Fair	10 to 20 yrs	C
277579.4 722015.6	2002	Whitebeam <i>Sorbus aria</i>	Semi-mature	12	4	165			3	3	4	3	Good	20 to 40 yrs	B
277579.7 722017.3	2003	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Semi-mature	14	4	260			3	2	2	3	Fair	10 to 20 yrs	C
277571.3 722026.4	2004	Silver Birch <i>Betula pendula</i>	Mature	25	10	340			4	6	5	5	Good	20 to 40 yrs	B
277572.8 722025.8	2005	Silver Birch <i>Betula pendula</i>	Mature	25	8	365			6	6	5	4	Good	20 to 40 yrs	B
277571.3 722020	2006	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Semi-mature	12	2	200			3	2	2	2	Fair	10 to 20 yrs	C
277568.7 722024.9	2007	Silver Birch <i>Betula pendula</i>	Mature	23	6	300			4	4	4	5	Good	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	B55837 Quality
277577 722029.2	2008	Mountain Ash <i>Sorbus aucuparia</i>	Mature	8	2	168	165	140	7	2	3	3	Fair	20 to 40 yrs	B
277579.1 722022.6	2009	Silver Birch <i>Betula pendula</i>	Mature	23	8	350			3	4	4	5	Fair		B
277575.5 722024.7	2010	Silver Birch <i>Betula pendula</i>	Mature	13	6	370			3	3	3	5	Poor	10 to 20 yrs	C
277583.3 722024.7	2011	Silver Birch <i>Betula pendula</i>	Mature	23	7	500			6	4	4	4	Fair	20 to 40 yrs	B
277586.4 722026	2012	Silver Birch <i>Betula pendula</i>	Mature	22	10	330			5	5	6	5	Fair	20 to 40 yrs	B
277586.9 722028.2	2013	Silver Birch <i>Betula pendula</i>	Mature	24	14	300			6	5	4	4	Good	20 to 40 yrs	B
277589.5 722024.5	2014	Silver Birch <i>Betula pendula</i>	Semi-mature	7		200			2	2	2	2	Dead	n/a	U

Easting Northing	Tree ID	Common Name Latin Name	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	BS5837 Quality
277591.2 722026.5	2015	Silver Birch <i>Betula pendula</i>	Mature	24	10	300			5	5	4	4	Good	20 to 40 yrs	B
277593.8 722024.6	2016	Silver Birch <i>Betula pendula</i>	Mature	23	10	340			5	5	4	4	Fair		B
277591.3 722030.5	2017	Silver Birch <i>Betula pendula</i>	Mature	24	12	330			6	4	5	4	Fair	20 to 40 yrs	B
277594.1 722033.3	2018	Western Hemlock <i>Tsuga heterophylla</i>	Semi-mature	19	2	330			4	4	4	4	Good	20 to 40 yrs	B
277588.9 722032.4	2019	Bhutan Pine <i>Pinus wallichiana</i>	Semi-mature	18	2	280			3	1	1	3	Good	20 to 40 yrs	B
277588.3 722041.4	2020	Silver Birch <i>Betula pendula</i>	Semi-mature	17	12	160			3	3	3	3	Fair	10 to 20 yrs	C
277586.8 722045.3	2021	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Semi-mature	6	2	140			2	2	2	2	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	BS5837 Quality
277587.2 722048.4	2022	Silver Birch <i>Betula pendula</i>	Semi-mature	15	2	190			3	3	3	3	Fair	10 to 20 yrs	C
277582.5 722052.7	2023	Silver Birch <i>Betula pendula</i>	Mature	21	5	275			5	4	4	4	Good	20 to 40 yrs	B
277589.4 722054.6	2024	Silver Birch <i>Betula pendula</i>	Semi-mature	22	6	210			4	3	4	5	Good	20 to 40 yrs	B
277591.8 722051.3	2025	Common Alder <i>Alnus glutinosa</i>	Semi-mature	15	7	210			3	3	1	4	Fair	10 to 20 yrs	C
277597 722051.5	2026	Norway Spruce <i>Picea abies</i>	Mature	25	8	600			5	5	5	5	Good	20 to 40 yrs	B
277593.2 722059.2	2027	Silver Birch <i>Betula pendula</i>	Semi-mature	20	10	200			4	4	2	1	Fair	10 to 20 yrs	C
277590.6 722058.7	2028	Western Hemlock <i>Tsuga heterophylla</i>	Semi-mature	20	8	240			1	4	4	2	Fair	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	BS5837 Quality
277585.8 722059.2	2029	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	18	7	220			3	3	3	3	Fair	10 to 20 yrs	C
277577.9 722059.5	2030	Silver Birch <i>Betula pendula</i>	Semi-mature	19	8	200			4	4	3	4	Fair	10 to 20 yrs	C
277573.9 722058.3	2031	Silver Birch <i>Betula pendula</i>	Semi-mature	19	7	200			3	2	2	2	Fair	10 to 20 yrs	C
277578.1 722066.3	2032	Lawson Cypress <i>Chamaecyparis lawsoniana</i> 2 trees in close proximity	Semi-mature	11	1	190			3	3	3	3	Fair	10 to 20 yrs	C
277594.1 722072.9	2033	Silver Birch <i>Betula pendula</i> Failed stems due to <i>ptoporus betulinus</i>	Mature	18	6	330	300	275	3	3	3	3	Poor	<10 yrs	U
277590.5 722094.1	2034	Leyland Cypress 'Haggerston' r <i>X Cupressocyparis leylandii</i> 'Haggerston Grey'	Semi-mature	5	2	200			3	3	3	3	Fair	10 to 20 yrs	C
277595.3 722100	2035	Wellingtonia <i>Sequoiadendron giganteum</i> BS5837 Survey V111 with Photo12.jpg	Young	15	1	250			3	3	3	3	Good	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	BS5837 Quality
277591.2 722131.8	2036	Red Snakebark Maple <i>Acer capillipes</i>	Semi-mature	4	1	80	80	80	3	1	3	3	Good	20 to 40 yrs	B
277564.6 722156.7	2037	Holly 'Golden King' <i>Ilex x altaclarensis 'Golden King'</i>	Mature	7	2	200	160	130	4	4	2	3	Good	20 to 40 yrs	B
277574.2 722167.3	2038	Holly 'Golden King' <i>Ilex x altaclarensis 'Golden King'</i>	Mature	7	3	265			3	3	2	3	Good	20 to 40 yrs	B
277578.4 722170.4	2039	Leyland Cypress <i>X Cupressocyparis leylandii</i>	Mature	9	1	550			3	2	3	3	Good	20 to 40 yrs	B
277582.3 722172.8	2040	Common Holly <i>Ilex aquifolium</i>	Mature	7	1	240	210		3	3	3	2	Fair	20 to 40 yrs	B
275996.8 721800.8	2041	Common Oak <i>Quercus robur</i>	Mature	23	8	550			6	5	7	8	Good	20 to 40 yrs	B
275989.5 721801.8	2042	Common Oak <i>Quercus robur</i>	Mature	24	7	600			7	6	6	6	Good	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	BS5837 Quality
275984.3 721801.8	2043	Common Beech <i>Fagus sylvatica</i>	Mature	23	2	600			6	5	6	6	Fair	20 to 40 yrs	B
275988.9 721796	2044	Sitka Spruce <i>Picea sitchensis</i>	Semi-mature	22	6	320			3	3	4	3	Fair	10 to 20 yrs	C
275978.9 721790	G2046	Common Beech <i>Fagus sylvatica</i>	Young	17	2	150	150	150	1	6	1	6	Fair	10 to 20 yrs	C
275973 721793.5	2047	Common Oak <i>Quercus robur</i>	Semi-mature	23	8	330			6	6	6	5	Good	20 to 40 yrs	B
275969.8 721791.8	2048	Common Oak <i>Quercus robur</i>	Mature	23	6	530			6	6	7	6	Fair	20 to 40 yrs	B
275967.4 721795.3	2049	Sycamore <i>Acer pseudoplatanus</i>	Mature	24		450			6	6	7	6	Good	20 to 40 yrs	B
275970.1 721803.4	2050	Common Beech <i>Fagus sylvatica</i>	Mature	24	2	430	400		6	6	7	6	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	B55837 Quality
275959.2 721795.2	2051	Sycamore <i>Acer pseudoplatanus</i>	Mature	23	9	410			6	4	7	6	Good	20 to 40 yrs	B
275953.2 721799.8	2052	Common Ash <i>Fraxinus excelsior</i>	Mature	23	7	560			7	5	5	4	Fair	20 to 40 yrs	B
275946.5 721800.9	2053	Common Ash <i>Fraxinus excelsior</i>	Mature	21	5	575			7	4	5	6	Fair	20 to 40 yrs	B
275937.8 721789.6	2054	Common Holly <i>Ilex aquifolium</i>	Mature	6	2	200	300		4	4	2	3	Fair	10 to 20 yrs	C
275930.1 721807.9	G2055	Common Alder <i>Alnus glutinosa</i> Group of semi mature alders	Mature	12	1	250	250	270	3	6	3	6	Fair	10 to 20 yrs	C
275909.8 721819.1	G2056	Common Alder <i>Alnus glutinosa</i> Group of alders and single ash riverside	Semi-mature	15	2	250	250	250	4	6	4	6	Fair	10 to 20 yrs	C
275880.1 721804.2	2057	Common Oak <i>Quercus robur</i>	Semi-mature	16	3	175	175		6	4	4	4	Good	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	B55837 Quality
275885.6 721833.2	G2058	Common Ash <i>Fraxinus excelsior</i> <i>Group of young ash with a goat Willow with die back</i>	Young	10	1	140	130	140	3	4	4	4	Poor	10 to 20 yrs	C
275889.8 721838	G2059	Common Ash <i>Fraxinus excelsior</i> <i>Group of semi mature alders with rowan and ash</i>	Semi-mature	15	2	175	175	175	5	5	6	6	Fair	10 to 20 yrs	C
275887.4 721839.6	2060	Common Ash <i>Fraxinus excelsior</i> <i>Ash dieback</i>	Semi-mature	15	4	200			4	1	3	4	Poor	10 to 20 yrs	C
275885.9 721840.8	2061	Common Ash <i>Fraxinus excelsior</i> <i>Ash die back</i>	Mature	17	3	220	200	165	4	5	5	5	Poor		C
275861.7 721843.4	2062	Silver Birch <i>Betula pendula</i>	Semi-mature	15	7	275			4	4	4	2	Good	20 to 40 yrs	B
275860.1 721842.7	2063	European Larch <i>Larix decidua</i>	Mature	25	8	600			5	5	6	2	Fair	20 to 40 yrs	B
275858.7 721842.5	2064	European Larch <i>Larix decidua</i>	Mature	26	1	600			5	2	4	4	Good	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	B55837 Quality
275863.3 721838.3	2065	Silver Birch <i>Betula pendula</i>	Mature	15	5	275			4	4	4	4	Fair	20 to 40 yrs	B
275843.3 721841.3	2066	Common Oak <i>Quercus robur</i>	Mature	20	2	400	375		5	5	7	7	Fair	20 to 40 yrs	B
275843.3 721841.3	2067	Silver Birch <i>Betula pendula</i>	Mature	17	3	310			4	4	5	4	Fair	10 to 20 yrs	C
275838 721840.6	2068	Common Oak <i>Quercus robur</i>	Mature	20	5	300	300	350	5	4	5	5	Good	20 to 40 yrs	B
275839.4 721849.4	2069	Common Oak <i>Quercus robur</i>	Mature	21	5	600			5	5	5	5	Good	20 to 40 yrs	B
275835.2 721849	2070	Common Oak <i>Quercus robur</i>	Mature	20	4	400			5	6	5	4	Good	20 to 40 yrs	B
275835.8 721843.9	2071	Common Oak <i>Quercus robur</i>	Semi-mature	12	4	275	260		4	4	3	3	Poor	10 to 20 yrs	C

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	B55837 Quality
275831.8 721835.2	2072	Common Oak <i>Quercus robur</i>	Mature	23	5	500			5	5	4	5	Good	20 to 40 yrs	B
275828.9 721829.9	2073	Common Oak <i>Quercus robur</i>	Semi-mature	21	2	320			4	5	4	4	Good	20 to 40 yrs	B
275828.7 721827.9	2074	Common Oak <i>Quercus robur</i>	Semi-mature	20	1	330			7	4	1	4	Fair	20 to 40 yrs	B
275828.9 721826.1	2075	Common Oak <i>Quercus robur</i>	Semi-mature	20	2	340			5	4	5	4	Good	20 to 40 yrs	B
275832.5 721827.4	2076	Common Oak <i>Quercus robur</i>	Mature	18	2	638	250		7	6	6	2	Good	20 to 40 yrs	B
275831.4 721821.8	2077	Silver Birch <i>Betula pendula</i> <i>Piptoporus betulinus fungus</i>	Mature	25	7	330	325		3	3	3	3	Poor	<10 yrs	U
275824.3 721826.5	2078	Common Oak <i>Quercus robur</i>	Semi-mature	19	4	250	275	260	4	4	5	4	Fair	20 to 40 yrs	B

Eastings Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	BS5837 Quality
275881.2 721793.3	2079	Silver Birch <i>Betula pendula</i>	Semi-mature	11	3	140	90		3	3	3	3	Fair	10 to 20 yrs	C
275887.8 721794.3	2080	Common Oak <i>Quercus robur</i>	Semi-mature	6	1	165			3	3	3	3	Fair	10 to 20 yrs	C
275892.4 721788.2	2081	Common Oak <i>Quercus robur</i>	Semi-mature	13	2	175	140	140	4	5	5	5	Good	20 to 40 yrs	B
275896.2 721785.9	2082	Common Oak <i>Quercus robur</i>	Semi-mature	13	1	265			4	4	4	4	Good	20 to 40 yrs	B
275867.9 721799.8	2083	Silver Birch <i>Betula pendula</i>	Semi-mature	13	1	150			3	3	3	3	Fair	10 to 20 yrs	C
275873.3 721803.4	2084	Silver Birch <i>Betula pendula</i>	Semi-mature	12	3	150	165	90	4	4	4	4	Fair	10 to 20 yrs	C
275869.1 721791.5	2085	Silver Birch <i>Betula pendula</i>	Semi-mature	19	5	220			3	3	3	3	Good	20 to 40 yrs	B

Easting Northing	Tree ID	Common Name <i>Latin Name</i>	Maturity	Height (m)	Crown Height (m)	Stem 1 (mm) diam.	Stem 2 (mm)	Stem 3 (mm)	Crown Spread N (m)	Cr. Sp. E (m)	Cr. Sp. S (m)	Cr. Sp. W (m)	Condition Class	Life Expectancy	B55837 Quality
275874.3 721787.8	2086	Common Alder <i>Alnus glutinosa</i>	Semi-mature	17	5	160	170	165	4	4	4	4	Fair	10 to 20 yrs	C
275884.8 721777	2087	Common Alder <i>Alnus glutinosa</i>	Mature	19	6	280	290	250	5	5	5	5	Fair	20 to 40 yrs	B
275913.4 721770.6	2088	Mespil <i>Amelanchier lamarckii</i>	Semi mature	5	1	100	100	90	1	2	2	2	Fair	10 to 20 yrs	C

END SCHEDULE

Tree Survey Assessment Criteria

The tree survey is undertaken in accordance with a range of criteria listed in BS 5837:2012 Trees in Relation to Design, Demolition and Construction-Recommendations.

Quality Category

Category A: (high quality with an estimated remaining life expectancy of at least 40 years).

Category B: (moderate quality with an estimated remaining life expectancy of at least 20 years).

Category C: (low quality with an estimated remaining life expectancy of at least 10 years).

Category U: (in such condition that they cannot realistically be retained as living trees in the context of the current land use for longer than 10 years).

Sub Categories: The BS 5837 subcategories for all recorded trees is category 1, mainly Arboricultural Qualities & category 2 combined; mainly Landscape qualities.

Tree Condition

Defects or diseases and relevant observations have been recorded under condition of Crown, Stem, Basal area and Physiological condition. It is important to appreciate that in BS5837 criteria only basic condition categories are recorded and the inspection process does not constitute a detailed tree condition survey.

The overall condition of a tree has been referred to as one of the following:

- Good: A sound tree needing little if any attention.
- Fair: A tree with minor but rectifiable defects or in the early stages of stress, from which it may recover.
- Poor: A tree with major structural and or physiological defects or stressed such that it would be very expensive and inappropriate to retain.
- Decline: Irreversible with death inevitable in the short term.
- Dead.

Age Class

Age Class and Life Expectancy are clearly related but the distinction is necessary due to the variation among tree species. Knowledge of the longevity of individual species has been applied to determine the relative age and life expectancy categories in which trees are placed.

Age class is classified as:

- Y: Young trees up to five years of age.
- SM: Semi-mature trees less than $\frac{1}{3}$ rd life expectancy.
- EM: Early Mature trees between $\frac{1}{3}$ rd and $\frac{1}{2}$ of life expectancy.
- M: Mature trees between $\frac{1}{2}$ and $\frac{2}{3}$ rd of life expectancy.
- LM: Late mature - A senescent or moribund specimen with a limited safe useful life expectancy.
- V: Veteran status - where a tree possesses certain attributes relating to veteran trees.

Safe Useful Life Expectancy (SULE)

The survey schedule identifies a Safe Useful Life Expectancy (SULE) for each tree. This is a subjective assessment of the number of years that the tree can be expected to survive without deteriorating to the extent that safety is compromised. The estimated remaining contribution is given in ranges of years (<10, 10 to 20, 20 to 40, >40).

It is important to note that SULE does not in any way suggest that regular inspection and remedial work can be ignored. SULE does not take into account routine management that will be required to deal with minor structural or cultural problems, or damage that may arise from climatic or other physical intervention. The SULE value given for each tree reflects the following opinion based on current tree condition and environmental considerations:

<10. The tree has very limited prospects, due to terminal decline or major structural problems. Its removal should be planned within the next 10 years, unless immediate removal is recommended for safety reasons.

10-20. The tree has obvious structural or physiological problems that cannot be rectified, and decline is likely to continue. Removal or major tree surgery work may be necessary within 20 years, or the species is approaching its normal life expectancy and decline due to senescence can be expected within this timeframe.

20-40. Relatively minor defects exist that are likely to increase safety risks or general tree health over a long period of time. At this stage it is impossible to fully predict the impact of such defects. Or the species is approaching its normal life expectancy and decline due to senescence can be expected within this timeframe.

>40. There is currently no health or structural problems evident and the tree can be expected to survive safely for 40 or more years.

Appendix 1: BS5837 Tree Categorisation

Category (A) - (Light Green): trees whose retention is most desirable and are of high quality and value. These trees are considered to be in such a condition as to be able to make a lasting contribution (a minimum of 40 years) and may comprise:

(i) Trees which are particularly good examples of their species especially rare or unusual, or essential components of groups or of formal or semi-formal arboricultural features (e.g. the dominant and/or principal trees within an avenue);

(ii) Trees, groups or woodlands which provide a definite screening or softening effect to the locality in relation to views into or out of the site, or those of particular visual importance (e.g. avenues or other arboricultural features assessed as groups);

(iii) Trees or groups or woodlands of significant conservation, historical, or commemorative value

Category (B) - (Mid Blue): are trees whose retention is considered desirable and are of moderate quality and value. These trees are considered to be in such a condition as to make a significant contribution (a minimum of 20 years) and may comprise:

(i) Trees that might be included in the high category but because of their numbers or slightly impaired condition (e.g. presence of remediable defects including unsympathetic past management and minor storm damage), are downgraded in favour of the best individuals;

(ii) Trees present in numbers such that they form distinct landscape features and attract a higher collective rating than they would as individuals. Individually these trees are not essential components of formal or semi-formal arboricultural features, or trees situated mainly internally to the site and have little visual impact beyond the site;

(iii) Trees with clearly identifiable conservation or other cultural benefits.

Category (C) - (Grey): are trees that could be retained and are considered to be of low quality and value. These trees are in an adequate condition to remain until new planting could be established (a minimum of ten years) or are young trees with a stem diameter below 150mm and may comprise:

(i) Trees not qualifying in higher categories;

(ii) Trees present in groups or woodlands, but without this conferring on them significantly greater landscape value and or trees offering low or only temporary screening benefit;

(iii) Trees with very limited conservation or other cultural benefits.

Category (U) - (Dark Red): Trees for removal are those trees in such a condition that any existing value would be lost within 10 years and which should in the current context be removed for reasons of sound arboricultural management. Trees within this category are:

(i) Trees that have a serious irreparable, structural defect, such that their early loss is expected due to collapse, including those that will become unviable after removal of other category U trees;

(ii) Trees that are dead or showing signs of significant, immediate or irreversible overall decline;

(iii) Trees infected with pathogens of significance to the health and or/safety of other trees nearby trees or very low quality trees suppressing adjacent trees of better quality.

Appendix 4: Project Contact Details

Sweco UK Limited

Ellie Davies
Landscape Architect
Abbey House, 4th Floor
33 Booth Street
Manchester, M2 3LW

Tel. 0161 667 7053
Mobile 07798 825 068
E-mail: ellie.davies@sweco.co.uk

Project Arboriculturalist

Christopher Calvey,
The Tree Inspector (Scotland)
North Hourat Farm,
Kilbirnie, Ayrshire
KA25 7LJ

Tel. 0141 297 1010
Mobile: Mo. 07920 763132
E-mail: chris@tree-inspector.co.uk