#### PERTH AND KINROSS LICENSING BOARD,

Pullar House, 35 Kinnoull Street, Perth, PH1 5GD

### **SCHEDULE 6**

Regulation 7

## DISABLED ACCESS AND FACILITIES STATEMENT

Licensing (Scotland) Act 2005, section 20(2)(b)(iia)

### **Question 1**

#### Disabled access and facilities

1(a)	Is there disabled access to the premises	YES
1(b)	Do you have facilities for those with a disability	YES
<b>1</b> (c)	Do you have any other provisions available to aid the use of the premises by disabled people	YES
*Delete a	s appropriate	

If you have answered Yes to any of the questions above please complete, as appropriate, the following sections.

### **Question 2**

## Disabled access to, from and within the premises

Please provide clear and detailed description of how accessible the premises are for disabled people. e.g. ramps, accessible floors, signage.

OUTSIDE AREA IS LEVEL THROUGHOUT. THE DOORS GIVING ACCESS TO BOTH THE INTERNAL RESTAURANT AND TOILETS ARE SUFFICIENTLY WIDE TO ACCOMODATE WHEELCHAIR USERS. THE INTERNAL PART OF THE PREMISES IS ALSO LEVEL AND FLAT THROUGHOUT. DISABLED TOILET AVAILABLE.

## **Question 3**

#### Facilities available

Please describe in detail the facilities provided for disabled people. e.g. disabled toilets, lifts, accessible tables.

### DISABLES TOILETS.

## **Question 4**

## Other provisions

Please provide details of any other provisions made to aid the use of the premises by disabled people. e.g. assistance dogs welcome, large print menus.

ASSISTANCE DOGS WELCOME.

# DECLARATION BY APPLICANT OR AGENT ON BEHALF OF APPLICANT

If signing on behalf of the applicant please state in what capacity.

The contents of this disabled and belief.	access and facilities statement are true to the best of my knowledge
Signature	(see note below) Harry Dunn
Date 12 MPRCLL	ಲ <u>್ಲ</u>
Capacity	AGENT
Telephone number and email	address of signatory

## \* Data Protection Act 1998

The information on this form may be held on an electronic public register which may be available to members of the public on request